


2024/05/03 0350Z

EPCE ELTUB L733 BODLA UZ717 PODUS UL619 VIBIS UZ717 ABAMI T884 NEREL Z717 GOBNO UZ717 MAS UM617  
CIV CIV UM617 CMB CMB R50 CAN R111 EKRAS UN491 UPALO UN585 BADUR UN472 QPR UN749 TIVLU UN536  
BUNAV 4600N01000W 4600N01100W NILAV GONAN T16 EKROL 4200N01600W 4100N01800W 4000N02000W  
3900N02200W 3800N02300W BEKUN H102 VSM H105 GINSU 3400N02900W 3300N03000W 3100N03200W 3000N03300W  
2900N03400W 2700N03600W 2600N03700W 2500N03800W 2300N04000W 2200N04100W 2100N04200W 1900N04300W  
1800N04400W 1600N04500W 1500N04600W 1300N04700W 1200N04800W 1100N04900W 900N05000W 800N05100W  
PANER 600N05200W REKIM CYR UL306 DABRA L306 DIMAS UL306 MNS MNS UZ74 PVH W3 GJM GYA W1 REDIR SLLP

6236.29 nm / 11549.60 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EPCE	-	54.41620	0 ft	-	Cewice
APT	-	17.76310	0 m		
ELTUB	-	53.67250	33,500 ft	93	-
FIX	-	15.42250	10,211 m		
BODLA	L733	53.27580	35,000 ft	43	-
FIX	AWY-HI	14.41000	10,668 m		
RAKIT	UZ717	53.17860	35,000 ft	18	-
FIX	AWY-HI	13.91100	10,668 m		
BEKBA	UZ717	53.13190	35,000 ft	8	-
FIX	AWY-HI	13.67530	10,668 m		
GOLBO	UZ717	53.12000	35,000 ft	2	-
FIX	AWY-HI	13.61580	10,668 m		
GUDOP	UZ717	53.02970	35,000 ft	16	-
FIX	AWY-HI	13.17080	10,668 m		
PODUS	UZ717	52.95920	35,000 ft	13	-
FIX	AWY-HI	12.83060	10,668 m		
VIBIS	UL619	52.97520	35,000 ft	17	-
FIX	AWY-HI	12.33860	10,668 m		
INDOK	UZ717	52.95140	35,000 ft	7	-
FIX	AWY-HI	12.13220	10,668 m		
GARLU	UZ717	52.82920	35,000 ft	37	-
FIX	AWY-HI	11.11810	10,668 m		
AMALI	UZ717	52.47970	35,000 ft	33	-
FIX	AWY-HI	10.40640	10,668 m		
DLE	UZ717	52.25030	35,000 ft	23	LEINE
VOR	AWY-HI	9.88349	10,668 m		
PIROT	UZ717	52.05340	35,000 ft	26	-
FIX	AWY-HI	9.23690	10,668 m		
EXOBA	UZ717	51.76720	35,000 ft	37	-
FIX	AWY-HI	8.32694	10,668 m		
IRBUP	UZ717	51.49060	35,000 ft	35	-
FIX	AWY-HI	7.47722	10,668 m		
ABAMI	UZ717	51.42500	35,000 ft	8	-
FIX	AWY-HI	7.28056	10,668 m		
NEREL	T884	51.08750	35,000 ft	33	-
FIX	AWY-HI	6.56306	10,668 m		
MODRU	Z717	51.01750	35,000 ft	18	-
FIX	AWY-LO	6.09008	10,668 m		
GOBNO	Z717	50.98230	35,000 ft	4	-
FIX	AWY-LO	5.98973	10,668 m		
MAS	UZ717	50.97190	35,000 ft	1	MAASTRICHT
VOR	AWY-HI	5.96043	10,668 m		
MAS09	UM617	50.93220	35,000 ft	8	-
FIX	AWY-HI	5.73583	10,668 m		
SOGRI	UM617	50.80640	35,000 ft	27	-
FIX	AWY-HI	5.04528	10,668 m		
BUPAL	UM617	50.72310	35,000 ft	17	-
FIX	AWY-HI	4.60111	10,668 m		
SISGA	UM617	50.61810	35,000 ft	21	-
FIX	AWY-HI	4.05667	10,668 m		
CIV	UM617	50.57400	35,000 ft	8	CHIEVRES
VOR	AWY-HI	3.83287	10,668 m		
CIV	-	50.57230	35,000 ft	0	CHIEVRES TACAN

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DME	-	3.82183	10,668 m		
ROBAL	UM617	50.47330	35,000 ft	9	-
FIX	AWY-HI	3.63333	10,668 m		
CMB	UM617	50.22810	35,000 ft	23	CAMBRAI EPINOY
VOR	AWY-HI	3.15150	10,668 m		
CMB	-	50.22320	35,000 ft	0	CAMBRAI EPINOY VORTAC
DME	-	3.15089	10,668 m		
OBIVA	R50	50.18360	35,000 ft	24	-
FIX	AWY-LO	2.50667	10,668 m		
ABB	R50	50.13510	35,000 ft	25	ABBEVILLE
VOR	AWY-LO	1.85469	10,668 m		
DPE	R50	49.92540	35,000 ft	29	DIEPPE
VOR	AWY-LO	1.17064	10,668 m		
CAN	R50	49.17320	35,000 ft	77	CAEN CARPIQUET
VOR	AWY-LO	-0.45528	10,668 m		
EKRAS	R111	48.89940	35,000 ft	44	-
FIX	AWY-LO	-1.49917	10,668 m		
UPALO	UN491	48.91030	35,000 ft	9	-
FIX	AWY-HI	-1.75194	10,668 m		
BADUR	UN585	48.71080	35,000 ft	48	-
FIX	AWY-HI	-2.95111	10,668 m		
ARE	UN472	48.33260	35,000 ft	34	MONTs D'ARREE
VOR	AWY-HI	-3.60247	10,668 m		
QPR	UN472	47.95730	35,000 ft	32	QUIMPER PLUGUFFAN
VOR	AWY-HI	-4.18472	10,668 m		
TIVLU	UN749	46.50000	35,000 ft	178	-
FIX	AWY-HI	-8.00000	10,668 m		
BUNAV	UN536	46.50000	35,000 ft	31	-
FIX	AWY-HI	-8.75000	10,668 m		
4600N01000W	-	46.00000	35,000 ft	59	-
LATLON	-	-10.00000	10,668 m		
4600N01100W	-	46.00000	35,000 ft	41	-
LATLON	-	-11.00000	10,668 m		
NILAV	-	45.00000	35,000 ft	118	-
FIX	-	-13.41670	10,668 m		
GONAN	-	45.00000	35,000 ft	24	-
FIX	-	-14.00000	10,668 m		
EKROL	T16	42.00000	35,000 ft	192	-
FIX	AWY-HI	-15.58330	10,668 m		
4200N01600W	-	42.00000	35,000 ft	18	-
LATLON	-	-16.00000	10,668 m		
4100N01800W	-	41.00000	35,000 ft	108	-
LATLON	-	-18.00000	10,668 m		
4000N02000W	-	40.00000	35,000 ft	109	-
LATLON	-	-20.00000	10,668 m		
3900N02200W	-	39.00000	35,000 ft	110	-
LATLON	-	-22.00000	10,668 m		
3800N02300W	-	38.00000	35,000 ft	76	-
LATLON	-	-23.00000	10,668 m		
BEKUN	-	37.94830	35,000 ft	11	-
FIX	-	-23.23470	10,668 m		
VSM	H102	36.96290	35,000 ft	109	SANTA MARIA
VOR	AWY-HI	-25.16640	10,668 m		
GINSU	H105	36.29250	35,000 ft	126	-
FIX	AWY-HI	-27.64780	10,668 m		
3400N02900W	-	34.00000	35,000 ft	152	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-29.00000	10,668 m		
3300N03000W	-	33.00000	35,000 ft	78	-
LATLON	-	-30.00000	10,668 m		
3100N03200W	-	31.00000	35,000 ft	157	-
LATLON	-	-32.00000	10,668 m		
3000N03300W	-	30.00000	35,000 ft	79	-
LATLON	-	-33.00000	10,668 m		
2900N03400W	-	29.00000	35,000 ft	79	-
LATLON	-	-34.00000	10,668 m		
2700N03600W	-	27.00000	35,000 ft	160	-
LATLON	-	-36.00000	10,668 m		
2600N03700W	-	26.00000	35,000 ft	80	-
LATLON	-	-37.00000	10,668 m		
2500N03800W	-	25.00000	35,000 ft	80	-
LATLON	-	-38.00000	10,668 m		
2300N04000W	-	23.00000	35,000 ft	162	-
LATLON	-	-40.00000	10,668 m		
2200N04100W	-	22.00000	35,000 ft	81	-
LATLON	-	-41.00000	10,668 m		
2100N04200W	-	21.00000	35,000 ft	82	-
LATLON	-	-42.00000	10,668 m		
1900N04300W	-	19.00000	35,000 ft	132	-
LATLON	-	-43.00000	10,668 m		
1800N04400W	-	18.00000	35,000 ft	82	-
LATLON	-	-44.00000	10,668 m		
1600N04500W	-	16.00000	35,000 ft	133	-
LATLON	-	-45.00000	10,668 m		
1500N04600W	-	15.00000	35,000 ft	83	-
LATLON	-	-46.00000	10,668 m		
1300N04700W	-	13.00000	35,000 ft	133	-
LATLON	-	-47.00000	10,668 m		
1200N04800W	-	12.00000	35,000 ft	83	-
LATLON	-	-48.00000	10,668 m		
1100N04900W	-	11.00000	35,000 ft	84	-
LATLON	-	-49.00000	10,668 m		
900N05000W	-	9.00000	35,000 ft	133	-
LATLON	-	-50.00000	10,668 m		
800N05100W	-	8.00000	35,000 ft	84	-
LATLON	-	-51.00000	10,668 m		
PANER	-	6.71000	35,000 ft	88	-
FIX	-	-51.70530	10,668 m		
600N05200W	-	6.00000	35,000 ft	46	-
LATLON	-	-52.00000	10,668 m		
REKIM	-	5.46889	35,000 ft	34	-
FIX	-	-52.22890	10,668 m		
CYR	-	4.81364	35,000 ft	40	FELIX EBOUE (CAYENNE)
VOR	-	-52.36840	10,668 m		
DABRA	UL306	4.32361	35,000 ft	40	-
FIX	AWY-HI	-52.82360	10,668 m		
LIXEB	L306	3.91667	35,000 ft	33	-
FIX	AWY-LO	-53.21280	10,668 m		
DIMAS	L306	2.91667	35,000 ft	82	-
FIX	AWY-LO	-54.16670	10,668 m		
SIROS	UL306	2.47133	35,000 ft	41	-
FIX	AWY-HI	-54.69220	10,668 m		
UKAMU	UL306	2.04667	35,000 ft	35	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-55.11130	10,668 m		
OBGUX	UL306	1.53250	35,000 ft	43	-
FIX	AWY-HI	-55.61870	10,668 m		
TIKBA	UL306	1.06400	35,000 ft	39	-
FIX	AWY-HI	-56.08070	10,668 m		
LODOK	UL306	-0.66600	35,000 ft	145	-
FIX	AWY-HI	-57.78800	10,668 m		
DOMGA	UL306	-1.44283	35,000 ft	65	-
FIX	AWY-HI	-58.54950	10,668 m		
UMROT	UL306	-1.92083	35,000 ft	40	-
FIX	AWY-HI	-59.02080	10,668 m		
TEPEM	UL306	-2.56183	35,000 ft	54	-
FIX	AWY-HI	-59.65520	10,668 m		
REGEF	UL306	-2.72983	35,000 ft	13	-
FIX	AWY-HI	-59.79680	10,668 m		
MNS	UL306	-3.04003	35,000 ft	24	MANAUS
VOR	AWY-HI	-60.05470	10,668 m		
MNS	-	-3.03700	35,000 ft	4	MANAUS VOR-DME
DME	-	-60.12480	10,668 m		
LIXIP	UZ74	-3.28283	35,000 ft	16	-
FIX	AWY-HI	-60.25880	10,668 m		
AKVIT	UZ74	-3.64587	35,000 ft	27	-
FIX	AWY-HI	-60.52680	10,668 m		
EGBEM	UZ74	-4.77767	35,000 ft	81	-
FIX	AWY-HI	-61.27570	10,668 m		
UPOMI	UZ74	-5.13417	35,000 ft	25	-
FIX	AWY-HI	-61.50780	10,668 m		
IGAPO	UZ74	-5.60283	35,000 ft	33	-
FIX	AWY-HI	-61.82530	10,668 m		
MIMUM	UZ74	-6.52000	35,000 ft	65	-
FIX	AWY-HI	-62.43130	10,668 m		
OBEBE	UZ74	-6.94117	35,000 ft	30	-
FIX	AWY-HI	-62.71380	10,668 m		
PINUP	UZ74	-7.51333	35,000 ft	41	-
FIX	AWY-HI	-63.09650	10,668 m		
MUPEG	UZ74	-8.25883	35,000 ft	53	-
FIX	AWY-HI	-63.59630	10,668 m		
PVH	UZ74	-8.71402	35,000 ft	32	PORTO VELHO
VOR	AWY-HI	-63.90350	10,668 m		
GUIMA	W3	-9.27333	35,000 ft	40	-
FIX	AWY-LO	-64.27350	10,668 m		
GJM	W3	-10.78430	35,000 ft	108	GUAJARA-MIRIM (GUAJARA MIRIM)
NDB	AWY-LO	-65.28120	10,668 m		
GYA	-	-10.82530	35,000 ft	4	GUAYARAMERIN
NDB	-	-65.34290	10,668 m		
UKARO	W1	-13.20890	35,000 ft	143	-
FIX	AWY-LO	-65.41530	10,668 m		
ANA	W1	-13.76290	35,000 ft	33	SANTA ANA
NDB	AWY-LO	-65.43200	10,668 m		
OGMET	W1	-13.83530	35,000 ft	6	-
FIX	AWY-LO	-65.51810	10,668 m		
RIXUM	W1	-14.06080	35,000 ft	20	-
FIX	AWY-LO	-65.78670	10,668 m		
SRJ	W1	-14.85770	28,000 ft	73	SAN BORJA
NDB	AWY-LO	-66.73570	8,534 m		
REDIR	W1	-15.91030	11,400 ft	77	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-67.51250	3,475 m		
SLLP	-	-16.51330	0 ft	53	El Alto Intl
APT	-	-68.19230	0 m		

## EPCE

Region: POLAND  
Timezone: EUROPE/WARSAW  
Runways: 1

Elevation: 504 ft / 154 m  
Location: 54.416200 17.763100  
Magnetic Var: 6.125 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

APP - 121.17 MHz - CEWICE PRECISION  
TWR - 126.75 MHz - CEWICE TOWER

APP - 132.42 MHz - CEWICE APPROACH  
REC - 128.50 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	164 ft	8,265 ft	76.02	CONCRETE	0 ft	0 ft
	50 m	2,519 m	69.89		0 m	0 m
25	164 ft	8,265 ft	256.05	CONCRETE	0 ft	0 ft
	50 m	2,519 m	249.92		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	ICE	111.30 MHz	18 nm	256.03	-	504 ft
				33 km	249.90		504 m
25	GS	ICE	111.30 MHz	10 nm	256.03	3.00	504 ft
				19 km	249.90		504 m



## SLLP

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 1

Elevation: 13,314 ft / 4,058 m  
Location: -16.513300 -68.192300  
Magnetic Var: 9.169 W

## METAR

SLLP 030300Z 09006KT 9999 FEW006 FEW017CB SCT070 BKN200 08/06 Q1037

## TAF

TAF SLLP 022200Z 0300/0324 04005KT 9999 FEW015 FEW017CB TX15/0319Z TN01/0310Z PROB40 TEMPO 0301/0304 5000 SHRA BE

## Frequencies

GND - 121.90 MHz - LA PAZ GROUND  
APP - 119.50 MHz - LA PAZ APPROACH

TWR - 118.30 MHz - LA PAZ TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	13,108 ft	91.90	CONCRETE	0 ft	108 ft
	46 m	3,995 m	101.06		0 m	33 m
28	151 ft	13,108 ft	271.88	CONCRETE	0 ft	125 ft
	46 m	3,995 m	281.05		0 m	38 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	ILPA	110.30 MHz	18 nm	91.89	-	13,313 ft
				33 km	101.06		13,313 m
10	GS	ILPA	110.30 MHz	10 nm	92.79	2.40	13,313 ft
				19 km	101.96		13,313 m