


2024/05/16 2241Z

LXGB VAGNO **G5** TOLSI **UG5** CBA **G5** ESS **UG5** SONSO **G5** GDV GCLP

733.95 nm / 1359.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LXGB	-	36.15121	0 ft	-	Gibraltar
APT	-	-5.34966	0 m		
VAGNO	-	35.74000	18,700 ft	52	-
FIX	-	-6.30000	5,700 m		
TOLSI	G5	34.60056	34,000 ft	76	-
FIX	AWY-LO	-7.01500	10,363 m		
CBA	UG5	33.52150	34,000 ft	72	CASABLANCA VOR-DME
VOR	AWY-HI	-7.67719	10,363 m		
RALEK	G5	33.00361	34,000 ft	40	-
FIX	AWY-LO	-8.17944	10,363 m		
BARAM	G5	32.24694	34,000 ft	58	-
FIX	AWY-LO	-8.90000	10,363 m		
ESS	G5	31.40124	34,000 ft	64	ESSAOUIRA VOR-DME
VOR	AWY-LO	-9.68696	10,363 m		
SONSO	UG5	30.01222	34,000 ft	150	-
FIX	AWY-HI	-12.10194	10,363 m		
KORAL	G5	29.73143	34,000 ft	29	-
FIX	AWY-LO	-12.57834	10,363 m		
LZR	G5	29.16600	26,700 ft	59	LANZAROTE VOR-DME
VOR	AWY-LO	-13.51073	8,138 m		
GDV	G5	28.07708	1,900 ft	120	GRAN CANARIA VOR-DME
VOR	AWY-LO	-15.42899	579 m		
GCLP	-	27.93154	0 ft	9	Gran Canaria
APT	-	-15.38559	0 m		

GCLP

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 2

Elevation: 78 ft / 24 m
Location: 27.931600 -15.385600
Magnetic Var: 3.948 W

METAR

GCLP 162230Z 01014KT 9999 FEW020 BKN040 20/14 Q1017 NOSIG

TAF

TAF GCLP 162000Z 1621/1721 36015KT 9999 SCT035 TX23/1714Z TN18/1706Z PROB30 TEMPO 1706/1712 4500 RA

Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.27		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.30		0 m	225 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.27		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.61		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.61		77 m