

LFPG

Paris Charles De Gaulle


LIPR

Rimini-Miramare "Federico Fellini"

2024/05/17 0124Z

LFPG MELKO **UM606** MANAG **UM139** LUL **UL613** RIPUS MANEG ELMUR **UQ341** RESIA **P131** VABOK LIPR

525.35 nm / 972.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56257	0 ft 0 m	-	Paris Charles De Gaulle
MELKO FIX	-	48.27810 4.67361	33,700 ft 10,272 m	94	-
MANAG FIX	UM606 AWY-HI	48.10310 5.16583	35,000 ft 10,668 m	22	-
MOTUK FIX	UM139 AWY-HI	47.86500 5.82028	35,000 ft 10,668 m	29	-
LUL VOR	UM139 AWY-HI	47.68830 6.29558	35,000 ft 10,668 m	21	LUXEUIL
NATLI FIX	UL613 AWY-HI	47.49190 7.50722	35,000 ft 10,668 m	50	-
HOC DME	UL613 AWY-HI	47.46660 7.66544	35,000 ft 10,668 m	6	HOCHWALD VOR-DME
DITON FIX	UL613 AWY-HI	47.30220 8.33333	35,000 ft 10,668 m	28	-
RIPUS FIX	UL613 AWY-HI	47.26030 8.50000	35,000 ft 10,668 m	7	-
MANEG FIX	-	47.20420 8.72222	35,000 ft 10,668 m	9	-
ELMUR FIX	-	47.15680 8.90761	35,000 ft 10,668 m	8	-
RESIA FIX	UQ341 AWY-HI	46.47830 10.04330	35,000 ft 10,668 m	61	-
ATPED FIX	P131 AWY-HI	46.15420 10.43030	33,900 ft 10,333 m	25	-
TAGIP FIX	P131 AWY-HI	45.93360 10.69000	30,200 ft 9,205 m	17	-
MOVOR FIX	P131 AWY-HI	45.81890 10.82390	28,300 ft 8,626 m	8	-
ADOSA FIX	P131 AWY-HI	45.64440 11.02640	25,400 ft 7,742 m	13	-
VABOK FIX	P131 AWY-HI	45.29360 11.27810	20,400 ft 6,218 m	23	-
LIPR APT	-	44.02040 12.61160	0 ft 0 m	95	Rimini-Miramare "Federico Fellini"

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.498 E

METAR

LFPG 170100Z 36002KT CAVOK 13/08 Q1008 NOSIG

TAF

TAF LFPG 162300Z 1700/1806 25005KT CAVOK TX21/1714Z TN10/1804Z PROB40 TEMPO 1710/1721 SCT040TCU PROB30 TEMPO 1716

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

LIPR

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 41 ft / 12 m
Location: 44.020400 12.611600
Magnetic Var: 3.870 E

METAR

UNKNOWN

TAF

TAF LIPR 162025Z 1618/1718 CNL

Frequencies

TWR - 119.10 MHz - RIMINI TOWER
TWR - 122.10 MHz - RIMINI TOWER
APP - 122.10 MHz - ROMAGNA RADAR

TWR - 121.60 MHz - RIMINI TOWER
APP - 118.15 MHz - ROMAGNA RADAR
APP - 118.57 MHz - ROMAGNA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	9,728 ft	127.78	CONCRETE	1,024 ft	830 ft
	45 m	2,965 m	123.91		312 m	253 m
31	148 ft	9,728 ft	307.80	CONCRETE	896 ft	459 ft
	45 m	2,965 m	303.93		273 m	140 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	MIR	109.30 MHz	18 nm	307.77	-	41 ft
				33 km	303.90		41 m
31	GS	MIR	109.30 MHz	10 nm	308.60	3.00	41 ft
				19 km	304.73		41 m