

OERK

King Khalid Intl


OEGN

King A. BIN Abdulaziz

2024/05/07 0149Z

OERK DEBAS **G667** WDR **V39** KUNSO OEGN

546.29 nm / 1011.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OERK APT	-	24.95740 46.69880	0 ft 0 m	-	King Khalid Intl
DEBAS FIX	-	23.18310 46.45780	35,000 ft 10,668 m	107	-
KITUB FIX	G667 AWY-HI	22.82280 46.39500	35,000 ft 10,668 m	21	-
TABNA FIX	G667 AWY-HI	21.31170 45.61460	35,000 ft 10,668 m	100	-
WDR VOR	G667 AWY-HI	20.50530 45.20540	35,000 ft 10,668 m	53	WADI AL DAWASIR
NABMA FIX	V39 AWY-HI	20.15940 44.92720	35,000 ft 10,668 m	26	-
KUNSO FIX	V39 AWY-HI	17.92110 43.30420	15,800 ft 4,816 m	162	-
OEGN APT	-	16.90110 42.58580	0 ft 0 m	73	King A. BIN Abdulaziz

OERK

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 2

Elevation: 2,048 ft / 624 m
Location: 24.957400 46.698800
Magnetic Var: 3.352 E

METAR

OERK 070100Z 00000KT CAVOK 25/07 Q1010 NOSIG

TAF

TAF OERK 062300Z 0700/0806 28008KT CAVOK BECMG 0706/0708 28012KT 7000 FEW040 BECMG 0800/0802 32008KT

Frequencies

REC - 113.30 MHz - ATIS	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - GROUND	GND - 121.60 MHz - GROUND
TWR - 118.60 MHz - TOWER	TWR - 118.80 MHz - TOWER
APP - 124.10 MHz - RIYADH APPROACH	APP - 120.00 MHz - RIYADH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	197 ft	13,809 ft	150.17	CONCRETE	0 ft	387 ft
	60 m	4,209 m	146.82		0 m	118 m
33L	197 ft	13,809 ft	330.18	CONCRETE	0 ft	384 ft
	60 m	4,209 m	326.82		0 m	117 m
15L	197 ft	13,809 ft	150.18	CONCRETE	0 ft	390 ft
	60 m	4,209 m	146.83		0 m	119 m
33R	197 ft	13,809 ft	330.19	CONCRETE	0 ft	390 ft
	60 m	4,209 m	326.84		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IELF	109.50 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15R	DME	ITIH	110.50 MHz	18 nm	-	-	2,047 ft
				33 km	-		2,047 m
33L	DME	IFAT	110.10 MHz	18 nm	-	-	2,023 ft
				33 km	-		2,023 m
33R	DME	IKIA	109.10 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15L	LOC-ILS	IELF	109.50 MHz	18 nm	150.18	-	2,049 ft
				33 km	146.83		2,049 m
15R	LOC-ILS	ITIH	110.50 MHz	18 nm	150.17	-	2,046 ft
				33 km	146.82		2,046 m
33L	LOC-ILS	IFAT	110.10 MHz	18 nm	330.16	-	2,049 ft
				33 km	326.81		2,049 m
33R	LOC-ILS	IKIA	109.10 MHz	18 nm	330.18	-	2,049 ft
				33 km	326.83		2,049 m
15L	GS	IELF	109.50 MHz	10 nm	150.35	3.00	2,033 ft
				19 km	147.00		2,033 m
15R	GS	ITIH	110.50 MHz	10 nm	150.33	3.00	2,047 ft
				19 km	146.98		2,047 m
33L	GS	IFAT	110.10 MHz	10 nm	330.33	3.00	2,023 ft
				19 km	326.98		2,023 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33R	GS	IKIA	109.10 MHz	10 nm	330.35	3.00	2,023 ft
				19 km	327.00		2,023 m

OEGN

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 1

Elevation: 20 ft / 6 m
Location: 16.901100 42.585800
Magnetic Var: 2.921 E

METAR

OEGN 070100Z 00000KT CAVOK 30/25 Q1008 NOSIG

TAF

TAF OEGN 062300Z 0700/0806 VRB03KT 7000 FEW030 BECMG 0706/0708 30012KT BECMG 0720/0722 VRB03KT

Frequencies

REC - 127.85 MHz - JAZAN AITS
GND - 121.90 MHz - JAZAN GROUND

TWR - 118.00 MHz - JAZAN TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	10,047 ft	150.20	ASPHALT	0 ft	988 ft
	45 m	3,062 m	147.28		0 m	301 m
33	148 ft	10,047 ft	330.20	ASPHALT	0 ft	991 ft
	45 m	3,062 m	327.28		0 m	302 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	IGZN	109.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
33	LOC-ILS	IGZN	109.90 MHz	18 nm	330.16	-	20 ft
				33 km	327.24		20 m
33	GS	IGZN	109.90 MHz	10 nm	330.30	3.00	20 ft
				19 km	327.38		20 m