


2024/06/06 0936Z

LIME KESEX **Z652** TRA **T718** RIGVI SOREM **V17** GTQ **N852** AKELU EBCI

365.96 nm / 677.75 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIME	-	45.67200	0 ft	-	Bergamo-Orio Al Serio	"Il Caravaggio"
APT	-	9.70681	0 m			
KESEX	-	47.23470	35,000 ft	102	-	
FIX	-	8.71667	10,668 m			
TRA	Z652	47.68950	35,000 ft	29	TRASADINGEN	
VOR	AWY-HI	8.43697	10,668 m			
ALINE	T718	47.92440	35,000 ft	24	-	
FIX	AWY-LO	7.94639	10,668 m			
GATPI	T718	48.04670	35,000 ft	12	-	
FIX	AWY-LO	7.68694	10,668 m			
RIGVI	T718	48.13250	35,000 ft	8	-	
FIX	AWY-LO	7.50361	10,668 m			
SOREM	-	48.47110	34,200 ft	28	-	
FIX	-	7.01889	10,424 m			
GTQ	V17	48.98640	27,100 ft	33	GROSTENQUIN	
VOR	AWY-LO	6.71622	8,260 m			
AKELU	N852	49.36690	21,800 ft	24	-	
FIX	AWY-LO	6.46389	6,645 m			
EBCI	-	50.45990	0 ft	101	Brussels South - Charleroi	
APT	-	4.45311	0 m			

## LIME

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 776 ft / 237 m  
Location: 45.672000 9.706810  
Magnetic Var: 3.352 E

## METAR

LIME 060850Z VRB03KT CAVOK 23/16 Q1018 NOSIG

## TAF

TAF LIME 060500Z 0606/0706 VRB05KT 9999 FEW050

## Frequencies

GND - 120.50 MHz - ORIO GROUND  
REC - 114.95 MHz - ATIS  
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER  
APP - 126.30 MHz - MILANO RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.11		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.11		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.52		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.55		135 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.73		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.45		779 m

## EBCI

Region: BELGIUM  
Timezone: EUROPE/BRUSSELS  
Runways: 1

Elevation: 612 ft / 187 m  
Location: 50.459900 4.453110  
Magnetic Var: 2.013 E

## METAR

EBCI 060850Z 25008KT 220V300 9999 FEW028 14/06 Q1017 NOSIG

## TAF

TAF EBCI 060501Z 0606/0712 26008KT 9999 FEW040

## Frequencies

REC - 134.62 MHz - ATIS  
TWR - 121.30 MHz - CHARLEROI TWR  
GND - 121.80 MHz - CHARLEROI GND  
APP - 133.12 MHz - CHARLEROI APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,347 ft	65.45	ASPHALT	1,470 ft	0 ft
	45 m	2,544 m	63.44		448 m	0 m
24	148 ft	8,347 ft	245.48	ASPHALT	0 ft	0 ft
	45 m	2,544 m	243.46		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	IGC	110.90 MHz	18 nm	245.46	-	612 ft
				33 km	243.45		612 m
24	GS	IGC	110.90 MHz	10 nm	245.46	3.00	612 ft
				19 km	243.45		612 m