


2024/05/28 0613Z

RJBB KRE **V53** SUC **B597** SEPIA **Y26** YURIX **Y62** KAZIK **B462** CAB RPLL

1482.62 nm / 2745.81 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJBB	-	34.43360	0 ft	-	Kansai Intl
APT	-	135.23400	0 m		
KRE	-	33.54180	33,600 ft	94	KOCHI
VOR	-	133.68000	10,241 m		
SUSAK	V53	33.33950	35,000 ft	15	-
FIX	AWY-HI	133.50400	10,668 m		
OKITU	V53	33.09650	35,000 ft	18	-
FIX	AWY-HI	133.29200	10,668 m		
SUC	V53	32.75600	35,000 ft	25	SHIMIZU
VOR	AWY-HI	132.99700	10,668 m		
MADOG	B597	32.12520	35,000 ft	48	-
FIX	AWY-HI	132.39600	10,668 m		
HIROS	B597	31.92510	35,000 ft	15	-
FIX	AWY-HI	132.20800	10,668 m		
JACKY	B597	31.55470	35,000 ft	28	-
FIX	AWY-HI	131.86300	10,668 m		
QUEEN	B597	31.22630	35,000 ft	25	-
FIX	AWY-HI	131.56000	10,668 m		
JOKER	B597	31.11630	35,000 ft	8	-
FIX	AWY-HI	131.45900	10,668 m		
TEPPO	B597	30.76010	35,000 ft	27	-
FIX	AWY-HI	131.13400	10,668 m		
TGE	B597	30.60220	35,000 ft	11	NAKATANE
VOR	AWY-HI	130.99200	10,668 m		
SEPIA	B597	30.00900	35,000 ft	40	-
FIX	AWY-HI	130.63500	10,668 m		
SWANO	Y26	29.57490	35,000 ft	39	-
FIX	AWY-HI	130.07500	10,668 m		
ANOXA	Y26	28.98880	35,000 ft	50	-
FIX	AWY-HI	129.37700	10,668 m		
YURIX	Y26	27.48810	35,000 ft	129	-
FIX	AWY-HI	127.61500	10,668 m		
IKEMA	Y62	24.78600	35,000 ft	204	-
FIX	AWY-HI	125.30100	10,668 m		
KAZIK	Y62	23.35160	35,000 ft	104	-
FIX	AWY-HI	124.22200	10,668 m		
SADEK	B462	23.00430	35,000 ft	25	-
FIX	AWY-HI	123.96500	10,668 m		
MAGMA	B462	22.79760	35,000 ft	14	-
FIX	AWY-HI	123.81700	10,668 m		
MEVIN	B462	21.00000	35,000 ft	128	-
FIX	AWY-HI	122.55000	10,668 m		
MINIO	B462	18.59550	35,000 ft	174	-
FIX	AWY-HI	120.82200	10,668 m		
TADAO	B462	18.38720	35,000 ft	15	-
FIX	AWY-HI	120.67500	10,668 m		
LAO	B462	18.17880	35,000 ft	15	LAOAG
VOR	AWY-HI	120.52900	10,668 m		
PAYAS	B462	18.01410	35,000 ft	10	-
FIX	AWY-HI	120.56000	10,668 m		
DIPID	B462	17.68460	35,000 ft	20	-
FIX	AWY-HI	120.62100	10,668 m		
ESSYL	B462	17.27260	35,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	120.69700	10,668 m		
CAB	B462	15.48230	12,400 ft	109	CABANATUAN
VOR	AWY-HI	121.02400	3,780 m		
RPLL	-	14.51130	0 ft	58	Ninoy Aquino Intl
APT	-	121.01300	0 m		

## RJBB

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 2

Elevation: 17 ft / 5 m  
Location: 34.433600 135.234000  
Magnetic Var: 8.023 W

## METAR

RJBB 280600Z 27006KT 2000 R24L/1400VP2000U R24R/1600D +SHRA BR FEW003 SCT010 BKN015 FEW020CB 17/17 Q0995 BECMG 34

## TAF

TAF TAF RJBB 280509Z 2806/2912 16017KT 9999 FEW008 SCT015 BKN025 BECMG 2806/2808 34018KT TEMPO 2806/2809 1500 +SH

## Frequencies

APP - 120.25 MHz - KANSAI APPROACH	APP - 120.45 MHz - KANSAI APPROACH
APP - 125.50 MHz - KANSAI APPROACH	APP - 124.70 MHz - KANSAI APPROACH
APP - 121.15 MHz - KANSAI APPROACH	APP - 120.85 MHz - KANSAI APPROACH
APP - 125.00 MHz - KANSAI APPROACH	APP - 124.80 MHz - KANSAI APPROACH
APP - 121.20 MHz - KANSAI APPROACH	APP - 120.40 MHz - KANSAI APPROACH
DEP - 119.20 MHz - KANSAI DEPARTURE	DEP - 120.65 MHz - KANSAI DEPARTURE
DEP - 119.50 MHz - KANSAI DEPARTURE	DEP - 119.75 MHz - KANSAI DEPARTURE
TWR - 118.20 MHz - KANSAI TOWER	TWR - 118.05 MHz - KANSAI TOWER
TWR - 126.20 MHz - KANSAI TOWER	GND - 121.60 MHz - KANSAI GROUND
GND - 121.65 MHz - KANSAI GROUND	CLD - 121.90 MHz - KANSAI DELIVERY
REC - 127.85 MHz - ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	13,135 ft	50.85	ASPHALT	0 ft	187 ft
	60 m	4,004 m	58.87		0 m	57 m
24R	197 ft	13,135 ft	230.87	ASPHALT	0 ft	184 ft
	60 m	4,004 m	238.89		0 m	56 m
06R	197 ft	11,493 ft	50.87	ASPHALT	0 ft	187 ft
	60 m	3,503 m	58.89		0 m	57 m
24L	197 ft	11,493 ft	230.88	ASPHALT	0 ft	180 ft
	60 m	3,503 m	238.90		0 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	DME	IKD	108.10 MHz	18 nm	-	-	34 ft
				33 km	-		34 m
24L	DME	IKN	110.70 MHz	18 nm	-	-	36 ft
				33 km	-		36 m
06L	LOC-ILS	IKJ	108.70 MHz	18 nm	50.86	-	17 ft
				33 km	58.88		17 m
06R	LOC-ILS	IKD	108.10 MHz	18 nm	50.88	-	17 ft
				33 km	58.90		17 m
24L	LOC-ILS	IKN	110.70 MHz	18 nm	230.88	-	17 ft
				33 km	238.90		17 m
24R	LOC-ILS	IKW	108.50 MHz	18 nm	230.86	-	17 ft
				33 km	238.88		17 m
06L	GS	IKJ	108.70 MHz	10 nm	50.86	3.00	17 ft
				19 km	58.88		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	GS	IKD	108.10 MHz	10 nm	50.88	3.00	17 ft
				19 km	58.90		17 m
24L	GS	IKN	110.70 MHz	10 nm	230.88	3.00	17 ft
				19 km	238.90		17 m
24R	GS	IKW	108.50 MHz	10 nm	230.86	3.00	17 ft
				19 km	238.88		17 m

## RPLL

Region: PHILIPPINES  
Timezone: ASIA/MANILA  
Runways: 2

Elevation: 75 ft / 23 m  
Location: 14.511300 121.013000  
Magnetic Var: 2.783 W

## METAR

RPLL 280600Z 27015KT 9999 FEW025 33/26 Q1005 NOSIG RMK A2968

## TAF

TAF RPLL 280500Z 2806/2912 26010KT 9999 FEW025 BKN100 TX33/2806Z TN29/2821Z TEMPO 2806/2812 26010G20KT 6000 -TSRA

## Frequencies

REC - 126.40 MHz - ATIS	APP - 119.70 MHz - MANILA APPROACH
APP - 121.10 MHz - MANILA APPROACH	APP - 127.70 MHz - MANILA APPROACH
TWR - 118.10 MHz - MANILA TOWER	GND - 121.80 MHz - MANILA GROUND
GND - 121.70 MHz - MANILA RAMP	GND - 128.80 MHz - MANILA RAMP
GND - 123.25 MHz - MANILA RAMP	GND - 121.35 MHz - MANILA RAMP
CLD - 125.10 MHz - MANILA CLEARANCE DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	11,742 ft	60.15	ASPHALT	545 ft	0 ft
	60 m	3,579 m	62.93		166 m	0 m
24	197 ft	11,742 ft	240.15	ASPHALT	0 ft	0 ft
	60 m	3,579 m	242.94		0 m	0 m
13	144 ft	7,729 ft	134.96	ASPHALT	804 ft	0 ft
	44 m	2,356 m	137.74		245 m	0 m
31	144 ft	7,729 ft	314.96	ASPHALT	0 ft	0 ft
	44 m	2,356 m	317.75		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IML	109.10 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
24	DME	IMA	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
06	LOC-ILS	IML	109.10 MHz	18 nm	60.15	-	75 ft
				33 km	62.93		75 m
24	LOC-ILS	IMA	109.90 MHz	18 nm	240.15	-	75 ft
				33 km	242.93		75 m
06	GS	IML	109.10 MHz	10 nm	60.15	3.01	75 ft
				19 km	62.93		75 m
24	GS	IMA	109.90 MHz	10 nm	240.15	3.06	75 ft
				19 km	242.93		75 m