

# OEJN

King Abdulaziz Intl


# VOMM

Chennai International Airport

2024/05/17 2219Z

OEJN VEMEM **Z331** EGMOT **V331** WDR **UL425** ASPUX **T208** BOLUR **P751** BISET **P574** MMV VOMM

2481.37 nm / 4595.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEJN APT	-	21.68280 39.15510	0 ft 0 m	-	King Abdulaziz Intl
VEMEM FIX	-	22.26490 40.02180	21,200 ft 6,462 m	59	-
DEKLO FIX	Z331 AWY-HI	21.91140 41.35220	35,000 ft 10,668 m	77	-
OBSAM FIX	Z331 AWY-HI	21.32220 43.47250	35,000 ft 10,668 m	123	-
EGMOT FIX	Z331 AWY-HI	21.17110 43.79750	35,000 ft 10,668 m	20	-
WDR VOR	V331 AWY-HI	20.50530 45.20540	35,000 ft 10,668 m	88	WADI AL DAWASIR
EGREN FIX	UL425 AWY-HI	20.37670 46.73940	35,000 ft 10,668 m	86	-
DENKU FIX	UL425 AWY-HI	20.18970 48.72530	35,000 ft 10,668 m	112	-
ASTIN FIX	UL425 AWY-HI	20.06940 49.88890	35,000 ft 10,668 m	66	-
DAVOX FIX	UL425 AWY-HI	19.73330 52.80470	35,000 ft 10,668 m	165	-
GOBRO FIX	UL425 AWY-HI	19.60610 53.79470	35,000 ft 10,668 m	56	-
NOVNO FIX	UL425 AWY-HI	19.55360 53.98280	35,000 ft 10,668 m	11	-
ITUVO FIX	UL425 AWY-HI	19.05420 55.72440	35,000 ft 10,668 m	103	-
DEDSO FIX	UL425 AWY-HI	18.96970 56.01140	35,000 ft 10,668 m	17	-
BOVOS FIX	UL425 AWY-HI	18.37500 57.97890	35,000 ft 10,668 m	117	-
ASPUX FIX	UL425 AWY-HI	17.73440 60.00110	35,000 ft 10,668 m	121	-
BOLUR FIX	T208 AWY-HI	17.01140 63.12250	35,000 ft 10,668 m	184	-
LATEB FIX	P751 AWY-HI	17.28440 64.36720	35,000 ft 10,668 m	73	-
LEMAX FIX	P751 AWY-HI	17.61780 65.78360	35,000 ft 10,668 m	83	-
LELIT FIX	P751 AWY-HI	18.07610 67.82500	35,000 ft 10,668 m	119	-
BISET FIX	P751 AWY-HI	18.38920 69.30190	35,000 ft 10,668 m	86	-
DARMI FIX	P574 AWY-HI	17.79500 70.57750	35,000 ft 10,668 m	81	-
GUNDI FIX	P574 AWY-HI	17.36030 71.49330	35,000 ft 10,668 m	58	-
ERVIS FIX	P574 AWY-HI	17.09110 72.05390	35,000 ft 10,668 m	35	-
OKILA FIX	P574 AWY-HI	16.59280 73.10780	35,000 ft 10,668 m	67	-
UDULO FIX	P574 AWY-HI	16.36780 73.56190	35,000 ft 10,668 m	29	-
MADOG	P574	16.20280	35,000 ft	22	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	73.90420	10,668 m		
BBM	P574	15.85710	35,000 ft	46	BELGAUM
VOR	AWY-HI	74.61930	10,668 m		
GULAM	P574	15.13860	35,000 ft	90	-
FIX	AWY-HI	75.99890	10,668 m		
OPAMO	P574	14.59310	35,000 ft	71	-
FIX	AWY-HI	77.09060	10,668 m		
MMV	P574	12.98770	100 ft	203	CHENNAI
VOR	AWY-HI	80.15500	30 m		
VOMM	-	12.99510	0 ft		Chennai International Airport
APT	-	80.16900	0 m		

## OEJN

Region: SAUDI ARABIA  
Timezone: ASIA/RIYADH  
Runways: 3

Elevation: 49 ft / 15 m  
Location: 21.682800 39.155100  
Magnetic Var: 3.897 E

## METAR

OEJN 172200Z 33006KT CAVOK 28/22 Q1007 NOSIG

## TAF

TAF OEJN 171700Z 1718/1824 35006KT 7000 NSC BECMG 1806/1808 28012KT CAVOK

## Frequencies

TWR - 118.20 MHz - JEDDAH TOWER	TWR - 124.30 MHz - JEDDAH TOWER
GND - 121.90 MHz - JEDDAH GROUND	GND - 121.60 MHz - JEDDAH GROUND
REC - 126.20 MHz - JEDDAH ATIS	DEP - 124.00 MHz - JEDDAH DEPARTURE
APP - 119.10 MHz - JEDDAH APPROACH	APP - 124.00 MHz - JEDDAH APPROACH
APP - 123.80 MHz - JEDDAH DIRECTOR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	155.99		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.99		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.97		0 m	119 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.98		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	155.99		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.97		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.98		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.97		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	335.99		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.98		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	155.99		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.97		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.98		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.97		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	335.99		49 m

## VOMM

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 2

Elevation: 51 ft / 16 m  
Location: 12.995100 80.169000  
Magnetic Var: 0.777 W

## METAR

VOMM 172200Z 00000KT 6000 FEW020 SCT100 29/26 Q1006 NOSIG

## TAF

TAF VOMM 171700Z 1718/1824 27005KT 5000 HZ SCT020 BKN100 PROB30 TEMPO 1718/1724 3000 -RA/BR SCT012 BKN080 PROB40 T

## Frequencies

REC - 127.45 MHz - ATIS  
TWR - 118.10 MHz -  
APP - 124.45 MHz -  
GND - 121.90 MHz -  
APP - 127.90 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	12,013 ft	68.92	ASPHALT	0 ft	476 ft
	45 m	3,661 m	69.70		0 m	145 m
25	148 ft	12,013 ft	248.93	ASPHALT	0 ft	492 ft
	45 m	3,661 m	249.70		0 m	150 m
12	148 ft	10,604 ft	117.74	ASPHALT	2,556 ft	0 ft
	45 m	3,232 m	118.51		779 m	0 m
30	148 ft	10,604 ft	297.74	ASPHALT	1,135 ft	0 ft
	45 m	3,232 m	298.52		346 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IMAS	110.30 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
07	LOC-ILS	IMAS	110.30 MHz	18 nm	68.92	-	51 ft
				33 km	69.70		51 m
25	LOC-ILS	ICHN	109.70 MHz	18 nm	248.92	-	51 ft
				33 km	249.70		51 m
07	GS	IMAS	110.30 MHz	10 nm	68.92	3.00	51 ft
				19 km	69.70		51 m
25	GS	ICHN	109.70 MHz	10 nm	248.92	3.00	51 ft
				19 km	249.70		51 m