

LIMC

Milano-Malpensa


LEMD

Adolfo Suárez Madrid-Barajas

2024/05/23 0233Z

LIMC GIGUS **UP860** RUSIT **UY305** LERGA **UN869** AGN **UL866** PPN **UN10** HERMI LEMD

658.19 nm / 1218.96 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIMC	-	45.63060	0 ft	-	Milano-Malpensa
APT	-	8.72812	0 m		
GIGUS	-	45.38970	34,700 ft	97	-
FIX	-	6.44167	10,577 m		
BALSI	UP860	45.47740	35,000 ft	20	-
FIX	AWY-HI	5.96075	10,668 m		
GIPNO	UP860	45.56000	35,000 ft	18	-
FIX	AWY-HI	5.52917	10,668 m		
RUBLO	UP860	45.59060	35,000 ft	7	-
FIX	AWY-HI	5.35028	10,668 m		
RUSIT	UP860	45.66810	35,000 ft	19	-
FIX	AWY-HI	4.89056	10,668 m		
ESIDA	UY305	45.48930	35,000 ft	23	-
FIX	AWY-HI	4.38836	10,668 m		
LERGA	UY305	45.25730	35,000 ft	30	-
FIX	AWY-HI	3.75017	10,668 m		
MOKDI	UN869	44.95690	35,000 ft	30	-
FIX	AWY-HI	3.16694	10,668 m		
OLRAK	UN869	44.78440	35,000 ft	17	-
FIX	AWY-HI	2.83722	10,668 m		
ROMAK	UN869	44.63000	35,000 ft	17	-
FIX	AWY-HI	2.48889	10,668 m		
NASEP	UN869	44.51500	35,000 ft	12	-
FIX	AWY-HI	2.23222	10,668 m		
NARAK	UN869	44.29530	35,000 ft	24	-
FIX	AWY-HI	1.74889	10,668 m		
AGN	UN869	43.88800	35,000 ft	45	AGEN
VOR	AWY-HI	0.87286	10,668 m		
PIPOR	UL866	43.00910	35,000 ft	101	-
FIX	AWY-HI	-1.10811	10,668 m		
PPN	UL866	42.73370	34,100 ft	30	PAMPLONA
VOR	AWY-HI	-1.70200	10,394 m		
VASUM	UN10	42.27190	27,400 ft	30	-
FIX	AWY-HI	-2.01100	8,352 m		
HERMI	UN10	41.47350	16,000 ft	53	-
FIX	AWY-HI	-2.53328	4,877 m		
LEMD	-	40.49530	0 ft	74	Adolfo Suárez Madrid-Barajas
APT	-	-3.56020	0 m		

LIMC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 767 ft / 234 m
Location: 45.630600 8.728120
Magnetic Var: 3.126 E

METAR

LIMC 230150Z 04004KT 9999 BKN050 13/12 Q1015 NOSIG

TAF

TAF LIMC 222300Z 2300/2406 VRB05KT 9999 SCT040 TEMPO 2300/2312 4000 TSRA BKN008 TEMPO 2315/2318 4000 TSRA BKN014

Frequencies

REC - 120.02 MHz - ATIS ARRIVAL	REC - 121.62 MHz - ATIS DEPARTURE
CLD - 120.90 MHz - CLEARANCE DELIVERY	GND - 121.82 MHz - MALPENSA GROUND
GND - 121.90 MHz - MALPENSA GROUND	TWR - 119.00 MHz - MALPENSA TOWER
TWR - 128.35 MHz - MALPENSA TOWER	APP - 126.75 MHz - MILANO APPROACH
APP - 125.62 MHz - MILANO APPROACH	APP - 132.70 MHz - MILANO APPROACH
DEP - 126.30 MHz - MILANO DEPARTURE	DEP - 126.75 MHz - MILANO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	197 ft	12,873 ft	169.06	ASPHALT	0 ft	387 ft
	60 m	3,924 m	165.94		0 m	118 m
35L	197 ft	12,873 ft	349.07	ASPHALT	1,319 ft	197 ft
	60 m	3,924 m	345.94		402 m	60 m
17L	197 ft	12,873 ft	169.06	ASPHALT	3,081 ft	207 ft
	60 m	3,924 m	165.94		939 m	63 m
35R	197 ft	12,873 ft	349.07	ASPHALT	0 ft	180 ft
	60 m	3,924 m	345.95		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IMSL	110.75 MHz	25 nm	-	-	792 ft
				46 km	-		792 m
35L	DME	IMA	109.10 MHz	25 nm	-	-	768 ft
				46 km	-		768 m
35R	DME	MLP	109.90 MHz	18 nm	-	-	713 ft
				33 km	-		713 m
17L	LOC-ILS	IMSL	110.75 MHz	18 nm	169.06	-	697 ft
				33 km	165.93		697 m
35L	LOC-ILS	IMA	109.10 MHz	18 nm	349.07	-	767 ft
				33 km	345.94		767 m
35R	LOC-ILS	MLP	109.90 MHz	18 nm	349.07	-	780 ft
				33 km	345.94		780 m
17L	GS	IMSL	110.75 MHz	10 nm	170.24	3.00	792 ft
				19 km	167.12		792 m
35L	GS	IMA	109.10 MHz	10 nm	350.24	3.00	768 ft
				19 km	347.11		768 m
35R	GS	MLP	109.90 MHz	10 nm	350.24	3.00	740 ft
				19 km	347.12		740 m

LEMD

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 4

Elevation: 1,998 ft / 609 m
Location: 40.495300 -3.560200
Magnetic Var: 0.082 E

METAR

LEMD 230200Z VRB02KT CAVOK 12/04 Q1018 NOSIG

TAF

TAF LEMD 222300Z 2300/2406 04005KT CAVOK TX28/2316Z TN11/2305Z

Frequencies

REC - 130.85 MHz - ATIS DEPARTURE	REC - 118.25 MHz - ATIS ARRIVAL
TWR - 120.65 MHz - BARAJAS TOWER	TWR - 120.15 MHz - BARAJAS TOWER
TWR - 119.50 MHz - BARAJAS TOWER	TWR - 118.15 MHz - BARAJAS TOWER
GND - 121.75 MHz - BARAJAS GROUND	GND - 123.15 MHz - BARAJAS GROUND
GND - 121.70 MHz - BARAJAS APRON	GND - 123.25 MHz - BARAJAS APRON
GND - 121.85 MHz - BARAJAS APRON	GND - 123.00 MHz - BARAJAS APRON
CLD - 130.35 MHz - CLEARANCE DELIVERY	CLD - 130.00 MHz - CLEARANCE DELIVERY
APP - 127.50 MHz - MADRID APPROACH	APP - 136.10 MHz - MADRID APPROACH
APP - 134.00 MHz - MADRID APPROACH	APP - 130.80 MHz - MADRID APPROACH
APP - 127.10 MHz - MADRID APPROACH	APP - 124.00 MHz - MADRID APPROACH
APP - 118.75 MHz - MADRID APPROACH	APP - 118.40 MHz - MADRID APPROACH
DEP - 131.17 MHz - MADRID DEPARTURE	DEP - 124.22 MHz - MADRID DEPARTURE
APP - 134.95 MHz - MADRID DIRECT	APP - 128.70 MHz - MADRID DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	197 ft	13,097 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,992 m	142.22		0 m	0 m
32L	197 ft	13,097 ft	322.32	ASPHALT	3,041 ft	0 ft
	60 m	3,992 m	322.24		927 m	0 m
18R	197 ft	13,723 ft	179.75	ASPHALT	2,644 ft	0 ft
	60 m	4,183 m	179.67		806 m	0 m
36L	197 ft	13,723 ft	359.75	ASPHALT	0 ft	0 ft
	60 m	4,183 m	359.67		0 m	0 m
14L	197 ft	11,494 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,504 m	142.23		0 m	0 m
32R	197 ft	11,494 ft	322.33	ASPHALT	1,627 ft	0 ft
	60 m	3,504 m	322.25		496 m	0 m
18L	197 ft	11,494 ft	179.76	ASPHALT	1,621 ft	0 ft
	60 m	3,503 m	179.68		494 m	0 m
36R	197 ft	11,494 ft	359.76	ASPHALT	0 ft	0 ft
	60 m	3,503 m	359.68		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	DME	IML	111.50 MHz	18 nm	-	-	1,916 ft
				33 km	-		1,916 m
18R	DME	IMR	110.70 MHz	18 nm	-	-	1,986 ft
				33 km	-		1,986 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32L	DME	MAA	109.90 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
32R	DME	MBB	109.10 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
18L	LOC-ILS	IML	111.50 MHz	18 nm	179.76	-	1,998 ft
				33 km	179.68		1,998 m
18R	LOC-ILS	IMR	110.70 MHz	18 nm	179.75	-	1,998 ft
				33 km	179.67		1,998 m
32L	LOC-ILS	MAA	109.90 MHz	18 nm	322.32	-	1,998 ft
				33 km	322.24		1,998 m
32R	LOC-ILS	MBB	109.10 MHz	18 nm	322.33	-	1,998 ft
				33 km	322.25		1,998 m
18L	GS	IML	111.50 MHz	10 nm	179.76	3.00	1,998 ft
				19 km	179.68		1,998 m
18R	GS	IMR	110.70 MHz	10 nm	179.75	3.00	1,978 ft
				19 km	179.67		1,978 m
32L	GS	MAA	109.90 MHz	10 nm	322.32	3.00	1,998 ft
				19 km	322.24		1,998 m
32R	GS	MBB	109.10 MHz	10 nm	322.33	3.00	1,998 ft
				19 km	322.25		1,998 m