

EGLL

London Heathrow


KORD

CHICAGO OHARE INTL

2024/05/14 2106Z

EGLL BETAX **UL613** MAMUL **UM150** GASKO **UP18** ADN **W5D** SUM **UM125** SIDER **G11** MY **G3** KEF **5E20** OZN **5E23** YDP
J548 YKL **N356C** ROUND **N362B** CANSO **N358B** SSM **J548** ADALE KORD

3789.19 nm / 7017.58 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL	-	51.47122	0 ft	-	London Heathrow
APT	-	-0.46098	0 m		
BETAX	-	53.00917	0 ft	93	-
FIX	-	-0.90083	0 m		
MAMUL	UL613	53.41806	0 ft	28	-
FIX	AWY-HI	-1.28000	0 m		
UPTON	UM150	53.58694	0 ft	10	-
FIX	AWY-HI	-1.30083	0 m		
BATLI	UM150	53.64583	0 ft	4	-
FIX	AWY-HI	-1.36028	0 m		
RIMTO	UM150	53.71750	0 ft	5	-
FIX	AWY-HI	-1.43306	0 m		
RIPNO	UM150	54.17667	0 ft	32	-
FIX	AWY-HI	-1.90556	0 m		
GASKO	UM150	54.22472	0 ft	3	-
FIX	AWY-HI	-1.95583	0 m		
TILNI	UP18	54.54750	0 ft	19	-
FIX	AWY-HI	-1.85500	0 m		
NEW	UP18	55.03845	0 ft	29	NEWCASTLE VOR-DME
VOR	AWY-HI	-1.69837	0 m		
ALASO	UP18	55.44722	0 ft	24	-
FIX	AWY-HI	-1.56500	0 m		
MADAD	UP18	55.91306	0 ft	28	-
FIX	AWY-HI	-1.73389	0 m		
NEXUS	UP18	56.21194	0 ft	18	-
FIX	AWY-HI	-1.84472	0 m		
BALID	UP18	56.49694	0 ft	17	-
FIX	AWY-HI	-1.95194	0 m		
ADN	UP18	57.31056	0 ft	49	ABERDEEN VOR-DME
VOR	AWY-HI	-2.26722	0 m		
SHD	W5D	57.55917	0 ft	20	SCOTSTOWN HEAD NDB
NDB	AWY-LO	-1.81722	0 m		
BEKET	W5D	58.88694	0 ft	80	-
FIX	AWY-LO	-1.52222	0 m		
GAVEL	W5D	59.38333	0 ft	30	-
FIX	AWY-LO	-1.40611	0 m		
MOCHA	W5D	59.54887	0 ft	10	-
FIX	AWY-LO	-1.36648	0 m		
SUM	W5D	59.87889	0 ft	19	SUMBURGH VOR-DME
VOR	AWY-LO	-1.28667	0 m		
SIDER	UM125	61.00000	0 ft	132	-
FIX	AWY-HI	-5.14639	0 m		
AB	G11	61.39528	0 ft	50	AKRABERG NDB
NDB	AWY-HI	-6.68111	0 m		
MY	G11	62.10694	0 ft	49	MYGGENES NDB
NDB	AWY-HI	-7.58778	0 m		
LINDA	G3	62.62167	0 ft	73	-
FIX	AWY-HI	-10.00000	0 m		
ROSTI	G3	63.40639	0 ft	121	-
FIX	AWY-HI	-14.11222	0 m		
ING	G3	63.80306	0 ft	71	INGO VOR-DME
VOR	AWY-HI	-16.63806	0 m		
MIKLA	G3	63.84833	0 ft	24	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-17.57417	0 m		
SKARD	G3	63.94278	0 ft	69	-
FIX	AWY-HI	-20.20500	0 m		
METIL	G3	63.97194	0 ft	34	-
FIX	AWY-HI	-21.52611	0 m		
KEF	G3	63.98681	0 ft	28	KEFLAVIK VORTAC
VOR	AWY-HI	-22.61450	0 m		
EMBLA	5E20	63.47000	0 ft	120	-
FIX	AWY-HI	-26.98167	0 m		
6330N	5E20	63.00000	0 ft	86	-
FIX	AWY-HI	-30.00000	0 m		
6140N	5E20	61.00000	0 ft	306	-
FIX	AWY-HI	-40.00000	0 m		
OZN	5E20	60.05722	0 ft	109	PRINS CHRISTIAN SUND NDB
NDB	AWY-HI	-43.15972	0 m		
5950N	5E23	59.00000	0 ft	217	-
FIX	AWY-HI	-50.00000	0 m		
PRAWN	5E23	57.20333	0 ft	310	-
FIX	AWY-HI	-59.17972	0 m		
YDP	5E23	56.53381	0 ft	91	NAIN NDB
NDB	AWY-HI	-61.69178	0 m		
YKL	J548	54.81450	0 ft	200	SCHEFFERVILLE VOR-DME
VOR	AWY-HI	-66.75489	0 m		
ROUND	N356C	51.25000	0 ft	367	-
FIX	AWY-HI	-75.04667	0 m		
CANSO	N362B	48.16172	0 ft	288	-
FIX	AWY-HI	-80.73509	0 m		
SSM	N358B	46.41211	0 ft	179	SAULT STE MARIE VOR-DME
DME	AWY-HI	-84.31487	0 m		
TVC	J548	44.66791	0 ft	116	TRAVERSE CITY VORTAC
DME	AWY-HI	-85.55002	0 m		
PECOK	J548	44.00769	0 ft	40	-
FIX	AWY-HI	-85.72075	0 m		
BITTR	J548	43.12158	0 ft	54	-
FIX	AWY-HI	-85.94394	0 m		
ADALE	J548	42.85301	0 ft	16	-
FIX	AWY-HI	-86.01099	0 m		
KORD	-	41.98274	0 ft	98	CHICAGO OHARE INTL
APT	-	-87.90631	0 m		

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.379 E

METAR

EGLL 142020Z AUTO 11010KT 9999 FEW046 14/11 Q1002 NOSIG

TAF

TAF EGLL 141658Z 1418/1524 13010KT 9999 SCT020 BECMG 1500/1503 BKN008 BECMG 1506/1509 SCT025 BECMG 1521/1524 1901

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.111 W

METAR

KORD 141951Z 03016KT 10SM OVC012 14/09 A2980 RMK AO2 SLP091 T01390094

TAF

KORD 141846Z 1419/1524 03013KT P6SM SCT015 BKN025 TEMPO 1419/1421 BKN015 OVC025 FM142300 03014KT P6SM SCT025 BKN0

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.53		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m