

MDPC

Punta Cana Intl


CYUL

Montreal-Pierre Elliot Trudeau Intl

2024/06/01 0944Z

MDPC TILDI Y585 ELMUC L454 JFK J37 ALB J570 NIPPY CYUL

1683.44 nm / 3117.74 km



Notes

Basic altitude profile:

- Ascent Rate: 3000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 260kts
- Descent Rate: 1500ft/min
- Descent Speed: 160kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MDPC	-	18.57080	0 ft	-	Punta Cana Intl
APT	-	-68.36620	0 m		
TILDI	-	20.16360	38,000 ft	104	-
FIX	-	-67.62940	11,582 m		
ELMUC	Y585	20.78390	38,000 ft	45	-
FIX	AWY-HI	-68.08320	11,582 m		
KNDLL	L454	21.54400	38,000 ft	46	-
FIX	AWY-HI	-68.26070	11,582 m		
WOODZ	L454	22.11290	38,000 ft	34	-
FIX	AWY-HI	-68.39550	11,582 m		
ALERI	L454	23.00970	38,000 ft	55	-
FIX	AWY-HI	-68.60860	11,582 m		
MNDEZ	L454	23.58110	38,000 ft	35	-
FIX	AWY-HI	-68.74630	11,582 m		
SINGL	L454	24.39670	38,000 ft	50	-
FIX	AWY-HI	-68.94630	11,582 m		
LUCTI	L454	25.00000	38,000 ft	37	-
FIX	AWY-HI	-69.09370	11,582 m		
RABAL	L454	26.72450	38,000 ft	105	-
FIX	AWY-HI	-69.45390	11,582 m		
SEBIS	L454	27.75820	38,000 ft	63	-
FIX	AWY-HI	-69.67510	11,582 m		
GRAMN	L454	30.36910	38,000 ft	159	-
FIX	AWY-HI	-70.25390	11,582 m		
SAVON	L454	31.44350	38,000 ft	65	-
FIX	AWY-HI	-70.50120	11,582 m		
PERDO	L454	33.68720	38,000 ft	137	-
FIX	AWY-HI	-71.03700	11,582 m		
GOUGH	L454	34.66970	38,000 ft	60	-
FIX	AWY-HI	-71.28070	11,582 m		
ATUGI	L454	35.63850	38,000 ft	59	-
FIX	AWY-HI	-71.52670	11,582 m		
OKONU	L454	37.30590	38,000 ft	102	-
FIX	AWY-HI	-71.96510	11,582 m		
WEBBB	L454	37.67150	38,000 ft	21	-
FIX	AWY-HI	-71.98200	11,582 m		
BERGH	L454	39.13250	38,000 ft	87	-
FIX	AWY-HI	-72.05160	11,582 m		
ANNGO	L454	39.21860	38,000 ft	6	-
FIX	AWY-HI	-72.14780	11,582 m		
WUZYU	L454	39.48760	38,000 ft	21	-
FIX	AWY-HI	-72.44940	11,582 m		
ELCAM	L454	39.59890	38,000 ft	8	-
FIX	AWY-HI	-72.57500	11,582 m		
FONDE	L454	39.72420	38,000 ft	10	-
FIX	AWY-HI	-72.71750	11,582 m		
OWENZ	L454	39.82340	38,000 ft	7	-
FIX	AWY-HI	-72.83050	11,582 m		
GEENE	L454	39.84940	38,000 ft	2	-
FIX	AWY-HI	-72.86030	11,582 m		
VOGEL	L454	39.97440	38,000 ft	9	-
FIX	AWY-HI	-73.00360	11,582 m		
GLINN	L454	40.01090	38,000 ft	2	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-73.04570	11,582 m		
TAAPS	L454	40.09920	38,000 ft	7	-
FIX	AWY-HI	-73.14770	11,582 m		
GEDIC	L454	40.14610	38,000 ft	3	-
FIX	AWY-HI	-73.20190	11,582 m		
BOUNO	L454	40.36540	38,000 ft	17	-
FIX	AWY-HI	-73.45710	11,582 m		
JFK	L454	40.63290	38,000 ft	21	KENNEDY (NEW YORK)
VOR	AWY-HI	-73.77140	11,582 m		
LLUND	J37	40.86250	38,000 ft	13	-
FIX	AWY-HI	-73.78260	11,582 m		
DUEYS	J37	41.15260	38,000 ft	17	-
FIX	AWY-HI	-73.79680	11,582 m		
GANDE	J37	41.51020	38,000 ft	21	-
FIX	AWY-HI	-73.81450	11,582 m		
IGN	J37	41.66550	38,000 ft	9	KINGSTON
VOR	AWY-HI	-73.82220	11,582 m		
ATHOS	J37	42.24710	38,000 ft	34	-
FIX	AWY-HI	-73.81210	11,582 m		
ALB	J37	42.74730	38,000 ft	30	ALBANY
VOR	AWY-HI	-73.80320	11,582 m		
NIPPY	J570	43.68970	37,100 ft	57	-
FIX	AWY-HI	-73.96850	11,308 m		
CYUL	-	45.46750	0 ft	107	Montreal-Pierre Elliot Trudeau Intl
APT	-	-73.74380	0 m		

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.893 W

METAR

CYUL 010900Z 24003KT 15SM FEW250 13/08 A3011 RMK CI1 SLP199

TAF

TAF CYUL 010840Z 0109/0206 26005KT P6SM FEW250 BECMG 0112/0114 23010KT BECMG 0122/0124 25005KT RMK NXT FCST BY 011

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.44		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.46		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m