


2024/05/03 2223Z

EBBR SOPOK ROPUV **L607** EMGOD BOMBI TENLO DEXIT VENEN LOWW

507.01 nm / 938.99 km



Notes

Requested: EBBR SOPOK Y863 ROPUV L607 EMGOD BOMBI TENLO DEXIT VENEN VENEN2W LOWW

Unmatched points: VENEN2W

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBBR	-	50.89990	0 ft	-	Brussels
APT	-	4.49277	0 m		
SOPOK	-	50.25280	0 ft	62	-
FIX	-	5.77389	0 m		
ROPUV	-	50.22190	0 ft	41	-
FIX	-	6.84833	0 m		
EMGOD	L607	50.19640	0 ft	18	-
FIX	AWY-LO	7.32889	0 m		
BOMBI	-	50.05670	0 ft	57	-
FIX	-	8.80028	0 m		
TENLO	-	49.52610	0 ft	92	-
FIX	-	11.04440	0 m		
DEXIT	-	48.76280	0 ft	114	-
FIX	-	13.70920	0 m		
VENEN	-	48.56660	0 ft	35	-
FIX	-	14.54130	0 m		
LOWW	-	48.11010	0 ft	85	Vienna
APT	-	16.56960	0 m		

EBBR

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 3

Elevation: 184 ft / 56 m
Location: 50.899900 4.492770
Magnetic Var: 2.000 E

METAR

EBBR 032150Z 18005KT CAVOK 10/07 Q1014 NOSIG

TAF

TAF TAF EBBR 031702Z 0318/0424 22004KT 9999 SCT040 PROB40 TEMPO 0409/0418 SHRA SCT020CB PROB30 TEMPO 0411/0418 4500

Frequencies

REC - 121.75 MHz - ATIS DEP
COM - 130.55 MHz - ABELAG UNICOM
GND - 118.05 MHz -
GND - 121.87 MHz -
TWR - 120.77 MHz -
APP - 120.10 MHz -
DEP - 126.62 MHz -

REC - 132.47 MHz - ATIS ARR
CLD - 121.95 MHz - CLNC DEL
GND - 121.70 MHz -
TWR - 118.60 MHz -
APP - 118.25 MHz -
APP - 122.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	11,917 ft	65.37	ASPHALT	843 ft	72 ft
	45 m	3,632 m	63.37		257 m	22 m
25R	148 ft	11,917 ft	245.41	ASPHALT	981 ft	0 ft
	45 m	3,632 m	243.41		299 m	0 m
07R	148 ft	10,522 ft	69.88	ASPHALT	407 ft	0 ft
	45 m	3,207 m	67.88		124 m	0 m
25L	148 ft	10,522 ft	249.91	ASPHALT	0 ft	13 ft
	45 m	3,207 m	247.91		0 m	4 m
01	164 ft	9,810 ft	14.44	ASPHALT	157 ft	0 ft
	50 m	2,990 m	12.44		48 m	0 m
19	164 ft	9,810 ft	194.45	ASPHALT	722 ft	43 ft
	50 m	2,990 m	192.45		220 m	13 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IBX	109.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
19	DME	IBM	111.15 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
25R	DME	IBR	108.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
01	LOC-ILS	IBX	109.90 MHz	18 nm	14.45	-	184 ft
				33 km	12.45		184 m
19	LOC-ILS	IBM	111.15 MHz	18 nm	194.45	-	184 ft
				33 km	192.45		184 m
25L	LOC-ILS	IBL	110.35 MHz	18 nm	249.89	-	184 ft
				33 km	247.89		184 m
25R	LOC-ILS	IBR	108.90 MHz	18 nm	245.39	-	184 ft
				33 km	243.39		184 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	GS	IBX	109.90 MHz	10 nm	14.45	3.00	184 ft
				19 km	12.45		184 m
19	GS	IBM	111.15 MHz	10 nm	194.45	3.00	184 ft
				19 km	192.45		184 m
25L	GS	IBL	110.35 MHz	10 nm	249.89	3.00	184 ft
				19 km	247.89		184 m
25R	GS	IBR	108.90 MHz	10 nm	245.39	3.00	184 ft
				19 km	243.39		184 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.012 E

METAR

LOWW 032150Z 31008KT CAVOK 12/08 Q1014 NOSIG

TAF

TAF LOWW 032015Z 0321/0503 30012KT 9999 FEW050 TX23/0415Z TN11/0503Z PROB30 TEMPO 0413/0417 FEW050CB BECMG 0415/0

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.22		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.23		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.01		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.03		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.97		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.01		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.01		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m