

SKCL

Alfonso Bonilla Aragon Intl


SKBQ

Ernesto Cortissoz Intl

2024/05/16 0259Z

SKCL PEI **UG438** RNG **UW26** MRN **UW3** MGN SKBQ

455.78 nm / 844.11 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKCL APT	-	3.54318 -76.38170	0 ft 0 m	-	Alfonso Bonilla Aragon Intl
PEI VOR	-	4.78167 -75.83610	29,000 ft 8,839 m	81	PEREIRA
RNG VOR	UG438 AWY-HI	5.98056 -75.41830	35,000 ft 10,668 m	76	RIONEGRO (MEDELLIN)
MRN VOR	UW26 AWY-HI	6.17639 -75.32390	35,000 ft 10,668 m	13	MARINILLA (RIONEGRO)
BIVIG FIX	UW3 AWY-HI	7.02083 -75.19500	35,000 ft 10,668 m	51	-
SERVO FIX	UW3 AWY-HI	7.71556 -75.08970	35,000 ft 10,668 m	42	-
MGN VOR	UW3 AWY-HI	9.28722 -74.84690	20,600 ft 6,279 m	95	MAGANGUE
SKBQ APT	-	10.88960 -74.78090	0 ft 0 m	96	Ernesto Cortissoz Intl

SKCL

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 1

Elevation: 3,162 ft / 964 m
Location: 3.543180 -76.381700
Magnetic Var: 6.554 W

METAR

SKCL 160200Z 35004KT 9999 FEW025 BKN100 21/21 Q1017 NOSIG

TAF

TAF SKCL 152230Z 1600/1624 2400KT 9999 SCT020 TEMPO 1600/1604 DZ BECMG 1609/1610 4000 BR BKN010 BECMG 1614/1615 9999

Frequencies

GND - 121.90 MHz - CALI GROUND
REC - 115.50 MHz - ATIS

TWR - 118.10 MHz - CALI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,852 ft	9.83	ASPHALT	0 ft	131 ft
	45 m	3,003 m	16.38		0 m	40 m
20	148 ft	9,852 ft	189.83	ASPHALT	0 ft	118 ft
	45 m	3,003 m	196.38		0 m	36 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IPAS	109.90 MHz	18 nm	9.91	-	3,162 ft
				33 km	16.46		3,162 m
02	GS	IPAS	109.90 MHz	10 nm	9.91	3.00	3,162 ft
				19 km	16.46		3,162 m

SKBQ

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 1

Elevation: 98 ft / 30 m
Location: 10.889600 -74.780900
Magnetic Var: 8.544 W

METAR

SKBQ 160200Z VRB03KT 9999 SCT012 28/26 Q1011 NOSIG

TAF

TAF SKBQ 152230Z 1600/1624 VRB03KT 9999 SCT015 TEMPO 1609/1613 3000 BR BKN008 BECMG 1613/1615 04010KT TEMPO 1618/

Frequencies

APP - 119.75 MHz - BARRANQUILLA APPROACH
GND - 121.90 MHz - CORTISSOZ GROUND
REC - 113.70 MHz - ATIS
APP - 119.10 MHz - BARRANQUILLA APPROACH
TWR - 118.10 MHz - CORTISSOZ TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	9,855 ft	40.07	ASPHALT	0 ft	197 ft
	46 m	3,004 m	48.62		0 m	60 m
23	151 ft	9,855 ft	220.07	ASPHALT	0 ft	577 ft
	46 m	3,004 m	228.62		0 m	176 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IBAQ	109.90 MHz	18 nm	39.98	-	98 ft
				33 km	48.53		98 m
05	GS	IBAQ	109.90 MHz	10 nm	40.18	3.00	98 ft
				19 km	48.73		98 m