


2024/05/08 1201Z

RJGG PUTER **A590** HAMND PANC

3188.29 nm / 5904.72 km



## Notes

Requested: RJGG CHITA2 BOGON Y79 DOLGO LAKOS Y57 PUTER A590 HAMND PANC

Unmatched points: CHITA2 BOGON DOLGO LAKOS

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJGG	-	34.85840	0 ft	-	Chubu Centrair
APT	-	136.80500	0 m		
PUTER	-	38.33240	0 ft	468	-
FIX	-	145.51900	0 m		
POXED	A590	41.08460	0 ft	228	-
FIX	AWY-HI	148.94200	0 m		
PUGAL	A590	44.85770	0 ft	330	-
FIX	AWY-HI	154.41700	0 m		
PASRO	A590	48.28530	0 ft	330	-
FIX	AWY-HI	160.67600	0 m		
POWAL	A590	50.40570	0 ft	228	-
FIX	AWY-HI	165.51400	0 m		
PLADO	A590	52.25450	0 ft	218	-
FIX	AWY-HI	170.53400	0 m		
PINSO	A590	53.46910	0 ft	126	-
FIX	AWY-HI	173.37800	0 m		
POOFF	A590	55.29900	0 ft	213	-
FIX	AWY-HI	178.61800	0 m		
PINTT	A590	56.71730	0 ft	190	-
FIX	AWY-HI	-176.30700	0 m		
PTZGR	A590	57.33340	0 ft	93	-
FIX	AWY-HI	-173.68300	0 m		
PUGGY	A590	57.95220	0 ft	100	-
FIX	AWY-HI	-170.76100	0 m		
POETT	A590	58.71070	0 ft	127	-
FIX	AWY-HI	-166.99600	0 m		
SELDM	A590	58.89610	0 ft	34	-
FIX	AWY-HI	-165.95300	0 m		
PORGE	A590	59.38330	0 ft	95	-
FIX	AWY-HI	-163.00000	0 m		
HAMND	A590	60.49850	0 ft	258	-
FIX	AWY-HI	-154.67700	0 m		
PANC	-	61.17430	0 ft	142	Ted Stevens Anchorage Intl
APT	-	-149.99800	0 m		

## RJGG

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 1

Elevation: 12 ft / 4 m  
Location: 34.858400 136.805000  
Magnetic Var: 7.999 W

## METAR

RJGG 081130Z 32022KT 9999 FEW025 15/08 Q1010 NOSIG

## TAF

TAF RJGG 080505Z 0806/0912 32026KT 9999 FEW030

## Frequencies

REC - 127.07 MHz - CENTRAIR ATIS	CLD - 121.85 MHz - CENTRAIR DELIVERY
GND - 121.80 MHz - CENTRAIR GROUND	TWR - 118.85 MHz - CENTRAIR TOWER
APP - 121.05 MHz - CENTRAIR APPROACH	APP - 119.17 MHz - CENTRAIR APPROACH
DEP - 120.00 MHz - CENTRAIR DEPARTURE	DEP - 121.22 MHz - CENTRAIR DEPARTURE
APP - 119.25 MHz - CENTRAIR TCA	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	11,494 ft	168.81	ASPHALT	0 ft	200 ft
	60 m	3,503 m	176.81		0 m	61 m
36	197 ft	11,494 ft	348.81	ASPHALT	0 ft	197 ft
	60 m	3,503 m	356.81		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	ICY	109.70 MHz	18 nm	168.79	-	12 ft
				33 km	176.79		12 m
36	LOC-ILS	ICX	111.90 MHz	18 nm	348.79	-	12 ft
				33 km	356.79		12 m
18	GS	ICY	109.70 MHz	10 nm	176.00	3.00	12 ft
				19 km	184.00		12 m
36	GS	ICX	111.90 MHz	10 nm	356.00	3.00	12 ft
				19 km	4.00		12 m

## PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.027 E

## METAR

PANC 081053Z 16003KT 10SM SCT100 04/01 A2967

## TAF

TAF PANC 080520Z 0806/0912 15012G20KT P6SM VCSH FEW050 BKN080 TEMPO 0807/0809 15010KT FM080900 15008KT P6SM SCT080

## Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.81		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.88		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.85		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.90		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.86		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.88		141 m	72 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.87		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.84		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.87		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.87		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.84		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.87		151 m