


**EKCH**  
Kastrup

**EDDH**  
Hamburg International Airport

2024/05/02 1903Z

EKCH MARIP EDDH

151.05 nm / 279.75 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
EKCH	-	55.61790	0 ft	-	Kastrup	
APT	-	12.65600	0 m			
MARIP	-	54.72310	17,700 ft	68	-	
FIX	-	11.42080	5,395 m			
EDDH	-	53.63370	0 ft	82	Hamburg International Airport	
APT	-	9.98526	0 m			

## EKCH

Region: DENMARK / FAROE ISLANDS  
Timezone: EUROPE/COPENHAGEN  
Runways: 3

Elevation: 17 ft / 5 m  
Location: 55.617900 12.656000  
Magnetic Var: 4.668 E

## METAR

EKCH 021820Z 08016KT CAVOK 15/08 Q1010 NOSIG

## TAF

TAF EKCH 021703Z 0218/0318 08015KT CAVOK TEMPO 0317/0318 SCT050CB

## Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.48		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.58		270 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.48		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.66		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.66		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m

## EDDH

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 53 ft / 16 m  
Location: 53.633700 9.985260  
Magnetic Var: 3.688 E

## METAR

EDDH 021820Z AUTO 06011KT CAVOK 21/12 Q1002 NOSIG

## TAF

TAF EDDH 021700Z 0218/0324 07013KT CAVOK PROB30 TEMPO 0218/0220 08015G25KT BECMG 0220/0222 07008KT BECMG 0306/0308 06011KT

## Frequencies

REC - 123.12 MHz - EDDH ATIS	GND - 121.80 MHz - HAMBURG GND
GND - 121.70 MHz - HAMBURG APRON	GND - 121.97 MHz - HAMBURG APRON
TWR - 121.27 MHz - HAMBURG TWR	TWR - 126.85 MHz - HAMBURG TWR
APP - 118.20 MHz - HAMBURG DIRECTOR	APP - 124.62 MHz - HAMBURG APP
APP - 134.25 MHz - BREMEN RADAR	APP - 136.67 MHz - BREMEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	10,647 ft	50.18	ASPHALT	978 ft	194 ft
	46 m	3,245 m	46.50		298 m	59 m
23	151 ft	10,647 ft	230.22	ASPHALT	509 ft	239 ft
	46 m	3,245 m	226.53		155 m	73 m
15	151 ft	12,013 ft	152.89	ASPHALT	0 ft	194 ft
	46 m	3,662 m	149.20		0 m	59 m
33	151 ft	12,013 ft	332.91	ASPHALT	1,463 ft	164 ft
	46 m	3,662 m	329.22		446 m	50 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IHHE	110.50 MHz	18 nm	50.21	-	53 ft
				33 km	46.52		53 m
15	LOC-ILS	IHHS	109.55 MHz	18 nm	152.91	-	53 ft
				33 km	149.22		53 m
23	LOC-ILS	IHHW	111.50 MHz	18 nm	230.21	-	53 ft
				33 km	226.52		53 m
33	LOC-LOC	IHHN	109.90 MHz	18 nm	332.91	-	53 ft
				33 km	329.22		53 m
05	GS	IHHE	110.50 MHz	10 nm	50.21	3.00	53 ft
				19 km	46.52		53 m
15	GS	IHHS	109.55 MHz	10 nm	152.91	3.00	53 ft
				19 km	149.22		53 m
23	GS	IHHW	111.50 MHz	10 nm	230.21	3.00	53 ft
				19 km	226.52		53 m
33	GS	IHHN	109.90 MHz	10 nm	332.91	3.00	53 ft
				19 km	329.22		53 m