


2024/05/13 0343Z

UWGG VA01 **A300** MF UUEE

216.34 nm / 400.67 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UWGG	-	56.22093	0 ft	-	STRIGINO
APT	-	43.78573	0 m		
VA01	-	56.26667	0 ft	106	-
APT	-	40.60000	0 m		
MF	A300	56.02611	0 ft	35	LARIONOVO NDB
NDB	AWY-HI	39.63417	0 m		
UUEE	-	55.97264	0 ft	74	Moscou Sheremetyevo
APT	-	37.41459	0 m		

UWGG

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 258 ft / 79 m
Location: 56.230000 43.784100
Magnetic Var: 13.480 E

METAR

UWGG 130330Z 29002MPS CAVOK 04/00 Q1018 R36R/090070 NOSIG

TAF

TAF UWGG 130150Z 1303/1403 34003G09MPS 9999 SCT040 TX11/1312Z TN02/1303Z

Frequencies

APP - 120.80 MHz - NIZHNY RADAR	DEP - 120.80 MHz - NIZHNY RADAR
APP - 124.70 MHz - NIZHNY APPROACH	TWR - 120.40 MHz - NIZHNY TOWER
GND - 121.80 MHz - NIZHNY TAXIING	REC - 132.70 MHz - ATIS
GND - 118.90 MHz - NIZHNY GROUND	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft	9,829 ft	191.50	CONCRETE	0 ft	0 ft
	45 m	2,996 m	178.02		0 m	0 m
36R	148 ft	9,829 ft	11.50	CONCRETE	0 ft	0 ft
	45 m	2,996 m	358.02		0 m	0 m
18R	148 ft	9,174 ft	191.53	CONCRETE	0 ft	0 ft
	45 m	2,796 m	178.05		0 m	0 m
36L	148 ft	9,174 ft	11.52	CONCRETE	0 ft	0 ft
	45 m	2,796 m	358.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	LOC-ILS	IUV	108.10 MHz	18 nm	191.50	-	258 ft
				33 km	178.02		258 m
36R	LOC-ILS	IBO	110.50 MHz	18 nm	11.50	-	258 ft
				33 km	358.02		258 m
18L	GS	IUV	108.10 MHz	10 nm	191.50	3.00	258 ft
				19 km	178.02		258 m
36R	GS	IBO	110.50 MHz	10 nm	11.50	3.00	258 ft
				19 km	358.02		258 m

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.978 E

METAR

UUEE 130330Z 35002MPS CAVOK 03/M04 Q1021 R06R/CLRD62 R06C/CLRD62 NOSIG

TAF

TAF UUEE 130153Z 1303/1403 34003MPS 9999 BKN016 TX08/1312Z TN01/1303Z TEMPO 1308/1316 01008MPS

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m