

SDUN

Itaperuna Rgnl


SBGL

Galeao-Antonio Carlos Jobim Intl

2024/05/23 0710Z

SDUN MIGIG SBGL

122.42 nm / 226.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SDUN	-	-21.21930	0 ft	-	Itaperuna Rgnl	
APT	-	-41.87600	0 m			
MIGIG	-	-22.06180	11,600 ft	68	-	
FIX	-	-42.69330	3,536 m			
SBGL	-	-22.80890	0 ft	54	Galeao-Antonio Carlos Jobim Intl	
APT	-	-43.24380	0 m			

SBGL

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 28 ft / 9 m
Location: -22.808900 -43.243800
Magnetic Var: 23.425 W

METAR

SBGL 230700Z 06001KT CAVOK 20/18 Q1015

TAF

TAF SBGL 230325Z 2306/2412 32005KT 8000 FEW023 TN20/2309Z TX30/2316Z TEMPO 2306/2312 03005KT 4000 BR BKN009 BECMG

Frequencies

REC - 127.60 MHz - ATIS	CLD - 121.00 MHz - GALEAO CLEARANCE
CLD - 135.10 MHz - GALEAO CLEARANCE	GND - 121.65 MHz - GALEAO GROUND
GND - 128.35 MHz - GALEAO GROUND	TWR - 118.00 MHz - GALEAO TOWER
TWR - 118.20 MHz - GALEAO TOWER	APP - 129.80 MHz - RIO APPROACH
APP - 125.95 MHz - RIO APPROACH	APP - 128.90 MHz - RIO APPROACH
APP - 119.35 MHz - RIO APPROACH	COM - 122.80 MHz - GALEAO UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	13,136 ft	74.40	CONCRETE	0 ft	0 ft
	45 m	4,004 m	97.82		0 m	0 m
28	148 ft	13,136 ft	254.38	CONCRETE	0 ft	174 ft
	45 m	4,004 m	277.81		0 m	53 m
15	154 ft	10,426 ft	125.65	ASPHALT	0 ft	184 ft
	47 m	3,178 m	149.08		0 m	56 m
33	154 ft	10,426 ft	305.64	ASPHALT	0 ft	184 ft
	47 m	3,178 m	329.07		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IGL	110.30 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28	DME	ILM	111.50 MHz	18 nm	-	-	28 ft
				33 km	-		28 m
10	LOC-ILS	ITB	109.30 MHz	18 nm	74.39	-	28 ft
				33 km	97.81		28 m
15	LOC-ILS	IGL	110.30 MHz	18 nm	125.65	-	28 ft
				33 km	149.07		28 m
28	LOC-ILS	ILM	111.50 MHz	18 nm	254.39	-	28 ft
				33 km	277.81		28 m
10	GS	ITB	109.30 MHz	10 nm	74.39	3.00	28 ft
				19 km	97.81		28 m
15	GS	IGL	110.30 MHz	10 nm	125.65	3.00	28 ft
				19 km	149.07		28 m
28	GS	ILM	111.50 MHz	10 nm	254.39	2.94	28 ft
				19 km	277.81		28 m