


2024/06/07 0859Z

VCCJ CA A465 KAT VCRI

250.03 nm / 463.05 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VCCJ	-	9.79233	0 ft	-	KANKESANTURAI
APT	-	80.07010	0 m		
CA	-	8.00528	30,500 ft	107	-
FIX	-	79.94220	9,296 m		
KAT	A465	7.16126	19,600 ft	50	KATUNAYAKE
VOR	AWY-HI	79.86850	5,974 m		
VCRI	-	6.28448	0 ft	91	Mattala Rajapaksa Intl
APT	-	81.12420	0 m		

## VCRI

Region: SRI LANKA  
Timezone: ASIA/COLOMBO  
Runways: 1

Elevation: 157 ft / 48 m  
Location: 6.284480 81.124200  
Magnetic Var: 1.688 W

## METAR

VCRI 070810Z 21006KT 180V240 9999 SCT018 OVC080 27/27 Q1009 NOSIG

## TAF

TAF VCRI 070500Z 0706/0812 24012G22KT 9999 SCT018 BKN080 TX32/0707Z TN25/0800Z BECMG 0713/0715 25006KT

## Frequencies

TWR - 119.85 MHz - MATTALA TOWER  
GND - 121.70 MHz - MATTALA GROUND

TWR - 124.35 MHz - MATTALA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	11,508 ft	45.83	ASPHALT	0 ft	0 ft
	60 m	3,508 m	47.52		0 m	0 m
23	197 ft	11,508 ft	225.84	ASPHALT	0 ft	0 ft
	60 m	3,508 m	227.52		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	IME	109.50 MHz	18 nm	225.84	-	157 ft
				33 km	227.53		157 m
23	GS	IME	109.50 MHz	10 nm	225.84	3.00	157 ft
				19 km	227.53		157 m