

KDLZ

Delaware Municipal


KCMH

Columbus-John Glenn Intl

2024/05/04 0458Z

KDLZ GLOOM KCMH

20.49 nm / 37.94 km



Notes

Basic altitude profile:

- Ascent Rate: 5000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 400kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDLZ	-	40.27970	0 ft	-	Delaware Municipal
APT	-	-83.11480	0 m		
GLOOM	-	39.99050	0 ft	20	-
FIX	-	-82.89620	0 m		
KCMH	-	39.99690	0 ft	0	Columbus-John Glenn Intl
APT	-	-82.89220	0 m		

KCMH

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 815 ft / 248 m
Location: 39.996900 -82.892200
Magnetic Var: 7.460 W

METAR

KCMH 040358Z 00000KT 10SM FEW010 BKN042 OVC050 19/18 A3000 RMK A02 CIG 032 NW T01940183

TAF

KCMH 040351Z 0404/0424 VRB04KT P6SM VCSH BKN025 FM041200 11005KT P6SM BKN060 FM041400 12006KT P6SM BKN035 FM041500

Frequencies

REC - 124.60 MHz - PORT COLUMBUS ATIS	COM - 122.95 MHz - COLUMBUS UNICOM
GND - 121.90 MHz - COLUMBUS GROUND	TWR - 132.70 MHz - COLUMBUS TOWER
APP - 118.20 MHz - COLUMBUS APPROACH	APP - 119.15 MHz - COLUMBUS APPROACH
APP - 119.65 MHz - COLUMBUS APPROACH	APP - 125.95 MHz - COLUMBUS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	150 ft	10,089 ft	94.22	ASPHALT	0 ft	200 ft
	46 m	3,075 m	101.68		0 m	61 m
28L	150 ft	10,089 ft	274.24	ASPHALT	0 ft	200 ft
	46 m	3,075 m	281.70		0 m	61 m
10L	150 ft	7,982 ft	94.20	ASPHALT	0 ft	200 ft
	46 m	2,433 m	101.66		0 m	61 m
28R	150 ft	7,982 ft	274.22	ASPHALT	0 ft	200 ft
	46 m	2,433 m	281.68		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	DME	ICBP	109.10 MHz	18 nm	-	-	822 ft
				33 km	-		822 m
10R	DME	IAQI	108.70 MHz	18 nm	-	-	820 ft
				33 km	-		820 m
28L	DME	ICMH	108.70 MHz	18 nm	-	-	820 ft
				33 km	-		820 m
28R	DME	IONB	109.10 MHz	18 nm	-	-	822 ft
				33 km	-		822 m
10L	LOC-ILS	ICBP	109.10 MHz	18 nm	94.21	-	813 ft
				33 km	101.67		813 m
10R	LOC-ILS	IAQI	111.75 MHz	18 nm	94.23	-	813 ft
				33 km	101.69		813 m
28L	LOC-ILS	ICMH	111.75 MHz	18 nm	274.23	-	813 ft
				33 km	281.69		813 m
28R	LOC-ILS	IONB	109.10 MHz	18 nm	274.21	-	813 ft
				33 km	281.67		813 m
10L	GS	ICBP	109.10 MHz	10 nm	94.21	3.00	813 ft
				19 km	101.67		813 m
10R	GS	IAQI	111.75 MHz	10 nm	94.23	3.00	813 ft
				19 km	101.69		813 m
28L	GS	ICMH	111.75 MHz	10 nm	274.23	3.00	813 ft
				19 km	281.69		813 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28R	GS	IONB	109.10 MHz	10 nm	274.21	3.00	813 ft
				19 km	281.67		813 m