

UKBB

Kiev Boryspil Intl


LTBA

Istanbul Ataturk

2024/05/15 0044Z

UKBB RUBOS **M856** GOBLI **L919** BAGRI **T219** RIXEN LTBA

572.18 nm / 1059.68 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UKBB	-	50.33950	0 ft	-	Kiev Boryspil Intl
APT	-	30.89280	0 m	-	
RUBOS	-	49.19420	24,700 ft	69	-
FIX	-	30.68470	7,529 m	-	-
GOBLI	M856	48.08810	35,000 ft	66	-
FIX	AWY-HI	30.66170	10,668 m	-	-
ODSAN	L919	47.15780	35,000 ft	56	-
FIX	AWY-HI	30.43110	10,668 m	-	-
RATNO	L919	46.17330	35,000 ft	59	-
FIX	AWY-HI	30.19640	10,668 m	-	-
BAGRI	L919	45.18670	35,000 ft	61	-
FIX	AWY-HI	29.80330	10,668 m	-	-
IRDUM	T219	43.72330	35,000 ft	89	-
FIX	AWY-HI	29.38940	10,668 m	-	-
RIXEN	T219	42.08220	14,200 ft	102	-
FIX	AWY-HI	28.76610	4,328 m	-	-
LTBA	-	40.97610	0 ft	66	Istanbul Ataturk
APT	-	28.81420	0 m	-	

UKBB

Region: UKRAINE
Timezone: EUROPE/KIEV
Runways: 2

Elevation: 427 ft / 130 m
Location: 50.339500 30.892800
Magnetic Var: 8.418 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 126.70 MHz - ATIS ARRIVAL	REC - 125.95 MHz - ATIS DEPARTURE
REC - 134.25 MHz - ATIS ARRIVAL NON-ENGLISH	REC - 119.42 MHz - ATIS DEPARTURE NON-ENGLISH
CLD - 130.27 MHz - BORYSPIL CLEARANCE	GND - 118.05 MHz - BORYSPIL GROUND
GND - 127.92 MHz - BORYSPIL GROUND	TWR - 119.30 MHz - BORYSPIL TOWER
TWR - 119.65 MHz - BORYSPIL TOWER	DEP - 119.42 MHz - BORYSPIL DEPARTURE
DEP - 125.95 MHz - BORYSPIL DEPARTURE	APP - 128.17 MHz - BORYSPIL RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	207 ft	11,479 ft	182.65	CONCRETE	0 ft	0 ft
	63 m	3,499 m	174.23		0 m	0 m
36L	207 ft	11,479 ft	2.65	CONCRETE	0 ft	0 ft
	63 m	3,499 m	354.23		0 m	0 m
18L	197 ft	13,123 ft	182.69	CONCRETE	0 ft	331 ft
	60 m	4,000 m	174.27		0 m	101 m
36R	197 ft	13,123 ft	2.69	CONCRETE	0 ft	328 ft
	60 m	4,000 m	354.27		0 m	100 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	LOC-ILS	IBI	111.30 MHz	18 nm	182.69	-	427 ft
				33 km	174.27		427 m
18R	LOC-ILS	IKB	108.90 MHz	18 nm	182.65	-	427 ft
				33 km	174.23		427 m
36L	LOC-ILS	IKE	110.50 MHz	18 nm	2.65	-	427 ft
				33 km	354.23		427 m
36R	LOC-ILS	INO	109.70 MHz	18 nm	2.69	-	427 ft
				33 km	354.27		427 m
18L	GS	IBI	111.30 MHz	10 nm	182.69	3.00	427 ft
				19 km	174.27		427 m
18R	GS	IKB	108.90 MHz	10 nm	182.65	3.00	427 ft
				19 km	174.23		427 m
36L	GS	IKE	110.50 MHz	10 nm	2.65	3.00	427 ft
				19 km	354.23		427 m
36R	GS	INO	109.70 MHz	10 nm	2.69	3.00	427 ft
				19 km	354.27		427 m

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.067 E

METAR

LTBA 150020Z VRB01KT CAVOK 11/03 Q1017 RMK RWY23 34005KT

TAF

TAF LTBA 142240Z 1500/1524 06005KT CAVOK BECMG 1506/1509 06015KT FEW035 BKN100 BECMG 1517/1520 04005KT CAVOK

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft 60 m	8,513 ft 2,595 m	58.45 52.38	ASPHALT	492 ft 150 m	207 ft 63 m
23	197 ft 60 m	8,513 ft 2,595 m	238.47 232.40	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm 33 km	- -	-	82 ft 82 m
23	DME	IATA	111.90 MHz	18 nm 33 km	- -	-	163 ft 163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm 33 km	58.46 52.39	-	163 ft 163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm 33 km	238.46 232.39	-	163 ft 163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m