

MMM

Benito Juarez Intl


MPTO

Tocumen Intl

2024/05/23 0923Z

MMM MEBAS IZT TAP SJO CAT MGA LIO BUFE0 BITOR TBG MPTO

1337.61 nm / 2477.25 km



1000 ft

750 ft

500 ft

250 ft

0 ft

Notes

Requested: MMM MEBAS IZT TAP SJO CAT MGA LIO BUFE0 BITOR TBG MPTO

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMX	-	19.43630	0 ft	-	Benito Juarez Intl
APT	-	-99.07210	0 m		
MEBAS	-	18.60280	0 ft	93	-
FIX	-	-97.67830	0 m		
IZT	-	16.46390	0 ft	195	IXTEPEC
VOR	-	-95.09510	0 m		
TAP	-	14.79220	0 ft	186	TAPACHULA
VOR	-	-92.37570	0 m		
SJO	-	13.93400	0 ft	103	SAN JOSE (PUERTO SAN JOSE)
VOR	-	-90.83190	0 m		
CAT	-	13.44140	0 ft	108	EL SALVADOR (SAN SALVADOR
VOR	-	-89.04780	0 m		
MGA	-	12.13970	0 ft	185	MANAGUA
VOR	-	-86.17420	0 m		
LIO	-	9.96314	0 ft	226	LIMON
VOR	-	-83.02720	0 m		
BUFEO	-	9.81653	0 ft	28	-
FIX	-	-82.57060	0 m		
BITOR	-	9.26797	0 ft	98	-
FIX	-	-80.99980	0 m		
TBG	-	8.78757	0 ft	90	TABOGA ISLAND
VOR	-	-79.56200	0 m		
MPTO	-	9.07140	0 ft	20	Tocumen Intl
APT	-	-79.38350	0 m		

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.898 E

METAR

UNKNOWN

TAF

TAF MMM 230456Z 2306/2406 22005KT 6SM HZ VC RA BKN020CB OVC080 TX31/2321Z TN13/2313Z FM230900 09005KT 6SM HZ SKC

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.34		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m

MPTO

Region: PANAMA

Timezone: AMERICA/PANAMA

Runways: 2

Elevation: 134 ft / 41 m

Location: 9.071400 -79.383500

Magnetic Var: 5.458 W

METAR

MPTO 230900Z VRB02KT 9999 FEW018 SCT090 25/24 Q1010 NOSIG

TAF

TAF MPTO 230500Z 2306/2412 04006KT 9999 SCT018 SCT090 TEMPO 2306/2310 VRB02KT PROB30 2318/2322 6000 TSRA SCT015CB

Frequencies

REC - 127.70 MHz - ATIS

GND - 121.90 MHz - TOCUMEN GROUND

CLD - 129.80 MHz - CLEARANCE DELIVERY

APP - 123.30 MHz - PANAMA APPROACH

APP - 119.20 MHz - PANAMA APPROACH

TWR - 118.10 MHz - TOCUMEN TOWER

GND - 112.05 MHz - TOCUMEN GROUND

APP - 121.20 MHz - PANAMA APPROACH

APP - 119.70 MHz - PANAMA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,049 ft	29.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	34.79		0 m	0 m
21L	148 ft	10,049 ft	209.33	CONCRETE	0 ft	0 ft
	45 m	3,063 m	214.79		0 m	0 m
03L	148 ft	8,832 ft	30.67	ASPHALT	814 ft	0 ft
	45 m	2,692 m	36.13		248 m	0 m
21R	148 ft	8,832 ft	210.67	ASPHALT	0 ft	0 ft
	45 m	2,692 m	216.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03R	DME	INAT	110.70 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
03R	LOC-ILS	INAT	110.70 MHz	18 nm	29.33	-	134 ft
				33 km	34.79		134 m
03R	GS	INAT	110.70 MHz	10 nm	29.33	3.00	134 ft
				19 km	34.79		134 m