

# LFPG

Paris Charles De Gaulle


# LFKB

Bastia Poretta

2024/05/06 1917Z

LFPG LUREN A1 DJL B37 PAS G32 ROCCA M135 ABULO T345 LURAG M135 TOP L50 ANAKI LFKB

491.82 nm / 910.85 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56257	0 ft 0 m	-	Paris Charles De Gaulle
LUREN FIX	-	48.02580 3.91389	28,500 ft 8,687 m	79	-
DJL VOR	A1 AWY-LO	47.27080 5.09733	35,000 ft 10,668 m	65	DIJON LONGVIC
IBABA FIX	B37 AWY-LO	46.87720 5.42083	35,000 ft 10,668 m	27	-
LUKID FIX	B37 AWY-LO	46.74190 5.53444	35,000 ft 10,668 m	9	-
DIPIR FIX	B37 AWY-LO	46.66920 5.59306	35,000 ft 10,668 m	4	-
KELUK FIX	B37 AWY-LO	46.55560 5.68556	35,000 ft 10,668 m	7	-
KOVAR FIX	B37 AWY-LO	46.39190 5.81694	35,000 ft 10,668 m	11	-
PAS VOR	B37 AWY-LO	46.16370 5.99992	35,000 ft 10,668 m	15	PASSEIRY
PAS14 FIX	G32 AWY-LO	46.00500 6.24694	35,000 ft 10,668 m	14	-
ODIKI FIX	G32 AWY-LO	45.94220 6.34361	35,000 ft 10,668 m	5	-
30PAS FIX	G32 AWY-LO	45.82330 6.52639	35,000 ft 10,668 m	10	-
ROCCA FIX	G32 AWY-LO	45.74530 6.64556	35,000 ft 10,668 m	6	-
ABULO FIX	M135 AWY-LO	45.57420 6.99500	35,000 ft 10,668 m	17	-
LURAG FIX	T345 AWY-HI	45.52780 7.08889	35,000 ft 10,668 m	4	-
VEROB FIX	M135 AWY-HI	45.29560 7.38944	35,000 ft 10,668 m	18	-
TOP VOR	M135 AWY-HI	44.92540 7.86167	34,600 ft 10,546 m	29	TORINO
NEDED FIX	L50 AWY-HI	44.69390 8.14056	30,600 ft 9,327 m	18	-
LAGEN FIX	L50 AWY-HI	44.39420 8.49806	25,600 ft 7,803 m	23	-
ANAKI FIX	L50 AWY-HI	44.20110 8.72556	22,300 ft 6,797 m	15	-
LFKB APT	-	42.55260 9.48375	0 ft 0 m	104	Bastia Poretta

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.494 E

## METAR

LFPG 061900Z 24006KT CAVOK 15/08 Q1011 TEMPO SCT030TCU

## TAF

TAF LFPG 061700Z 0618/0724 22012KT 9999 SCT030 TX19/0715Z TN09/0705Z TEMPO 0618/0620 4000 -SHRA SCT030TCU PROB30

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m

## LFKB

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 24 ft / 7 m  
Location: 42.552600 9.483750  
Magnetic Var: 3.175 E

## METAR

LFKB 061900Z AUTO 13006KT 9999 BKN014 BKN021 OVC026 17/15 Q1013 TEMPO BKN008

## TAF

TAF LFKB 061400Z 0615/0715 13010KT 9999 BKN016 BKN025 TX21/0712Z TN13/0704Z TEMPO 0617/0621 BKN008 BECMG 0621/0624

## Frequencies

REC - 125.92 MHz - LFKB ATIS  
TWR - 118.00 MHz - BASTIA TWR  
APP - 127.25 MHz - BASTIA APP

GND - 121.82 MHz - BASTIA GND  
APP - 123.82 MHz - BASTIA APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	8,273 ft	162.83	ASPHALT	0 ft	102 ft
	45 m	2,522 m	159.66		0 m	31 m
34	148 ft	8,273 ft	342.84	ASPHALT	0 ft	0 ft
	45 m	2,522 m	339.67		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	BP	111.35 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
34	LOC-ILS	BP	111.35 MHz	18 nm	342.81	-	25 ft
				33 km	339.64		25 m
34	GS	BP	111.35 MHz	10 nm	343.62	3.00	25 ft
				19 km	340.45		25 m