


2024/05/09 1200Z

SCEL PARKE EL401 ALBAL -34.071_-069.438 ESITO ASOLO OPSIS TERON VURAK CBA GEMOP OPTIR ROMUR TOLEM
VUSDI SIKOB KILIP SOTSA PULEN PAMEX ARULA POPKU ILVAX UBMOP TEGET BIVUB IMBIM DOLDI AKRIG MUGNI
ARTAP ILROS BUXUM DOVSO UGIBU KOXAG -24.799_-046.754 ANISE SIPUK TIVNA SAT DALVO ILSOR KUGLA
EDNUP GR081 GR072 UTBUR SBGR

1529.72 nm / 2833.04 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCEL	-	-33.39444	1,555 ft	-	-
APT	-	-70.79380	474 m		
PARKE	-	-33.45444	18,600 ft	7	-
FIX	-	-70.67028	5,669 m		
EL401	-	-33.93107	26,800 ft	30	-
FIX	-	-70.48634	8,169 m		
ALBAL	-	-34.18333	33,800 ft	36	-
FIX	-	-69.81667	10,302 m		
-34.071_-069.438	-	-34.07111	37,000 ft	20	-
LATLON	-	-69.43778	11,278 m		
ESITO	-	-33.89944	37,000 ft	30	-
FIX	-	-68.86750	11,278 m		
ASOLO	-	-33.32944	37,000 ft	63	-
FIX	-	-67.78833	11,278 m		
OP SIS	-	-33.00778	37,000 ft	35	-
FIX	-	-67.19278	11,278 m		
TERON	-	-32.50222	37,000 ft	55	-
FIX	-	-66.26750	11,278 m		
VURAK	-	-32.04444	37,000 ft	49	-
FIX	-	-65.46472	11,278 m		
CBA	-	-31.31322	37,000 ft	77	-
VOR	-	-64.20369	11,278 m		
GEMOP	-	-31.02194	37,000 ft	54	-
FIX	-	-63.19028	11,278 m		
OPTIR	-	-30.78167	37,000 ft	44	-
FIX	-	-62.37833	11,278 m		
ROMUR	-	-30.56833	37,000 ft	38	-
FIX	-	-61.67000	11,278 m		
TOLEM	-	-30.52139	37,000 ft	8	-
FIX	-	-61.51750	11,278 m		
VUSDI	-	-30.38306	37,000 ft	24	-
FIX	-	-61.07250	11,278 m		
SIKOB	-	-30.17417	37,000 ft	36	-
FIX	-	-60.40917	11,278 m		
KILIP	-	-29.67833	37,000 ft	84	-
FIX	-	-58.88500	11,278 m		
SOTSA	-	-29.41889	37,000 ft	44	-
FIX	-	-58.07778	11,278 m		
PULEN	-	-29.24667	37,000 ft	26	-
FIX	-	-57.61500	11,278 m		
PAMEX	-	-28.87167	37,000 ft	60	-
FIX	-	-56.54417	11,278 m		
ARULA	-	-28.72833	37,000 ft	22	-
FIX	-	-56.14283	11,278 m		
POPKU	-	-28.55567	37,000 ft	28	-
FIX	-	-55.64783	11,278 m		
ILVAX	-	-28.22833	37,000 ft	52	-
FIX	-	-54.72750	11,278 m		
UBMOP	-	-27.59917	37,000 ft	98	-
FIX	-	-53.02017	11,278 m		
TEGET	-	-27.52386	37,000 ft	11	-
FIX	-	-52.82059	11,278 m		
BIVUB	-	-27.43083	37,000 ft	14	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-52.57600	11,278 m		
IMBIM	-	-27.22472	37,000 ft	31	-
FIX	-	-52.03888	11,278 m		
DOLDI	-	-26.56267	37,000 ft	98	-
FIX	-	-50.36167	11,278 m		
AKRIG	-	-26.40400	37,000 ft	23	-
FIX	-	-49.96950	11,278 m		
MUGNI	-	-26.29133	37,000 ft	16	-
FIX	-	-49.69350	11,278 m		
ARTAP	-	-26.20333	37,000 ft	12	-
FIX	-	-49.47933	11,278 m		
ILROS	-	-26.14383	37,000 ft	8	-
FIX	-	-49.33517	11,278 m		
BUXUM	-	-26.01633	37,000 ft	18	-
FIX	-	-49.02767	11,278 m		
DOVSO	-	-25.70233	37,000 ft	44	-
FIX	-	-48.27933	11,278 m		
UGIBU	-	-25.43782	37,000 ft	37	-
FIX	-	-47.65951	11,278 m		
KOXAG	-	-25.14312	37,000 ft	40	-
FIX	-	-46.97892	11,278 m		
-24.799_-046.754	-	-24.79939	37,000 ft	24	-
LATLON	-	-46.75383	11,278 m		
ANISE	-	-24.60217	32,500 ft	13	-
FIX	-	-46.62533	9,906 m		
SIPUK	-	-24.29200	25,800 ft	21	-
FIX	-	-46.44350	7,864 m		
TIVNA	-	-24.05688	20,700 ft	15	-
FIX	-	-46.30625	6,309 m		
SAT	-	-23.98315	19,100 ft	5	-
NDB	-	-46.26334	5,822 m		
DALVO	-	-23.90397	17,500 ft	5	-
FIX	-	-46.29256	5,334 m		
ILSOR	-	-23.75567	14,700 ft	9	-
FIX	-	-46.34717	4,481 m		
KUGLA	-	-23.67647	13,100 ft	5	-
FIX	-	-46.37629	3,993 m		
EDNUP	-	-23.56876	10,800 ft	6	-
FIX	-	-46.41584	3,292 m		
GR081	-	-23.44990	8,300 ft	7	-
FIX	-	-46.45940	2,530 m		
GR072	-	-23.33918	5,700 ft	8	-
FIX	-	-46.55445	1,737 m		
UTBUR	-	-23.38465	5,000 ft	7	-
FIX	-	-46.67404	1,524 m		
SBGR	-	-23.43556	2,461 ft	11	-
APT	-	-46.47306	750 m		

SCEL

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 2

Elevation: 1,555 ft / 474 m
Location: -33.391000 -70.794300
Magnetic Var: 0.785 E

METAR

SCEL 091100Z 05006KT 030V100 6000 1000W BCFG NSC 03/02 Q1013 NOSIG

TAF

TAF SCEL 090416Z 0906/1006 VRB02KT CAVOK TX17/0919Z TN02/0910Z TEMPO 0910/0914 01004KT 6000 NSC BECMG 0914/0916 2

Frequencies

REC - 132.70 MHz - ATIS
TWR - 118.35 MHz - SANTIAGO TOWER
CLD - 121.70 MHz - CLEARANCE DELIVERY
APP - 129.70 MHz - SANTIAGO APPROACH
TWR - 118.10 MHz - SANTIAGO TOWER
GND - 122.20 MHz - SANTIAGO GROUND
APP - 119.70 MHz - SANTIAGO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	12,479 ft	177.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	176.69		0 m	0 m
35L	148 ft	12,479 ft	357.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	356.68		0 m	0 m
17L	180 ft	12,315 ft	177.42	ASPHALT	0 ft	0 ft
	55 m	3,754 m	176.64		0 m	0 m
35R	180 ft	12,315 ft	357.42	ASPHALT	1,785 ft	0 ft
	55 m	3,754 m	356.64		544 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IUEL	110.30 MHz	18 nm	-	-	1,557 ft
				33 km	-		1,557 m
17R	DME	IMER	111.10 MHz	18 nm	-	-	1,555 ft
				33 km	-		1,555 m
17L	LOC-ILS	IUEL	110.30 MHz	18 nm	177.42	-	1,555 ft
				33 km	176.63		1,555 m
17R	LOC-ILS	IMER	111.10 MHz	18 nm	177.47	-	1,555 ft
				33 km	176.68		1,555 m
17L	GS	IUEL	110.30 MHz	10 nm	177.42	3.00	1,555 ft
				19 km	176.63		1,555 m
17R	GS	IMER	111.10 MHz	10 nm	177.47	3.00	1,555 ft
				19 km	176.68		1,555 m

SBGR

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,461 ft / 750 m
Location: -23.432300 -46.469500
Magnetic Var: 22.209 W

METAR

SBGR 091100Z 09004KT CAVOK 21/16 Q1021

TAF

TAF SBGR 090345Z 0906/1012 08006KT CAVOK TN18/0909Z TX30/0917Z BECMG 0911/0913 05008KT BECMG 0913/0915 35010KT BE

Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.81		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.80		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.81		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.80		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.80		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.81		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.81		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.80		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.80		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.81		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.81		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.80		2,458 m