

SCEL

Arturo Merino Benitez Intl


LFPG

Paris Charles De Gaulle

2024/05/23 1359Z

SCEL ASIMO **UM799** LAR **W3** CAT **UM799** URUGU **UW16** YTZ **W22** ELENA SAVIO 200S04500W 100S04500W 000N04500W
100N04500W 200N04500W 300N04500W 400N04500W DETOM 1100N04000W 1200N04000W IRELA 1600N03500W
1700N03500W 1800N03500W 2200N03000W 2300N03000W 2400N03000W 2500N03000W 2800N02500W 3100N02000W
TENKO **UN749** XERES **UM420** STG **UN741** LOTEE **A5** NTS **UN741** ANG **UT188** CHW LFPG

6598.16 nm / 12219.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCEL	-	-33.38978	0 ft	-	Arturo Merino Benitez Intl
APT	-	-70.79437	0 m	-	
ASIMO	-	-31.88333	33,400 ft	93	-
FIX	-	-70.31667	10,180 m	-	
SIBOX	UM799	-30.22556	35,000 ft	157	-
FIX	AWY-HI	-67.94778	10,668 m	-	
LAR	UM799	-29.38861	35,000 ft	77	LA RIOJA VOR
VOR	AWY-HI	-66.80361	10,668 m	-	
KAKAN	W3	-29.06139	35,000 ft	30	-
FIX	AWY-LO	-66.37056	10,668 m	-	
CAT	W3	-28.58361	35,000 ft	43	CATAMARCA VOR-DME
VOR	AWY-LO	-65.74667	10,668 m	-	
PUBER	UM799	-27.53083	35,000 ft	85	-
FIX	AWY-HI	-64.65306	10,668 m	-	
MUDUL	UM799	-26.96694	35,000 ft	45	-
FIX	AWY-HI	-64.07917	10,668 m	-	
GAVEX	UM799	-26.68028	35,000 ft	23	-
FIX	AWY-HI	-63.79083	10,668 m	-	
UBRIX	UM799	-25.74944	35,000 ft	74	-
FIX	AWY-HI	-62.86750	10,668 m	-	
VINOS	UM799	-24.77583	35,000 ft	77	-
FIX	AWY-HI	-61.92306	10,668 m	-	
AKNEL	UM799	-23.79889	35,000 ft	77	-
FIX	AWY-HI	-60.99556	10,668 m	-	
EGEXO	UM799	-22.96750	35,000 ft	65	-
FIX	AWY-HI	-60.23028	10,668 m	-	
ILPUR	UM799	-22.70056	35,000 ft	21	-
FIX	AWY-HI	-59.98056	10,668 m	-	
REMEK	UM799	-20.63306	35,000 ft	162	-
FIX	AWY-HI	-58.11306	10,668 m	-	
DARIO	UM799	-19.94600	35,000 ft	53	-
FIX	AWY-HI	-57.50550	10,668 m	-	
ARGOS	UM799	-19.85150	35,000 ft	7	-
FIX	AWY-HI	-57.42233	10,668 m	-	
CANOP	UM799	-19.35217	35,000 ft	38	-
FIX	AWY-HI	-56.98583	10,668 m	-	
TOSAR	UM799	-17.65067	35,000 ft	131	-
FIX	AWY-HI	-55.52450	10,668 m	-	
ESTER	UM799	-17.17833	35,000 ft	36	-
FIX	AWY-HI	-55.13133	10,668 m	-	
SIRIA	UM799	-16.87975	35,000 ft	22	-
FIX	AWY-HI	-54.88417	10,668 m	-	
LISAN	UM799	-15.96117	35,000 ft	70	-
FIX	AWY-HI	-54.12992	10,668 m	-	
ANGOL	UM799	-15.82342	35,000 ft	10	-
FIX	AWY-HI	-54.01767	10,668 m	-	
DOMIC	UM799	-15.39050	35,000 ft	33	-
FIX	AWY-HI	-53.66600	10,668 m	-	
SAMAR	UM799	-14.71300	35,000 ft	51	-
FIX	AWY-HI	-53.11942	10,668 m	-	
EGOLA	UM799	-13.10433	35,000 ft	122	-
FIX	AWY-HI	-51.83917	10,668 m	-	
TERES	UM799	-12.47567	35,000 ft	46	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-51.36817	10,668 m		
POLAN	UM799	-11.82817	35,000 ft	48	-
FIX	AWY-HI	-50.88600	10,668 m		
BERNA	UM799	-11.35100	35,000 ft	35	-
FIX	AWY-HI	-50.53267	10,668 m		
ELDOR	UM799	-11.22667	35,000 ft	9	-
FIX	AWY-HI	-50.44083	10,668 m		
RONAL	UM799	-10.96650	35,000 ft	19	-
FIX	AWY-HI	-50.24917	10,668 m		
ZELAN	UM799	-10.80433	35,000 ft	12	-
FIX	AWY-HI	-50.12967	10,668 m		
ALVAR	UM799	-10.49417	35,000 ft	22	-
FIX	AWY-HI	-49.90183	10,668 m		
TEREB	UM799	-9.95050	35,000 ft	40	-
FIX	AWY-HI	-49.50383	10,668 m		
BISAN	UM799	-9.05200	35,000 ft	66	-
FIX	AWY-HI	-48.84983	10,668 m		
GIRAL	UM799	-8.40900	35,000 ft	47	-
FIX	AWY-HI	-48.38417	10,668 m		
URUGU	UM799	-7.67950	35,000 ft	53	-
FIX	AWY-HI	-47.85833	10,668 m		
YTZ	UW16	-5.52383	35,000 ft	131	IMPERATRIZ VOR-DME
VOR	AWY-HI	-47.44983	10,668 m		
ELENA	W22	-3.04117	35,000 ft	220	-
FIX	AWY-LO	-44.73200	10,668 m		
SAVIO	-	-2.40783	35,000 ft	39	-
FIX	-	-44.88117	10,668 m		
200S04500W	-	-2.00000	35,000 ft	25	-
LATLON	-	-45.00000	10,668 m		
100S04500W	-	-1.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m		
000N04500W	-	0.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m		
100N04500W	-	1.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m		
200N04500W	-	2.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m		
300N04500W	-	3.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m		
400N04500W	-	4.00000	35,000 ft	60	-
LATLON	-	-45.00000	10,668 m		
DETOM	-	8.50000	35,000 ft	324	-
FIX	-	-42.00000	10,668 m		
1100N04000W	-	11.00000	35,000 ft	191	-
LATLON	-	-40.00000	10,668 m		
1200N04000W	-	12.00000	35,000 ft	60	-
LATLON	-	-40.00000	10,668 m		
IRELA	-	14.00000	35,000 ft	192	-
FIX	-	-37.43333	10,668 m		
1600N03500W	-	16.00000	35,000 ft	185	-
LATLON	-	-35.00000	10,668 m		
1700N03500W	-	17.00000	35,000 ft	60	-
LATLON	-	-35.00000	10,668 m		
1800N03500W	-	18.00000	35,000 ft	60	-
LATLON	-	-35.00000	10,668 m		
2200N03000W	-	22.00000	35,000 ft	370	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-30.00000	10,668 m		
2300N03000W	-	23.00000	35,000 ft	60	-
LATLON	-	-30.00000	10,668 m		
2400N03000W	-	24.00000	35,000 ft	60	-
LATLON	-	-30.00000	10,668 m		
2500N03000W	-	25.00000	35,000 ft	60	-
LATLON	-	-30.00000	10,668 m		
2800N02500W	-	28.00000	35,000 ft	323	-
LATLON	-	-25.00000	10,668 m		
3100N02000W	-	31.00000	35,000 ft	317	-
LATLON	-	-20.00000	10,668 m		
TENKO	-	30.72333	35,000 ft	59	-
FIX	-	-18.88833	10,668 m		
ABALO	UN749	32.33111	35,000 ft	104	-
FIX	AWY-HI	-18.13028	10,668 m		
PELUS	UN749	33.44528	35,000 ft	85	-
FIX	AWY-HI	-17.07111	10,668 m		
OBESA	UN749	36.65722	35,000 ft	237	-
FIX	AWY-HI	-14.24583	10,668 m		
XANEL	UN749	39.40306	35,000 ft	191	-
FIX	AWY-HI	-12.20361	10,668 m		
XERES	UN749	42.02389	35,000 ft	184	-
FIX	AWY-HI	-10.06797	10,668 m		
STG	UM420	42.92687	35,000 ft	90	SANTIAGO VOR-DME
VOR	AWY-HI	-8.42539	10,668 m		
LOTEE	UN741	44.65876	35,000 ft	153	-
FIX	AWY-HI	-5.83665	10,668 m		
NORMI	A5	46.89611	35,000 ft	206	-
FIX	AWY-LO	-2.09195	10,668 m		
NTS	A5	47.16086	35,000 ft	25	NANTES ATLANTIQUE VOR-DME
VOR	AWY-LO	-1.61296	10,668 m		
ANG	UN741	47.53686	34,900 ft	38	ANGERS VOR
VOR	AWY-HI	-0.85183	10,638 m		
CHW	UT188	48.48000	15,000 ft	93	CHARTRES La Loupe VOR-DME
VOR	AWY-HI	0.98706	4,572 m		
LFPG	-	49.00974	0 ft	70	Paris Charles De Gaulle
APT	-	2.56262	0 m		

SCEL

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 2

Elevation: 1,555 ft / 474 m
Location: -33.391000 -70.794300
Magnetic Var: 0.779 E

METAR

SCEL 231300Z 01005KT 340V070 9999 FEW005 SCT040 BKN080 06/05 Q1024 NOSIG

TAF

TAF SCEL 231000Z 2312/2412 VRB02KT 9000 -RA SCT015 BKN030 OVC050 TX12/2319Z TN06/2408Z BECMG 2314/2316 9999 NSW S

Frequencies

REC - 132.70 MHz - ATIS	TWR - 118.10 MHz - SANTIAGO TOWER
TWR - 118.35 MHz - SANTIAGO TOWER	GND - 122.20 MHz - SANTIAGO GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 119.70 MHz - SANTIAGO APPROACH
APP - 129.70 MHz - SANTIAGO APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	12,479 ft	177.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	176.69		0 m	0 m
35L	148 ft	12,479 ft	357.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	356.69		0 m	0 m
17L	180 ft	12,315 ft	177.42	ASPHALT	0 ft	0 ft
	55 m	3,754 m	176.65		0 m	0 m
35R	180 ft	12,315 ft	357.42	ASPHALT	1,785 ft	0 ft
	55 m	3,754 m	356.64		544 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IUEL	110.30 MHz	18 nm	-	-	1,557 ft
				33 km	-		1,557 m
17R	DME	IMER	111.10 MHz	18 nm	-	-	1,555 ft
				33 km	-		1,555 m
17L	LOC-ILS	IUEL	110.30 MHz	18 nm	177.42	-	1,555 ft
				33 km	176.64		1,555 m
17R	LOC-ILS	IMER	111.10 MHz	18 nm	177.47	-	1,555 ft
				33 km	176.69		1,555 m
17L	GS	IUEL	110.30 MHz	10 nm	177.42	3.00	1,555 ft
				19 km	176.64		1,555 m
17R	GS	IMER	111.10 MHz	10 nm	177.47	3.00	1,555 ft
				19 km	176.69		1,555 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.500 E

METAR

LFPG 231330Z 33003KT 230V010 9999 FEW043TCU BKN046 21/08 Q1016 TEMPO 4000 SHRA SCT030TCU

TAF

TAF LFPG 231100Z 2312/2418 25008KT 9999 SCT030 TX20/2314Z TN13/2403Z TEMPO 2312/2323 4000 SHRA BKN030TCU PROB30 T

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m