


2024/05/07 2220Z

DTTA DINUX **UM979** INDOT **W856** BNA HLLB

576.44 nm / 1067.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DTTA	-	36.85127	0 ft	-	CARTHAGE
APT	-	10.23003	0 m		
DINUX	-	36.50000	28,300 ft	79	-
FIX	-	11.82028	8,626 m		
DEDUK	UM979	35.96639	35,000 ft	74	-
FIX	AWY-HI	13.20861	10,668 m		
SUDIK	UM979	35.44861	35,000 ft	67	-
FIX	AWY-HI	14.43694	10,668 m		
INDOT	UM979	34.33333	35,000 ft	140	-
FIX	AWY-HI	16.93889	10,668 m		
TUNAR	W856	33.41361	26,600 ft	90	-
FIX	AWY-LO	18.37056	8,108 m		
BNA	W856	32.12500	400 ft	122	BENINA VOR-DME
VOR	AWY-LO	20.25333	122 m		
HLLB	-	32.09686	0 ft	1	BENINA
APT	-	20.26944	0 m		

## DTTA

Region: TUNISIA  
Timezone: AFRICA/TUNIS  
Runways: 2

Elevation: 20 ft / 6 m  
Location: 36.851300 10.230000  
Magnetic Var: 3.017 E

## METAR

DTTA 072200Z 35005KT 9999 SCT026 SCT040 19/14 Q1015

## TAF

TAF DTTA 071700Z 0718/0818 06010KT 9999 SCT026 BECMG 0719/0721 30005KT PROB40 TEMPO 0721/0814 30017G34KT 4000 TS S

## Frequencies

REC - 118.67 MHz - TUNIS ATIS  
TWR - 118.10 MHz - TUNIS TWR

GND - 121.90 MHz - TUNIS GND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	10,509 ft	12.29	ASPHALT	0 ft	190 ft
	45 m	3,203 m	9.27		0 m	58 m
19	148 ft	10,509 ft	192.29	ASPHALT	0 ft	184 ft
	45 m	3,203 m	189.28		0 m	56 m
11	148 ft	9,360 ft	112.55	ASPHALT	0 ft	197 ft
	45 m	2,853 m	109.53		0 m	60 m
29	148 ft	9,360 ft	292.57	ASPHALT	682 ft	535 ft
	45 m	2,853 m	289.55		208 m	163 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	TBL	111.10 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
29	DME	TKE	108.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
01	LOC-ILS	TBL	111.10 MHz	18 nm	12.29	-	20 ft
				33 km	9.27		20 m
19	LOC-ILS	TSI	110.30 MHz	18 nm	192.29	-	20 ft
				33 km	189.27		20 m
29	LOC-ILS	TKE	108.50 MHz	18 nm	292.56	-	20 ft
				33 km	289.54		20 m
01	GS	TBL	111.10 MHz	10 nm	12.29	3.00	20 ft
				19 km	9.27		20 m
19	GS	TSI	110.30 MHz	10 nm	192.29	3.00	20 ft
				19 km	189.27		20 m
29	GS	TKE	108.50 MHz	10 nm	292.56	3.00	20 ft
				19 km	289.54		20 m

## HLLB

Region: LIBYA  
Timezone: AFRICA/TRIPOLI  
Runways: 2

Elevation: 436 ft / 133 m  
Location: 32.096800 20.269600  
Magnetic Var: 4.129 E

## METAR

UNKNOWN

## TAF

TAF TAF HLLB 071700Z 0718/0818 36008KT CAVOK BECMG 0805/0807 09015KT 8000 NSC

## Frequencies

GND - 121.90 MHz - BENGHAZI GROUND  
APP - 126.50 MHz - BENGHAZI APPROACH

TWR - 121.30 MHz - BENGHAZI TOWER  
APP - 129.20 MHz - BENGHAZI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15L	148 ft	11,822 ft	150.28	CONCRETE	0 ft	984 ft
	45 m	3,603 m	146.16		0 m	300 m
33R	148 ft	11,822 ft	330.30	CONCRETE	0 ft	984 ft
	45 m	3,603 m	326.17		0 m	300 m
15R	148 ft	11,822 ft	150.28	CONCRETE	0 ft	984 ft
	45 m	3,603 m	146.15		0 m	300 m
33L	148 ft	11,822 ft	330.29	CONCRETE	0 ft	984 ft
	45 m	3,603 m	326.16		0 m	300 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	LOC-ILS	IBNI	110.30 MHz	18 nm	150.60	-	433 ft
				33 km	146.47		433 m
15L	GS	IBNI	110.30 MHz	10 nm	151.21	2.50	433 ft
				19 km	147.08		433 m