

# PHKO

Ellison Onizuka Kona International at Keahole


# NTAA

Tahiti Faa'a Intl

2024/05/27 2030Z

PHKO TARDE **B595** TAF NTAA

2272.09 nm / 4207.91 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
PHKO	-	19.73880	0 ft	-		Ellison Onizuka Kona International at Keahole
APT	-	-156.04600	0 m			
TARDE	-	18.10890	35,000 ft	99	-	
FIX	-	-155.71200	10,668 m			
TAKIE	B595	11.27110	35,000 ft	417	-	
FIX	AWY-HI	-154.41200	10,668 m			
TARPP	B595	4.42583	35,000 ft	417	-	
FIX	AWY-HI	-153.16800	10,668 m			
TENOR	B595	-2.41667	35,000 ft	417	-	
FIX	AWY-HI	-151.95000	10,668 m			
TOPOM	B595	-5.00000	35,000 ft	157	-	
FIX	AWY-HI	-151.50000	10,668 m			
TAERO	B595	-10.00000	35,000 ft	303	-	
FIX	AWY-HI	-150.73300	10,668 m			
TAVAK	B595	-15.00000	33,100 ft	303	-	
FIX	AWY-HI	-149.96700	10,089 m			
TIAMA	B595	-15.58330	25,600 ft	35	-	
FIX	AWY-HI	-149.88300	7,803 m			
TAF	B595	-17.54710	100 ft	119	TAHITI	
VOR	AWY-HI	-149.60200	30 m			
NTAA	-	-17.55370	0 ft	0	Tahiti Faa'a Intl	
APT	-	-149.60700	0 m			

## PHKO

Region: USA (HAWAII)  
Timezone: PACIFIC/HONOLULU  
Runways: 1

Elevation: 47 ft / 14 m  
Location: 19.738800 -156.046000  
Magnetic Var: 9.234 E

## METAR

PHKO 271953Z 24008KT 10SM FEW030 27/21 A3001

## TAF

TAF PHKO 271739Z 2718/2818 VRB06KT P6SM VCSH FEW020 FEW050 FM272000 24010KT P6SM SCT050 FM280800 VRB06KT P6SM SCT

## Frequencies

REC - 127.40 MHz - ATIS	COM - 120.30 MHz - CTAF
CLD - 118.60 MHz - CLEARANCE DELIVERY	TWR - 120.30 MHz - KONA TOWER
GND - 121.90 MHz - KONA GROUND	APP - 126.00 MHz - HONOLULU CENTER
DEP - 126.00 MHz - HONOLULU CENTER	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	150 ft	11,052 ft	184.78	ASPHALT	0 ft	400 ft
	46 m	3,369 m	175.55		0 m	122 m
35	150 ft	11,052 ft	4.78	ASPHALT	0 ft	404 ft
	46 m	3,369 m	355.55		0 m	123 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IKOA	109.70 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
17	LOC-ILS	IKOA	109.70 MHz	18 nm	184.78	-	47 ft
				33 km	175.55		47 m
17	GS	IKOA	109.70 MHz	10 nm	184.78	3.00	47 ft
				19 km	175.55		47 m

## NTAA

Region: FRENCH POLYNESIA  
Timezone: PACIFIC/TAHITI  
Runways: 1

Elevation: 5 ft / 2 m  
Location: -17.553700 -149.607000  
Magnetic Var: 12.883 E

## METAR

NTAA 272000Z 23006KT 9999 FEW028 28/22 Q1017 WS R22 NOSIG

## TAF

TAF NTAA 271700Z 2718/2824 VRB05KT 9999 FEW025 TEMPO 2720/2804 05015KT PROB40 TEMPO 2723/2802 05015G25KT PROB40 T

## Frequencies

REC - 128.80 MHz - ATIS  
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND  
APP - 121.30 MHz - TAHITI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m