


2024/06/03 2157Z

LSGG MEDAM NITAM MOGBO LABIN PUL DEPET BATRU ERGUN BONAM **L319** DASDO **UL223** LAM **G666** ORSAR **R784**
TATLA **L223** VUTEB OMDB

2765.67 nm / 5122.03 km



Notes

Requested: LSGG MEDAM5A/22 MEDAM UM730 ATMAD/N0484F390 M730 NITAM MOGBO LABIN PUL DEPET BATRU ETIDA/K0883F390 Q27

Unmatched points: MEDAM5A/22 ATMAD/N0484F390 ETIDA/K0883F390 GRN/K0880F410 ARTAT/N0477F410 VUTEB3E

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23810	0 ft	-	Geneva
APT	-	6.10901	0 m		
MEDAM	-	45.26440	0 ft	68	-
FIX	-	6.94000	0 m		
NITAM	-	45.10610	0 ft	13	-
FIX	-	7.15778	0 m		
MOGBO	-	44.98170	0 ft	12	-
FIX	-	7.40806	0 m		
LABIN	-	44.98580	0 ft	241	-
FIX	-	13.09140	0 m		
PUL	-	44.89240	0 ft	35	PULA
VOR	-	13.91810	0 m		
DEPET	-	44.67890	0 ft	88	-
FIX	-	15.96940	0 m		
BATRU	-	44.18500	0 ft	148	-
FIX	-	19.36500	0 m		
ERGUN	-	40.74640	0 ft	710	-
FIX	-	34.73890	0 m		
BONAM	-	38.04890	0 ft	472	-
FIX	-	44.29970	0 m		
TUDNU	L319	37.88360	0 ft	23	-
FIX	AWY-HI	44.74640	0 m		
PARAS	L319	37.52580	0 ft	49	-
FIX	AWY-HI	45.69280	0 m		
ROVON	L319	37.26690	0 ft	18	-
FIX	AWY-HI	45.88940	0 m		
PAREX	L319	36.09080	0 ft	84	-
FIX	AWY-HI	46.86500	0 m		
KEBEP	L319	35.08170	0 ft	72	-
FIX	AWY-HI	47.67060	0 m		
NOTSA	L319	33.29580	0 ft	127	-
FIX	AWY-HI	49.05420	0 m		
RADID	L319	30.41470	0 ft	211	-
FIX	AWY-HI	51.42750	0 m		
IMGOD	L319	30.23860	0 ft	11	-
FIX	AWY-HI	51.51390	0 m		
DASDO	L319	28.90030	0 ft	85	-
FIX	AWY-HI	52.09750	0 m		
LAGSA	UL223	28.55170	0 ft	24	-
FIX	AWY-HI	52.34890	0 m		
LAM	UL223	27.37280	0 ft	83	LAMERD
VOR	AWY-HI	53.18400	0 m		
LVA	G666	26.81210	0 ft	34	LAVAN ISLAND
VOR	AWY-HI	53.35590	0 m		
DATUT	G666	26.55890	0 ft	19	-
FIX	AWY-HI	53.59390	0 m		
ELIRA	G666	26.35140	0 ft	15	-
FIX	AWY-HI	53.75060	0 m		
ORSAR	G666	26.07500	0 ft	20	-
FIX	AWY-HI	53.95830	0 m		
GIBIB	R784	25.91860	0 ft	20	-
FIX	AWY-HI	54.28670	0 m		
EMOTA	R784	25.88170	0 ft	6	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	54.40390	0 m		
TATLA	R784	25.79810	0 ft	15	-
FIX	AWY-HI	54.66890	0 m		
VUTEB	L223	25.61250	0 ft	15	-
FIX	AWY-HI	54.86360	0 m		
OMDB	-	25.25110	0 ft	35	Dubai Intl
APT	-	55.37110	0 m		

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.518 E

METAR

LSGG 032120Z AUTO 03004KT 9999 FEW043 15/11 Q1017 NOSIG

TAF

TAF TAF LSGG 032025Z 0321/0503 VRB02KT 9999 BKN035 TX22/0415Z TN12/0405Z BECMG 0409/0411 06007KT TEMPO 0412/0420

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.90		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.92		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.92		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.92		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.92		1,411 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.356 E

METAR

OMDB 032100Z 24005KT CAVOK 33/26 Q1001 NOSIG

TAF

TAF OMDB 031700Z 0318/0500 VRB02KT 8000 NSC PROB30 0400/0404 1500 BR BKN004 BECMG 0403/0405 19010KT BECMG 0408/0410 20000KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.13		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.18		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.18		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.13		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.13		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.18		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.18		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.13		62 m