


2024/06/05 1614Z

EBLG DEMUL ELLX

67.50 nm / 125.02 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBLG	-	50.63640	0 ft	-	Liege
APT	-	5.44278	0 m		
DEMUL	-	49.96310	4,700 ft	45	-
FIX	-	5.97861	1,433 m		
ELLX	-	49.62650	0 ft	22	Luxembourg
APT	-	6.21159	0 m		

EBLG

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 2

Elevation: 645 ft / 197 m
Location: 50.636400 5.442780
Magnetic Var: 2.303 E

METAR

EBLG 051550Z 30006KT 270V010 9999 FEW040 16/09 Q1014 NOSIG

TAF

TAF EBLG 051110Z 0512/0618 30008KT 9999 SCT020 SCT040

Frequencies

APP - 119.27 MHz - APPROACH	APP - 121.00 MHz - APPROACH
APP - 243.00 MHz - APPROACH	TWR - 129.25 MHz - TOWER
TWR - 130.62 MHz - TOWER	GND - 121.92 MHz - GROUND
REC - 126.25 MHz - INFO	CLD - 128.20 MHz - HOMER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	12,068 ft	45.17	ASPHALT	761 ft	226 ft
	45 m	3,678 m	42.87		232 m	69 m
22L	148 ft	12,068 ft	225.20	ASPHALT	1,306 ft	0 ft
	45 m	3,678 m	222.90		398 m	0 m
04L	148 ft	7,664 ft	45.15	ASPHALT	0 ft	0 ft
	45 m	2,336 m	42.84		0 m	0 m
22R	148 ft	7,664 ft	225.16	ASPHALT	0 ft	0 ft
	45 m	2,336 m	222.86		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IHH	108.75 MHz	18 nm	45.19	-	645 ft
				33 km	42.89		645 m
22L	LOC-ILS	ILG	109.35 MHz	18 nm	225.19	-	645 ft
				33 km	222.89		645 m
22R	LOC-ILS	IBI	109.35 MHz	18 nm	225.16	-	645 ft
				33 km	222.86		645 m
04R	GS	IHH	108.75 MHz	10 nm	45.19	3.00	645 ft
				19 km	42.89		645 m
22L	GS	ILG	109.35 MHz	10 nm	225.19	3.00	645 ft
				19 km	222.89		645 m
22R	GS	IBI	109.35 MHz	10 nm	225.16	3.00	645 ft
				19 km	222.86		645 m

ELLX

Region: LUXEMBOURG

Timezone: EUROPE/LUXEMBOURG

Runways: 1

Elevation: 1,234 ft / 376 m

Location: 49.626500 6.211590

Magnetic Var: 2.537 E

METAR

ELLX 051550Z 28009KT 9999 -SHRA FEW013 SCT033TCU BKN066 14/12 Q1014 NOSIG

TAF

TAF ELLX 051100Z 0512/0618 25009KT 9999 SCT020 BKN025 TEMPO 0512/0517 27015G25KT 4500 SHRA SCT035TCU BECMG 0515/0

Frequencies

REC - 134.75 MHz - LUXEMBOURG ATIS

TWR - 118.10 MHz - LUXEMBOURG TOWER

APP - 118.90 MHz - LUXEMBOURG APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	13,140 ft	60.19	ASPHALT	0 ft	0 ft
	60 m	4,005 m	57.65		0 m	0 m
24	197 ft	13,140 ft	240.22	ASPHALT	0 ft	171 ft
	60 m	4,005 m	237.69		0 m	52 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ILE	109.90 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
24	DME	ILW	110.70 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
06	LOC-ILS	ILE	109.90 MHz	18 nm	60.17	-	1,233 ft
				33 km	57.63		1,233 m
24	LOC-ILS	ILW	110.70 MHz	18 nm	240.17	-	1,233 ft
				33 km	237.63		1,233 m
06	GS	ILE	109.90 MHz	10 nm	60.17	3.00	1,233 ft
				19 km	57.63		1,233 m
24	GS	ILW	110.70 MHz	10 nm	240.17	3.00	1,233 ft
				19 km	237.63		1,233 m