


2024/05/06 0419Z

YMLT KAREN YDAR

72.61 nm / 134.48 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 240kts
- Cruise Altitude: 5000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YMLT	-	-41.54390	0 ft	-	Launceston
APT	-	147.21400	0 m		
KAREN	-	-42.08750	5,000 ft	38	-
FIX	-	147.66500	1,524 m		
YDAR	-	-42.57200	0 ft	34	Darlington
APT	-	148.07100	0 m		

YMLT

Region: AUSTRALIA
Timezone: AUSTRALIA/HOBART
Runways: 3

Elevation: 562 ft / 171 m
Location: -41.543900 147.214000
Magnetic Var: 14.460 E

METAR

YMLT 060400Z AUTO 15007KT 110V200 9999 // NCD 14/04 Q1033 RF00.0/000.0

TAF

TAF YMLT 052307Z 0600/0700 16008KT 9999 BKN040

Frequencies

COM - 120.60 MHz - ACTIVATE LIGHTS ONLY MULT
TWR - 118.70 MHz - LAUNY TWR

COM - 118.70 MHz - LAUNCESTON MULT
TWR - 126.50 MHz - MELBOURNE CNTR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	197 ft	2,692 ft	147.42	GRASS	0 ft	0 ft
	60 m	821 m	132.96		0 m	0 m
32R	197 ft	2,692 ft	327.41	GRASS	0 ft	0 ft
	60 m	821 m	312.95		0 m	0 m
01	197 ft	2,465 ft	14.81	GRASS	0 ft	0 ft
	60 m	751 m	0.35		0 m	0 m
19	197 ft	2,465 ft	194.81	GRASS	0 ft	0 ft
	60 m	751 m	180.35		0 m	0 m
14R	148 ft	6,503 ft	147.34	ASPHALT	0 ft	197 ft
	45 m	1,982 m	132.88		0 m	60 m
32L	148 ft	6,503 ft	327.33	ASPHALT	0 ft	230 ft
	45 m	1,982 m	312.87		0 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32L	LOC-ILS	ILT	109.50 MHz	18 nm	327.33	-	562 ft
				33 km	312.87		562 m
32L	GS	ILT	109.50 MHz	10 nm	327.33	3.00	562 ft
				19 km	312.87		562 m