

FAOR

O. R. Tambo Intl


FACT

Cape Town Intl

2024/05/07 0731Z

FAOR UTEBA Q10 NOKOX FACT

687.81 nm / 1273.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 20000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FAOR	-	-26.13860	0 ft	-	O. R. Tambo Intl
APT	-	28.24650	0 m	-	
UTEBA	-	-26.95310	20,000 ft	81	-
FIX	-	27.03730	6,096 m	-	
APMIN	Q10	-28.01070	20,000 ft	89	-
FIX	AWY-HI	25.85780	6,096 m	-	
EVESI	Q10	-28.59850	20,000 ft	50	-
FIX	AWY-HI	25.18690	6,096 m	-	
EGNOM	Q10	-30.90090	20,000 ft	198	-
FIX	AWY-HI	22.44310	6,096 m	-	
NOKOX	Q10	-33.02060	17,000 ft	188	-
FIX	AWY-HI	19.71760	5,182 m	-	
FACT	-	-33.97030	0 ft	79	Cape Town Intl
APT	-	18.60420	0 m	-	

FAOR

Region: SOUTH AFRICA
Timezone: AFRICA/JOHANNESBURG
Runways: 2

Elevation: 5,558 ft / 1,694 m
Location: -26.138600 28.246500
Magnetic Var: 19.461 W

METAR

FAOR 070700Z 35006KT 310V020 CAVOK 19/02 Q1029 NOSIG

TAF

TAF FAOR 070400Z 0706/0812 VRB03KT CAVOK TX24/0712Z TN12/0804Z BECMG 0708/0710 34008KT BECMG 0714/0716 VRB03KT

Frequencies

REC - 126.20 MHz - D-ATIS	GND - 121.90 MHz - O R TAMBO GROUND
GND - 122.65 MHz - O R TAMBO APRON	TWR - 118.10 MHz - JOHANNESBURG TOWER
TWR - 118.60 MHz - JOHANNESBURG TOWER	CLD - 121.70 MHz - CLEARANCE DELIVERY
APP - 123.70 MHz - JOHANNESBURG RADAR	APP - 124.50 MHz - JOHANNESBURG RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	197 ft	14,523 ft	15.53	ASPHALT	0 ft	305 ft
	60 m	4,427 m	34.99		0 m	93 m
21R	197 ft	14,523 ft	195.53	ASPHALT	1,427 ft	226 ft
	60 m	4,427 m	214.99		435 m	69 m
03R	197 ft	11,206 ft	15.53	ASPHALT	0 ft	197 ft
	60 m	3,416 m	35.00		0 m	60 m
21L	197 ft	11,206 ft	195.53	ASPHALT	0 ft	190 ft
	60 m	3,416 m	214.99		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	LOC-ILS	JSI	110.30 MHz	18 nm	15.53	-	5,558 ft
				33 km	34.99		5,558 m
03R	LOC-ILS	JNI	109.10 MHz	18 nm	15.53	-	5,558 ft
				33 km	34.99		5,558 m
21L	LOC-ILS	JAI	109.90 MHz	18 nm	195.53	-	5,558 ft
				33 km	214.99		5,558 m
21R	LOC-ILS	JBI	109.90 MHz	18 nm	195.53	-	5,558 ft
				33 km	214.99		5,558 m
03L	GS	JSI	110.30 MHz	10 nm	15.53	3.00	5,558 ft
				19 km	34.99		5,558 m
03R	GS	JNI	109.10 MHz	10 nm	15.53	3.00	5,558 ft
				19 km	34.99		5,558 m
21L	GS	JAI	109.90 MHz	10 nm	195.53	3.00	5,558 ft
				19 km	214.99		5,558 m
21R	GS	JBI	109.90 MHz	10 nm	195.53	3.00	5,558 ft
				19 km	214.99		5,558 m

FACT

Region: SOUTH AFRICA

Timezone: AFRICA/JOHANNESBURG

Runways: 2

Elevation: 147 ft / 45 m

Location: -33.970300 18.604200

Magnetic Var: 26.078 W

METAR

FACT 070700Z 03011KT 9999 SCT012 BKN030 16/14 Q1014 BECMG 4000 -DZRA BKN010

TAF

TAF FACT 070400Z 0706/0812 34010KT 9999 BKN020 TX20/0712Z TN14/0804Z PROB40 TEMPO 0706/0709 4000 -DZRA BKN010 BECMG 0709/0712 34010KT 9999 BKN030 16/14 Q1014 BECMG 4000 -DZRA BKN010

Frequencies

REC - 127.00 MHz - ATIS

TWR - 118.10 MHz - CAPE TOWN TOWER

GND - 121.90 MHz - CAPE TOWN GROUND

APP - 119.70 MHz - ARSA RDR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	5,586 ft	135.31	ASPHALT	0 ft	164 ft
	46 m	1,703 m	161.38		0 m	50 m
34	151 ft	5,586 ft	315.30	ASPHALT	0 ft	0 ft
	46 m	1,703 m	341.38		0 m	0 m
01	200 ft	10,512 ft	345.30	ASPHALT	0 ft	200 ft
	61 m	3,204 m	11.37		0 m	61 m
19	200 ft	10,512 ft	165.30	ASPHALT	0 ft	194 ft
	61 m	3,204 m	191.38		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	CTI	110.30 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
19	DME	KSI	109.10 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
01	LOC-ILS	CTI	110.30 MHz	18 nm	345.30	-	147 ft
				33 km	11.38		147 m
19	LOC-ILS	KSI	109.10 MHz	18 nm	165.30	-	147 ft
				33 km	191.38		147 m
01	GS	CTI	110.30 MHz	10 nm	345.30	3.00	147 ft
				19 km	11.38		147 m
19	GS	KSI	109.10 MHz	10 nm	165.30	3.20	147 ft
				19 km	191.38		147 m