

# OPKC

Karachi Jinnah Intl


# OOMS

Muscat Intl

2024/05/21 0015Z

OPKC PUNEL A454 VUSET OOMS

505.14 nm / 935.51 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPKC	-	24.90660	0 ft	-	Karachi Jinnah Intl
APT	-	67.16080	0 m	-	
PUNEL	-	25.30970	35,000 ft	99	-
FIX	-	65.37920	10,668 m	-	-
PARET	A454	25.42170	35,000 ft	29	-
FIX	AWY-HI	64.85060	10,668 m	-	-
TAPDO	A454	24.40000	35,000 ft	201	-
FIX	AWY-HI	61.33330	10,668 m	-	-
VUSET	A454	23.92780	10,900 ft	123	-
FIX	AWY-HI	59.13670	3,322 m	-	-
OOMS	-	23.60030	0 ft	50	Muscat Intl
APT	-	58.28090	0 m	-	

## OPKC

Region: PAKISTAN  
Timezone: ASIA/KARACHI  
Runways: 2

Elevation: 100 ft / 30 m  
Location: 24.906600 67.160800  
Magnetic Var: 1.469 E

## METAR

OPKC 202359Z 27010KT 5000 FU FEW020 29/26 Q1003 NOSIG

## TAF

TAF OPKC 202300Z 2100/2206 24012G22KT 6000 NSC TEMPO 2100/2104 27010KT 5000 FU NSC FM211900 26010KT 6000 NSC TEMPO

## Frequencies

REC - 126.70 MHz - ATIS  
TWR - 118.80 MHz - KARACHI TOWER  
APP - 125.50 MHz - KARACHI APPROACH  
GND - 121.60 MHz - KARACHI GROUND  
COM - 119.22 MHz - KARACHI UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	151 ft	11,140 ft	74.39	CONCRETE	0 ft	991 ft
	46 m	3,396 m	72.92		0 m	302 m
25L	151 ft	11,140 ft	254.41	CONCRETE	0 ft	627 ft
	46 m	3,396 m	252.94		0 m	191 m
07L	151 ft	10,494 ft	74.39	CONCRETE	0 ft	1,001 ft
	46 m	3,199 m	72.92		0 m	305 m
25R	151 ft	10,494 ft	254.40	CONCRETE	0 ft	994 ft
	46 m	3,199 m	252.93		0 m	303 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IKC	109.70 MHz	18 nm	-	-	156 ft
				33 km	-		156 m
25L	LOC-ILS	IQA	109.70 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25R	LOC-ILS	IKC	110.10 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25L	GS	IQA	109.70 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m
25R	GS	IKC	110.10 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m

## OOMS

Region: OMAN  
Timezone: ASIA/MUSCAT  
Runways: 2

Elevation: 46 ft / 14 m  
Location: 23.600300 58.280900  
Magnetic Var: 1.787 E

## METAR

OOMS 202350Z 29005KT CAVOK 31/23 Q1003 NOSIG

## TAF

TAF OOMS 202300Z 2100/2206 26008KT 8000 NSC BECMG 2106/2108 03012KT BECMG 2115/2117 VRB02KT BECMG 2120/2122 24009

## Frequencies

REC - 126.80 MHz - ATIS  
TWR - 118.40 MHz -  
APP - 119.80 MHz - RADAR  
GND - 121.80 MHz -  
APP - 121.20 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,106 ft	84.99	ASPHALT	0 ft	390 ft
	60 m	3,995 m	83.21		0 m	119 m
26R	197 ft	13,106 ft	265.01	ASPHALT	525 ft	394 ft
	60 m	3,995 m	263.22		160 m	120 m
08R	148 ft	11,743 ft	84.98	CONCRETE	1,371 ft	197 ft
	45 m	3,579 m	83.19		418 m	60 m
26L	148 ft	11,743 ft	264.99	CONCRETE	0 ft	200 ft
	45 m	3,579 m	263.21		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IMW	108.30 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
26L	DME	ISB	110.30 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
08L	LOC-ILS	IML	108.90 MHz	18 nm	84.97	-	47 ft
				33 km	83.18		47 m
26R	LOC-ILS	IMR	110.70 MHz	18 nm	264.97	-	48 ft
				33 km	263.18		48 m
08L	GS	IML	108.90 MHz	10 nm	84.97	3.00	47 ft
				19 km	83.18		47 m
26R	GS	IMR	110.70 MHz	10 nm	264.97	3.00	48 ft
				19 km	263.18		48 m