


2024/05/25 0407Z

LFMT ROMAM LSGG

184.07 nm / 340.90 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMT	-	43.57620	0 ft	-	Montpellier/Mediterranee
APT	-	3.96325	0 m		
ROMAM	-	45.10260	16,900 ft	105	-
FIX	-	5.16345	5,151 m		
LSGG	-	46.23810	0 ft	78	Geneva
APT	-	6.10901	0 m		

LFMT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 17 ft / 5 m
Location: 43.576200 3.963250
Magnetic Var: 1.993 E

METAR

LFMT 250330Z AUTO 03003KT CAVOK 11/10 Q1017 NOSIG

TAF

TAF LFMT 250200Z 2503/2603 02003KT CAVOK BECMG 2510/2512 18010KT BECMG 2521/2523 VRB02KT TEMPO 2601/2603 1500 BR C

Frequencies

REC - 124.12 MHz - MONTPELLIER ATIS
TWR - 118.20 MHz - MONTPELLIER TWR
APP - 120.37 MHz - MONTPELLIER APP
APP - 133.77 MHz - MONTPELLIER APP

GND - 121.95 MHz - MONTPELLIER GND
TWR - 118.77 MHz - MONTPELLIER TWR
APP - 130.85 MHz - MONTPELLIER APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12L	164 ft	8,539 ft	124.83	ASPHALT	0 ft	0 ft
	50 m	2,603 m	122.84		0 m	0 m
30R	164 ft	8,539 ft	304.85	ASPHALT	0 ft	0 ft
	50 m	2,603 m	302.86		0 m	0 m
12R	98 ft	3,612 ft	124.80	ASPHALT	328 ft	0 ft
	30 m	1,101 m	122.81		100 m	0 m
30L	98 ft	3,612 ft	304.81	ASPHALT	0 ft	0 ft
	30 m	1,101 m	302.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	LOC-ILS	FG	108.55 MHz	18 nm	304.75	-	16 ft
				33 km	302.76		16 m
30R	GS	FG	108.55 MHz	10 nm	305.50	3.00	16 ft
				19 km	303.51		16 m

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.515 E

METAR

LSGG 250320Z AUTO VRB02KT 9000 FEW002 09/09 Q1019 NOSIG

TAF

TAF TAF LSGG 250225Z 2503/2609 VRB02KT 9999 BKN007 TX21/2514Z TN08/2504Z TN09/2604Z BECMG 2505/2507 FEW030 PROB30

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.92		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.92		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.92		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.92		1,411 m