

CYVR
Vancouver


—

PANC
Ted Stevens Anchorage Intl

2024/05/29 0419Z

CYVR BEXIM MIDVA DULKI EMKAM COHOE ATUNA FENEL CORMO FRIED EEDEN SNOUT NOWEL ELIAS VUYWO LITHE
TULLI WIVDA PANC

1198.30 nm / 2219.26 km



Notes

Requested: CYVR BEXIM MIDVA DULKI EMKAM COHOE ATUNA FENEL CORMO FRIED EEDEN SNOUT NOWEL ELIAS VUYWO LITHE TULLI WI

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYVR	-	49.19400	0 ft	-	Vancouver
APT	-	-123.18500	0 m		
BEXIM	-	49.21600	0 ft	4	-
FIX	-	-123.29700	0 m		
MIDVA	-	49.22340	0 ft	2	-
FIX	-	-123.36200	0 m		
DULKI	-	49.23070	0 ft	2	-
FIX	-	-123.42700	0 m		
EMKAM	-	49.24460	0 ft	4	-
FIX	-	-123.55200	0 m		
COHOE	-	49.94060	0 ft	83	-
FIX	-	-125.41400	0 m		
ATUNA	-	50.37320	0 ft	50	-
FIX	-	-126.53100	0 m		
FENEL	-	50.45780	0 ft	9	-
FIX	-	-126.75600	0 m		
CORMO	-	50.54250	0 ft	9	-
FIX	-	-126.98000	0 m		
FRIED	-	54.22190	0 ft	328	-
FIX	-	-133.63200	0 m		
EEDEN	-	55.89960	0 ft	153	-
FIX	-	-137.00200	0 m		
SNOUT	-	57.89070	0 ft	196	-
FIX	-	-141.75500	0 m		
NOWEL	-	60.48390	0 ft	258	-
FIX	-	-148.47500	0 m		
ELIAS	-	61.16560	0 ft	74	-
FIX	-	-150.60700	0 m		
VUYWO	-	61.16590	0 ft	3	-
FIX	-	-150.47100	0 m		
LITHE	-	61.16670	0 ft	1	-
FIX	-	-150.40200	0 m		
TULLI	-	61.16750	0 ft	5	-
FIX	-	-150.19600	0 m		
WIVDA	-	61.16770	0 ft	1	-
FIX	-	-150.13200	0 m		
PANC	-	61.17430	0 ft	3	Ted Stevens Anchorage Intl
APT	-	-149.99800	0 m		

CYVR

Region: CANADA

Timezone: AMERICA/VANCOUVER

Runways: 3

Elevation: 13 ft / 4 m

Location: 49.194000 -123.185000

Magnetic Var: 15.260 E

METAR

CYVR 290400Z 24009KT 20SM FEW055 FEW080 12/06 A3012 RMK SC1AC1 SLP201

TAF

TAF CYVR 290241Z 2903/3006 22012KT P6SM FEW020 SCT060 FM291000 24008KT P6SM BKN040 TEMPO 2910/2920 P6SM -SHRA BKN040

Frequencies

REC - 124.60 MHz - ATIS

GND - 121.70 MHz - VANCOUVER GROUND

TWR - 118.70 MHz - VANCOUVER TOWER

APP - 128.60 MHz - VANCOUVER APPROACH

DEP - 126.12 MHz - VANCOUVER DEPARTURE

CLD - 121.40 MHz - CLEARANCE DELIVERY

GND - 127.50 MHz - VANCOUVER GROUND

TWR - 119.55 MHz - VANCOUVER TOWER

APP - 133.10 MHz - VANCOUVER APPROACH

DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.62		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.65		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.66		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.67		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.63		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.66		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.64		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.63		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.67		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.63		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.64		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.64		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.63		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.67		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.63		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.64		13 m

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.007 E

METAR

PANC 290353Z 16007KT 10SM BKN065 BKN200 14/06 A2984

TAF

PANC 282323Z 2900/3006 24007KT P6SM BKN050 FM290800 17012G22KT P6SM -RA FEW025 OVC040 FM291500 16008KT P6SM VCSH

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.83		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.89		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.87		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.92		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.88		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.90		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.89		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.86		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.89		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.89		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.86		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.89		151 m