

DXXX

Gnassingbe Eyadema Intl.


GOSS

Saint Louis

2024/05/18 0843Z

DXXX AMSOM **UR983** PAM PAM **UA601** BKO **UA600** POVIN **UQ596** INAPA GOSS

1290.25 nm / 2389.54 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

| Ident Type | Via | Lat Lon | Alt | Dist (nm) | Name |
|---------------|--------|------------|-----------|--------------|--------------------------|
| DXXX | - | 6.16578 | 0 ft | - | Gnassingbe Eyadema Intl. |
| APT | - | 1.25418 | 0 m | | |
| AMSOM | - | 6.57833 | 9,300 ft | 26 | - |
| FIX | - | 1.11500 | 2,835 m | | |
| PAM | UR983 | 8.01333 | 35,000 ft | 92 | PAMPA VOR-DME |
| DME | AWY-HI | 0.56150 | 10,668 m | | |
| PAM | - | 8.01500 | 35,000 ft | 0 | PAMPA |
| VOR | - | 0.56167 | 10,668 m | | |
| TURUT | UA601 | 8.64500 | 35,000 ft | 50 | - |
| FIX | AWY-HI | -0.00667 | 10,668 m | | |
| TLE | UA601 | 9.57350 | 35,000 ft | 74 | TAMALE |
| VOR | AWY-HI | -0.84713 | 10,668 m | | |
| BUGBU | UA601 | 10.20830 | 35,000 ft | 91 | - |
| FIX | AWY-HI | -2.25000 | 10,668 m | | |
| NANGA | UA601 | 10.40830 | 35,000 ft | 36 | - |
| FIX | AWY-HI | -2.83333 | 10,668 m | | |
| BIGOM | UA601 | 10.53080 | 35,000 ft | 16 | - |
| FIX | AWY-HI | -3.08444 | 10,668 m | | |
| MOVOX | UA601 | 10.87670 | 35,000 ft | 46 | - |
| FIX | AWY-HI | -3.79583 | 10,668 m | | |
| BD | UA601 | 11.14500 | 35,000 ft | 36 | BOBO-DIOULASSO |
| VOR | AWY-HI | -4.35086 | 10,668 m | | |
| EBSUD | UA601 | 11.50190 | 35,000 ft | 57 | - |
| FIX | AWY-HI | -5.24833 | 10,668 m | | |
| BKO | UA601 | 12.54660 | 35,000 ft | 169 | BAMAKO |
| VOR | AWY-HI | -7.92969 | 10,668 m | | |
| TOBAS | UA600 | 14.03030 | 35,000 ft | 150 | - |
| FIX | AWY-HI | -9.99750 | 10,668 m | | |
| AMTAK | UA600 | 14.73610 | 35,000 ft | 72 | - |
| FIX | AWY-HI | -10.99810 | 10,668 m | | |
| KIMGA | UA600 | 15.30110 | 35,000 ft | 57 | - |
| FIX | AWY-HI | -11.80860 | 10,668 m | | |
| TIPAD | UA600 | 15.59680 | 35,000 ft | 30 | - |
| FIX | AWY-HI | -12.23590 | 10,668 m | | |
| MOKOD | UA600 | 16.41330 | 35,000 ft | 84 | - |
| FIX | AWY-HI | -13.42940 | 10,668 m | | |
| POVIN | UA600 | 16.84670 | 32,400 ft | 45 | - |
| FIX | AWY-HI | -14.07110 | 9,876 m | | |
| KEMAS | UQ596 | 16.64330 | 27,500 ft | 22 | - |
| FIX | AWY-HI | -14.40670 | 8,382 m | | |
| INAPA | UQ596 | 16.05360 | 13,400 ft | 66 | - |
| FIX | AWY-HI | -15.37420 | 4,084 m | | |
| GOSS | - | 16.05030 | 0 ft | 62 | Saint Louis |
| APT | - | -16.46110 | 0 m | | |

DXXX

Region: TOGOLESE REPUBLIC
Timezone: AFRICA/LOME
Runways: 1

Elevation: 71 ft / 22 m
Location: 6.165780 1.254180
Magnetic Var: 2.205 W

METAR

DXXX 180800Z 14014G24KT 100V170 9999 BKN012 FEW017CB SCT030 28/23 Q1014 TEMPO 4000 TSRA

TAF

UNKNOWN

Frequencies

TWR - 120.70 MHz - LOME TOWER

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|----------|-------------------------|---------|---------------------|-------------------|
| 04 | 148 ft | 9,855 ft | 38.38 | ASPHALT | 0 ft | 197 ft |
| | 45 m | 3,004 m | 40.58 | | 0 m | 60 m |
| 22 | 148 ft | 9,855 ft | 218.38 | ASPHALT | 0 ft | 197 ft |
| | 45 m | 3,004 m | 220.58 | | 0 m | 60 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 22 | LOC-ILS | LO | 110.10 MHz | 18 nm | 218.38 | - | 71 ft |
| | | | | 33 km | 220.59 | | 71 m |
| 22 | GS | LO | 110.10 MHz | 10 nm | 218.38 | 3.00 | 71 ft |
| | | | | 19 km | 220.59 | | 71 m |