


2024/05/20 1159Z

LWOH 4000N02500E 3800N03000E LTAI

545.33 nm / 1009.95 km



## Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: yes
- Use low airways: no
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LWOH	-	41.17993	0 ft	-	OHRID
APT	-	20.74231	0 m		
4000N02500E	-	40.00000	35,000 ft	206	-
LATLON	-	25.00000	10,668 m		
3800N03000E	-	38.00000	16,300 ft	262	-
LATLON	-	30.00000	4,968 m		
LTAI	-	36.89960	0 ft	76	Antalya
APT	-	30.79751	0 m		

## LWOH

Region: MACEDONIA  
Timezone: EUROPE/SKOPJE  
Runways: 1

Elevation: 2,297 ft / 700 m  
Location: 41.179900 20.742300  
Magnetic Var: 5.022 E

## METAR

LWOH 201120Z 13007KT 9999 FEW039 25/16 Q1014

## TAF

TAF TAF LWOH 200850Z 2009/2109 VRB02KT 9999 FEW020 BKN040 PROB30 TEMPO 2014/2019 VRB15KT TSRA FEW030CB BKN040

## Frequencies

TWR - 119.30 MHz - OHRID TOWER

APP - 119.20 MHz - OHRID APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	144 ft	8,374 ft	17.61	CONCRETE	0 ft	0 ft
	44 m	2,552 m	12.59		0 m	0 m
20	144 ft	8,374 ft	197.62	CONCRETE	0 ft	0 ft
	44 m	2,552 m	192.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	MOH	108.90 MHz	18 nm	18.00	-	2,326 ft
				33 km	12.98		2,326 m
02	GS	MOH	108.90 MHz	10 nm	18.00	3.20	2,303 ft
				19 km	12.98		2,303 m

## LTAI

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 3

Elevation: 175 ft / 53 m  
Location: 36.899600 30.797500  
Magnetic Var: 5.667 E

## METAR

LTAI 201120Z 18010KT 9999 FEW030 SCT180 26/19 Q1009 NOSIG RMK RWY18C 17009KT 130V210 RWY36R 17009KT 130V200 RWY18L

## TAF

TAF LTAI 200440Z 2006/2106 VRB02KT CAVOK BECMG 2006/2009 16012KT FEW030 SCT120 BECMG 2015/2018 VRB02KT BECMG 2021/2024 16012KT

## Frequencies

CLD - 120.20 MHz - ANTALYA DELIVERY	TWR - 121.65 MHz - ANTALYA DELIVERY
REC - 136.12 MHz - ANTALYA ATIS	REC - 118.27 MHz - ANTALYA ATIS
APP - 119.02 MHz - ANTALYA APPROACH	APP - 124.35 MHz - ANTALYA APPROACH
APP - 124.42 MHz - ANTALYA APPROACH	TWR - 125.00 MHz - ANTALYA TOWER
TWR - 119.80 MHz - ANTALYA TOWER	TWR - 120.12 MHz - ANTALYA TOWER
TWR - 126.10 MHz - ANTALYA TOWER	GND - 119.85 MHz - ANTALYA GROUND
GND - 121.75 MHz - ANTALYA GROUND	GND - 121.70 MHz - ANTALYA GROUND
GND - 121.90 MHz - ANTALYA GROUND	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft	11,165 ft	186.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.62		0 m	60 m
36R	148 ft	11,165 ft	6.29	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.62		0 m	60 m
18C	148 ft	11,165 ft	186.25	CONCRETE	0 ft	197 ft
	45 m	3,403 m	180.58		0 m	60 m
36C	148 ft	11,165 ft	6.24	CONCRETE	0 ft	197 ft
	45 m	3,403 m	0.58		0 m	60 m
18R	148 ft	9,819 ft	186.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	180.58		0 m	90 m
36L	148 ft	9,819 ft	6.25	CONCRETE	0 ft	295 ft
	45 m	2,993 m	0.58		0 m	90 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36C	DME	IAYT	110.30 MHz	18 nm	-	-	54 ft
				33 km	-		54 m
18C	LOC-ILS	IATY	108.70 MHz	18 nm	186.24	-	175 ft
				33 km	180.57		175 m
36C	LOC-ILS	IAYT	110.30 MHz	18 nm	6.24	-	175 ft
				33 km	0.57		175 m
36R	LOC-ILS	IALY	108.10 MHz	18 nm	6.29	-	175 ft
				33 km	0.62		175 m
18L	LOC-LOC	ILRA	109.75 MHz	18 nm	186.29	-	175 ft
				33 km	180.62		175 m
18C	GS	IATY	108.70 MHz	10 nm	186.24	3.00	175 ft
				19 km	180.57		175 m
36C	GS	IAYT	110.30 MHz	10 nm	6.24	3.00	175 ft
				19 km	0.57		175 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	GS	IALY	108.10 MHz	10 nm	6.29	3.00	175 ft
				19 km	0.62		175 m