

KORD

Chicago O'Hare International


KDCA

Ronald Reagan Airport

2024/05/23 0721Z

KORD MOBLE ADIME OTENS ANEWA JERRI NUSMM BUCKO DRRON HONNR BRVRY COURG PLDGE WEWIL NEVVR FORGT
ALWYZ LETZZ RLLLL VCTRY HEROO JWASH MRION BADDN KDCA

578.21 nm / 1070.84 km



Notes

Requested: KORD MOBLE ADIME OTENS ANEWA JERRI NUSMM BUCKO DRRON HONNR BRVRY COURG PLDGE WEWIL NEVVR FORGT ALWYZ LE

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KORD	-	41.97340	0 ft	-	Chicago O'Hare International
APT	-	-87.90660	0 m	-	
MOBLE	-	41.94560	0 ft	37	-
FIX	-	-87.06330	0 m	-	-
ADIME	-	41.95630	0 ft	37	-
FIX	-	-86.21430	0 m	-	-
OTENS	-	41.66660	0 ft	66	-
FIX	-	-84.78330	0 m	-	-
ANEWA	-	41.61170	0 ft	52	-
FIX	-	-83.60580	0 m	-	-
JERRI	-	41.38380	0 ft	47	-
FIX	-	-82.60340	0 m	-	-
NUSMM	-	40.03370	0 ft	114	-
FIX	-	-80.81720	0 m	-	-
BUCKO	-	39.29380	0 ft	63	-
FIX	-	-79.82500	0 m	-	-
DRRON	-	39.27280	0 ft	12	-
FIX	-	-79.56000	0 m	-	-
HONNR	-	39.24630	0 ft	15	-
FIX	-	-79.23580	0 m	-	-
BRVRY	-	39.22300	0 ft	12	-
FIX	-	-78.96310	0 m	-	-
COURG	-	39.20030	0 ft	10	-
FIX	-	-78.72900	0 m	-	-
PLDGE	-	39.16430	0 ft	17	-
FIX	-	-78.36630	0 m	-	-
WEWIL	-	39.10170	0 ft	12	-
FIX	-	-78.11440	0 m	-	-
NEVVR	-	39.07040	0 ft	6	-
FIX	-	-77.99170	0 m	-	-
FORGT	-	39.03540	0 ft	6	-
FIX	-	-77.85530	0 m	-	-
ALWYZ	-	38.98350	0 ft	9	-
FIX	-	-77.65460	0 m	-	-
LETZZ	-	38.91180	0 ft	10	-
FIX	-	-77.45070	0 m	-	-
RLLLL	-	38.84860	0 ft	7	-
FIX	-	-77.30560	0 m	-	-
VCTRY	-	38.76210	0 ft	10	-
FIX	-	-77.11370	0 m	-	-
HEROO	-	38.62710	0 ft	8	-
FIX	-	-77.10620	0 m	-	-
JWASH	-	38.61100	0 ft	2	-
FIX	-	-77.05390	0 m	-	-
MRION	-	38.66440	0 ft	3	-
FIX	-	-77.01900	0 m	-	-
BADDN	-	38.76140	0 ft	5	-
FIX	-	-77.02870	0 m	-	-
KDCA	-	38.85140	0 ft	5	Ronald Reagan Airport
APT	-	-77.03770	0 m	-	

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.113 W

METAR

KORD 230651Z 20006KT 10SM CLR 17/07 A2992 RMK A02 SLP128 T01670072

TAF

KORD 230521Z 2306/2412 24006KT P6SM SKC FM232000 09009KT P6SM FEW070 FM240300 15005KT P6SM FEW150

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.53		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m

KDCA

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 15 ft / 5 m
Location: 38.851400 -77.037700
Magnetic Var: 10.880 W

METAR

KDCA 230652Z 20005KT 10SM FEW130 BKN250 24/19 A2987 RMK A02 SLP114 T02390189

TAF

TAF KDCA 230520Z 2306/2412 19010KT P6SM BKN250 FM231000 25003KT 6SM -SHRA BKN050 FM231600 28005KT P6SM SCT040 BKN250

Frequencies

REC - 132.65 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 128.25 MHz - CLEARANCE DELIVERY	GND - 121.70 MHz - WASHINGTON GROUND
TWR - 119.10 MHz - WASHINGTON TOWER	TWR - 134.35 MHz - WASHINGTON TOWER
APP - 119.85 MHz - POTOMAC APPROACH	APP - 124.20 MHz - POTOMAC APPROACH
APP - 124.70 MHz - POTOMAC APPROACH	DEP - 118.95 MHz - POTOMAC DEPARTURE
DEP - 125.65 MHz - POTOMAC DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	7,183 ft	355.53	ASPHALT	0 ft	200 ft
	46 m	2,190 m	6.41		0 m	61 m
19	151 ft	7,183 ft	175.53	ASPHALT	0 ft	197 ft
	46 m	2,190 m	186.41		0 m	60 m
15	151 ft	5,205 ft	142.76	ASPHALT	0 ft	413 ft
	46 m	1,587 m	153.64		0 m	126 m
33	151 ft	5,205 ft	322.77	ASPHALT	0 ft	180 ft
	46 m	1,587 m	333.65		0 m	55 m
04	151 ft	5,009 ft	25.45	ASPHALT	203 ft	0 ft
	46 m	1,527 m	36.33		62 m	0 m
22	151 ft	5,009 ft	205.46	ASPHALT	0 ft	381 ft
	46 m	1,527 m	216.34		0 m	116 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IDCA	109.90 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
19	DME	IVWH	108.50 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
01	LOC-ILS	IDCA	109.90 MHz	18 nm	355.51	-	15 ft
				33 km	6.39		15 m
01	GS	IDCA	109.90 MHz	10 nm	355.51	3.00	15 ft
				19 km	6.39		15 m