


2024/05/20 0733Z

KRAP KMHE

217.77 nm / 403.31 km



Notes

Requested: KRAP N/A KMHE
Unmatched points: N/A

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KRAP	-	44.04680	0 ft	-	Rapid City Rgnl
APT	-	-103.05800	0 m		
KMHE	-	43.77490	0 ft	217	MITCHELL MUNI
APT	-	-98.03820	0 m		

KRAP

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 3,203 ft / 976 m
Location: 44.046800 -103.058000
Magnetic Var: 6.757 E

METAR

KRAP 200652Z AUTO 34022G37KT 10SM SCT085 10/03 A2991 RMK A02 PK WND 34037/0648 SLP119 T01000028 402440044

TAF

TAF KRAP 200520Z 2006/2106 33025G35KT P6SM SCT200 FM201200 33015G25KT P6SM BKN120 FM202100 02011KT P6SM -SHRA OVC

Frequencies

REC - 118.52 MHz - ATIS
GND - 121.90 MHz - RAPID CITY GROUND
DEP - 119.50 MHz - ELLSWORTH DEPARTURE
TWR - 125.85 MHz - RAPID CITY TOWER
APP - 119.50 MHz - ELLSWORTH APPROACH
COM - 122.95 MHz - RAPID CITY UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	8,700 ft	151.93	CONCRETE	0 ft	200 ft
	46 m	2,652 m	145.17		0 m	61 m
32	150 ft	8,700 ft	331.94	CONCRETE	0 ft	200 ft
	46 m	2,652 m	325.18		0 m	61 m
05	75 ft	3,593 ft	61.77	ASPHALT	0 ft	0 ft
	23 m	1,095 m	55.01		0 m	0 m
23	75 ft	3,593 ft	241.77	ASPHALT	0 ft	0 ft
	23 m	1,095 m	235.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IRAP	109.30 MHz	18 nm	-	-	3,209 ft
				33 km	-		3,209 m
32	LOC-ILS	IRAP	109.30 MHz	18 nm	331.93	-	3,203 ft
				33 km	325.17		3,203 m
32	GS	IRAP	109.30 MHz	10 nm	331.93	3.00	3,203 ft
				19 km	325.17		3,203 m

KMHE

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 1,304 ft / 397 m
Location: 43.774900 -98.038200
Magnetic Var: 3.411 E

METAR

KMHE 200653Z AUTO 19005KT 10SM SCT040 SCT049 17/13 A2973 RMK A02 SLP065 T01720128

TAF

UNKNOWN

Frequencies

REC - 124.17 MHz - ASOS

COM - 122.80 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	100 ft	6,695 ft	134.50	ASPHALT	0 ft	0 ft
	30 m	2,041 m	131.09		0 m	0 m
30	100 ft	6,695 ft	314.52	ASPHALT	0 ft	0 ft
	30 m	2,041 m	311.11		0 m	0 m
17	100 ft	5,518 ft	179.56	ASPHALT	0 ft	0 ft
	30 m	1,682 m	176.15		0 m	0 m
35	100 ft	5,518 ft	359.56	ASPHALT	0 ft	1,205 ft
	30 m	1,682 m	356.15		0 m	367 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	ILPA	109.70 MHz	18 nm	314.51	-	1,292 ft
				33 km	311.10		1,292 m
30	GS	ILPA	109.70 MHz	10 nm	315.02	3.00	1,303 ft
				19 km	311.61		1,303 m