

FIMP

SIR SEEWOSAGUR RAMGOOLAM INTL


FSIA

SEYCHELLES INTL

2024/05/12 0050Z

FIMP PLS **UR400F** ALRAN **UR400** PRA FSIA

1000.43 nm / 1852.79 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIMP APT	-	-20.43023 57.68360	0 ft 0 m	-	SIR SEEWOSAGUR RAMGOOLAM INTL
PLS VOR	-	-20.42003 57.66233	400 ft 122 m	1	PLAISANCE VOR-DME
UTIVA FIX	UR400F AWY-HI	-17.93833 57.34278	34,000 ft 10,363 m	150	-
EGLET FIX	UR400F AWY-HI	-15.00000 56.97583	34,000 ft 10,363 m	177	-
ALRAN FIX	UR400F AWY-HI	-10.00000 56.37333	34,000 ft 10,363 m	302	-
RERUS FIX	UR400 AWY-HI	-7.63333 56.09333	34,000 ft 10,363 m	143	-
PRA VOR	UR400 AWY-HI	-4.30737 55.70707	24,500 ft 7,468 m	201	PRASLIN VOR-DME
FSIA APT	-	-4.67438 55.52183	0 ft 0 m	24	SEYCHELLES INTL

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.070 W

METAR

FIMP 120000Z 12009KT 9999 SCT018 25/21 Q1017

TAF

TAF FIMP 112315Z 1200/1306 12010G20KT 9999 SCT018 TEMPO 1200/1206 5000 -SHRA FEW008 BKN015 PROB30 TEMPO 1212/1300

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m

FSIA

Region: SEYCHELLES
Timezone: UNKNOWN
Runways: 1

Elevation: 8 ft / 2 m
Location: -4.674370 55.521800
Magnetic Var: 4.855 W

METAR

FSIA 120009Z 27010KT 210V310 8000 SHRA FEW017CB BKN018 27/24 Q1009 NOSIG

TAF

TAF FSIA 112344Z 1200/1224 25006KT 9999 FEW019CB SCT020 TEMPO 1200/1206 8000 SHRA FEW017CB BKN018 BECMG 1204/1206

Frequencies

APP - 119.70 MHz - SEYCHELLES APPROACH
TWR - 118.90 MHz - SEYCHELLES TOWER
GND - 121.90 MHz - SEYCHELLES GROUND

APP - 118.30 MHz - SEYCHELLES APPROACH
TWR - 118.30 MHz - SEYCHELLES TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	151 ft	9,809 ft	125.05	CONCRETE	984 ft	302 ft
	46 m	2,990 m	129.91		300 m	92 m
31	151 ft	9,809 ft	305.05	CONCRETE	984 ft	115 ft
	46 m	2,990 m	309.90		300 m	35 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	SIA	110.30 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
31	LOC-ILS	SIA	110.30 MHz	18 nm	305.21	-	10 ft
				33 km	310.07		10 m
31	GS	SIA	110.30 MHz	10 nm	305.36	3.00	10 ft
				19 km	310.21		10 m