

# LIRF

Roma-Fiumicino "Leonardo da Vinci"


# MMMX

Benito Juarez Intl

2024/05/08 0437Z

LIRF ELB **M616** DOBIM **UM616** BEBIX **UP860** NTS **H34** DEGEX **UN482** REGHI **UN480** ETIKI TAMEL GUNSO ATSUR  
DINIM **C** ALLRY BUDAR **N336A** TUSKY **J575** CANAL SCUPP KYLES **V139** PVD **J55** HTO **J150** CYN **V16** ENO **V379**  
GRACO **J150** GVE **J37** SPA **J14** AJFEB **J37** HRV **V198** TBD KENGs **M345** AXEXO **UM345** BOSAS **M345** KEKRI **UM345**  
PAZ **UJ39** APN **MMMX**

5652.00 nm / 10467.50 km



## Notes

Using NAT tracks from 17/8/2021

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

Flight Plan Database

For flight simulation use only

1

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81080	0 ft	-	Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m	-	
ELB	-	42.73070	35,000 ft	99	ELBA
VOR	-	10.39570	10,668 m	-	
DOBIM	M616	42.95390	35,000 ft	31	-
FIX	AWY-HI	9.75000	10,668 m	-	
GIRAG	UM616	42.99500	35,000 ft	5	-
FIX	AWY-HI	9.63000	10,668 m	-	
AKUTI	UM616	43.22720	35,000 ft	33	-
FIX	AWY-HI	8.94028	10,668 m	-	
BABED	UM616	43.31500	35,000 ft	15	-
FIX	AWY-HI	8.60028	10,668 m	-	
PIGOS	UM616	43.62220	35,000 ft	56	-
FIX	AWY-HI	7.37111	10,668 m	-	
BODRU	UM616	44.20860	35,000 ft	55	-
FIX	AWY-HI	6.37778	10,668 m	-	
KOTIT	UM616	44.60250	35,000 ft	37	-
FIX	AWY-HI	5.69083	10,668 m	-	
ETREK	UM616	45.18760	35,000 ft	56	-
FIX	AWY-HI	4.63872	10,668 m	-	
LERGA	UM616	45.25730	35,000 ft	37	-
FIX	AWY-HI	3.75017	10,668 m	-	
ADATU	UM616	45.53720	35,000 ft	42	-
FIX	AWY-HI	2.82556	10,668 m	-	
BEBIX	UM616	45.94920	35,000 ft	64	-
FIX	AWY-HI	1.39972	10,668 m	-	
LEMKA	UP860	46.62890	35,000 ft	79	-
FIX	AWY-HI	-0.25000	10,668 m	-	
RALIX	UP860	46.94030	35,000 ft	37	-
FIX	AWY-HI	-1.03889	10,668 m	-	
MOKUP	UP860	47.09640	35,000 ft	19	-
FIX	AWY-HI	-1.44361	10,668 m	-	
NTS	UP860	47.16090	35,000 ft	7	NANTES ATLANTIQUE
VOR	AWY-HI	-1.61297	10,668 m	-	
ERBIN	H34	47.40080	35,000 ft	32	-
FIX	AWY-LO	-2.32583	10,668 m	-	
LUTAS	H34	47.48440	35,000 ft	11	-
FIX	AWY-LO	-2.57861	10,668 m	-	
BAGAD	H34	47.58330	35,000 ft	13	-
FIX	AWY-LO	-2.88111	10,668 m	-	
DEGEX	H34	47.74390	35,000 ft	14	-
FIX	AWY-LO	-3.15667	10,668 m	-	
POMTA	UN482	47.78640	35,000 ft	19	-
FIX	AWY-HI	-3.62778	10,668 m	-	
EBOMO	UN482	47.82110	35,000 ft	27	-
FIX	AWY-HI	-4.31256	10,668 m	-	
TIRUM	UN482	47.83690	35,000 ft	14	-
FIX	AWY-HI	-4.66278	10,668 m	-	
ROSMU	UN482	47.86250	35,000 ft	16	-
FIX	AWY-HI	-5.07617	10,668 m	-	
PEVIS	UN482	47.96050	35,000 ft	76	-
FIX	AWY-HI	-6.97808	10,668 m	-	
REGHI	UN482	48.00000	35,000 ft	41	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-8.00000	10,668 m		
ETIKI	UN480	48.00000	35,000 ft	30	-
FIX	AWY-HI	-8.75000	10,668 m		
TAMEL	-	48.72860	35,000 ft	82	-
FIX	-	-10.49720	10,668 m		
GUNSO	-	49.05280	35,000 ft	53	-
FIX	-	-11.76830	10,668 m		
ATSUR	-	50.00000	35,000 ft	103	-
FIX	-	-14.00000	10,668 m		
DINIM	-	51.00000	35,000 ft	71	-
FIX	-	-15.00000	10,668 m		
52/20	C	52.00000	35,000 ft	196	-
LATLON	NAT	-20.00000	10,668 m		
53/30	C	53.00000	35,000 ft	370	-
LATLON	NAT	-30.00000	10,668 m		
52/40	C	52.00000	35,000 ft	370	-
LATLON	NAT	-40.00000	10,668 m		
51/50	C	51.00000	35,000 ft	378	-
LATLON	NAT	-50.00000	10,668 m		
ALLRY	C	50.50000	35,000 ft	81	-
FIX	NAT	-52.00000	10,668 m		
BUDAR	-	50.00000	35,000 ft	30	-
FIX	-	-52.00000	10,668 m		
TUSKY	N336A	43.56500	35,000 ft	725	-
FIX	AWY-HI	-67.00000	10,668 m		
CANAL	J575	42.66900	35,000 ft	143	-
FIX	AWY-HI	-70.02270	10,668 m		
SCUPP	-	42.60310	35,000 ft	9	-
FIX	-	-70.23040	10,668 m		
KYLES	-	42.26260	35,000 ft	29	-
FIX	-	-70.70370	10,668 m		
BURDY	V139	41.95530	35,000 ft	21	-
FIX	AWY-LO	-70.95210	10,668 m		
INNDY	V139	41.77200	35,000 ft	12	-
FIX	AWY-LO	-71.09890	10,668 m		
PVD	V139	41.72430	35,000 ft	15	PROVIDENCE
VOR	AWY-LO	-71.42960	10,668 m		
TRAIT	J55	41.28470	35,000 ft	34	-
FIX	AWY-HI	-71.91760	10,668 m		
PARCH	J55	41.09920	35,000 ft	14	-
FIX	AWY-HI	-72.12070	10,668 m		
HTO	J55	40.91900	35,000 ft	14	HAMPTON (EAST HAMPTON)
VOR	AWY-HI	-72.31670	10,668 m		
AJGON	J150	39.92790	35,000 ft	93	-
FIX	AWY-HI	-73.88920	10,668 m		
CYN	J150	39.81730	35,000 ft	25	COYLE
VOR	AWY-HI	-74.43160	10,668 m		
LEBVE	V16	39.65690	35,000 ft	17	-
FIX	AWY-LO	-74.73980	10,668 m		
VCN	V16	39.53770	35,000 ft	12	CEDAR LAKE (MILLVILLE)
VOR	AWY-LO	-74.96710	10,668 m		
BRIEF	V16	39.44870	35,000 ft	9	-
FIX	AWY-LO	-75.12770	10,668 m		
ENO	V16	39.23160	35,000 ft	22	SMYRNA (KENTON)
VOR	AWY-LO	-75.51600	10,668 m		
PRICE	V379	39.09060	35,000 ft	17	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-75.85030	10,668 m		
GRACO	V379	38.94160	35,000 ft	18	-
FIX	AWY-LO	-76.19980	10,668 m		
OTT	J150	38.70590	35,000 ft	29	NOTTINGHAM
VOR	AWY-HI	-76.74480	10,668 m		
BOOYA	J150	38.40570	35,000 ft	34	-
FIX	AWY-HI	-77.36290	10,668 m		
GVE	J150	38.01360	35,000 ft	44	GORDONSVILLE
VOR	AWY-HI	-78.15300	10,668 m		
LYH	J37	37.25460	35,000 ft	68	LYNCHBURG
VOR	AWY-HI	-79.23640	10,668 m		
SANNY	J37	37.00070	35,000 ft	21	-
FIX	AWY-HI	-79.55590	10,668 m		
COLZI	J37	36.22760	35,000 ft	65	-
FIX	AWY-HI	-80.50880	10,668 m		
SPA	J37	35.03360	35,000 ft	99	SPARTANBURG
VOR	AWY-HI	-81.92700	10,668 m		
AJFEB	J14	33.64040	35,000 ft	139	-
FIX	AWY-HI	-84.17050	10,668 m		
MGM	J37	32.22230	35,000 ft	137	MONTGOMERY
VOR	AWY-HI	-86.31970	10,668 m		
CATLN	J37	31.30720	35,000 ft	84	-
FIX	AWY-HI	-87.57990	10,668 m		
SJI	J37	30.72600	35,000 ft	53	SEMMES (MOBILE)
VOR	AWY-HI	-88.35930	10,668 m		
HRV	J37	29.85020	35,000 ft	100	HARVEY (NEW ORLEANS)
VOR	AWY-HI	-90.00300	10,668 m		
SAFES	V198	29.81760	35,000 ft	7	-
FIX	AWY-LO	-90.14980	10,668 m		
OLED	V198	29.74420	35,000 ft	17	-
FIX	AWY-LO	-90.47720	10,668 m		
TBD	V198	29.66430	35,000 ft	18	TIBBY (THIBODAU)
VOR	AWY-LO	-90.82910	10,668 m		
KENG	-	28.10430	35,000 ft	136	-
FIX	-	-92.70720	10,668 m		
RUM	M345	27.49910	35,000 ft	42	-
FIX	AWY-HI	-93.12540	10,668 m		
SEAG	M345	26.54700	35,000 ft	66	-
FIX	AWY-HI	-93.77180	10,668 m		
AXEX	M345	25.32480	35,000 ft	85	-
FIX	AWY-HI	-94.58570	10,668 m		
LEXU	UM345	24.84280	35,000 ft	33	-
FIX	AWY-HI	-94.88890	10,668 m		
SAVE	UM345	24.46470	35,000 ft	26	-
FIX	AWY-HI	-95.12610	10,668 m		
BOSAS	UM345	24.34860	35,000 ft	8	-
FIX	AWY-HI	-95.19830	10,668 m		
KEKRI	M345	23.08190	35,000 ft	87	-
FIX	AWY-LO	-95.97720	10,668 m		
RAUL	UM345	22.15280	35,000 ft	63	-
FIX	AWY-HI	-96.53750	10,668 m		
UKROR	UM345	21.68890	35,000 ft	31	-
FIX	AWY-HI	-96.81420	10,668 m		
COAPA	UM345	21.50530	35,000 ft	12	-
FIX	AWY-HI	-96.92310	10,668 m		
PAZ	UM345	20.60060	25,400 ft	61	POZA RICA

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	-97.45510	7,742 m		
APN	UJ39	19.63730	8,500 ft	78	APAN
VOR	AWY-HI	-98.39850	2,591 m		
MMMX	-	19.43630	0 ft	39	Benito Juarez Intl
APT	-	-99.07210	0 m		

**LIRF**

```
Region: ITALY
Timezone: EUROPE/ROME
Runways: 3
```

Elevation: 13 ft / 4 m  
Location: 41.810800 12.250900  
Magnetic Var: 3.665 E

## METAR

LIRF 080350Z VRB01KT CAVOK 12/11 Q1014 NOSIG

**TAF**

TAF LIRF 072300Z 0800/0906 VRB04KT 9999 FEW030 TEMPO 0801/0805 3000 BCFG BKN002 BECMG 0809/0811 21010KT BECMG 081

## Frequencies

REC - 120.17 MHz - ATIS ARRIVAL  
REC - 121.85 MHz - ATIS DEPARTURE  
GND - 121.72 MHz - FIUME APRON  
GND - 121.90 MHz - FIUME GROUND  
TWR - 127.62 MHz - FIUME TOWER  
TWR - 118.70 MHz - FIUME TOWER  
DEP - 131.10 MHz - ROMA DEPARTURE  
APP - 125.50 MHz - ROMA ARRIVAL  
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL  
CLD - 121.80 MHz - CLEARANCE DELIVERY  
GND - 121.67 MHz - FIUME GROUND  
GND - 122.12 MHz - FIUME GROUND  
TWR - 123.72 MHz - FIUME TOWER  
DEP - 130.90 MHz - ROMA DEPARTURE  
APP - 127.95 MHz - ROMA ARRIVAL  
APP - 119.20 MHz - ROMA DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m



## MMM

Region: MEXICO  
Timezone: AMERICA/MEXICO\_CITY  
Runways: 2

Elevation: 7,315 ft / 2,230 m  
Location: 19.436300 -99.072100  
Magnetic Var: 3.903 E

## METAR

MMM 080253Z 13010KT 8SM FEW020 26/05 A3023 NOSIG RMK SLP013 52026 960 8/500 HZY

## TAF

TAF MMM 072247Z 0800/0900 36010KT P6SM SCT020 BKN220 TX31/0821Z TN19/0812Z BECMG 0801/0802 VC CB FM080600 00000K

## Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.34		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m