


2024/06/04 1253Z

EHAM LERVO **UY131** MOPIL **UZ319** KENAP **Z319** SOTUS REM **B3** VATRI **G40** TRO **B373** MOU **A27** CFA **UY27** MOKDI
A27 PPG **B384** GIR **T84** LORES LISAS LEIB

833.27 nm / 1543.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.31485 4.75812	0 ft 0 m	-	Schiphol
LERVO FIX	-	50.83316 4.15872	32,700 ft 9,967 m	91	-
NILEM FIX	UY131 AWY-HI	50.29667 4.11889	35,000 ft 10,668 m	32	-
MOFIL FIX	UY131 AWY-HI	50.14778 4.10778	35,000 ft 10,668 m	8	-
KENAP FIX	UZ319 AWY-HI	49.95861 4.09389	35,000 ft 10,668 m	11	-
XERAM FIX	Z319 AWY-LO	49.59667 4.06722	35,000 ft 10,668 m	21	-
SOTUS FIX	Z319 AWY-LO	49.38000 4.05028	35,000 ft 10,668 m	13	-
REM VOR	-	49.31164 4.04536	35,000 ft 10,668 m	4	REIMS CHAMPAGNE VORTAC
DIKOL FIX	B3 AWY-LO	49.13750 4.04917	35,000 ft 10,668 m	10	-
VATRI FIX	B3 AWY-LO	48.79333 4.05833	35,000 ft 10,668 m	20	-
ARSIL FIX	G40 AWY-LO	48.56000 4.06167	35,000 ft 10,668 m	14	-
TRO VOR	G40 AWY-LO	48.25122 3.96314	35,000 ft 10,668 m	18	TROYES BARBEREY VOR
LUREN FIX	B373 AWY-LO	48.02583 3.91389	35,000 ft 10,668 m	13	-
AVLON FIX	B373 AWY-LO	47.56000 3.81333	35,000 ft 10,668 m	28	-
NEPAP FIX	B373 AWY-LO	46.93389 3.67944	35,000 ft 10,668 m	37	-
MOU VOR	B373 AWY-LO	46.70678 3.63167	35,000 ft 10,668 m	13	MOULINS VOR-DME
BAKNO FIX	A27 AWY-LO	46.50000 3.53139	35,000 ft 10,668 m	13	-
PESAN FIX	A27 AWY-LO	46.19917 3.38722	35,000 ft 10,668 m	19	-
CFA VOR	A27 AWY-LO	45.78747 3.19219	35,000 ft 10,668 m	26	CLERMONT FERRAND AUVERGNE VOR-
MALEB FIX	UY27 AWY-HI	45.43083 3.18139	35,000 ft 10,668 m	21	-
MOKDI FIX	UY27 AWY-HI	44.95694 3.16694	35,000 ft 10,668 m	28	-
MEN VOR	A27 AWY-LO	44.60833 3.16242	35,000 ft 10,668 m	20	MENDE-Nasbinals VOR-DME
BRUSC FIX	A27 AWY-LO	43.74750 3.02333	35,000 ft 10,668 m	52	-
SIJAN FIX	A27 AWY-LO	43.19750 2.93695	35,000 ft 10,668 m	33	-
PPG VOR	A27 AWY-LO	42.75047 2.86714	35,000 ft 10,668 m	27	PERPIGNAN RIVESALTES VOR-DME
ALBER FIX	B384 AWY-LO	42.45148 2.83212	35,000 ft 10,668 m	18	-
GIR	B384	41.93118	35,000 ft	31	GERONA VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	2.77197	10,668 m		
LANDA	T84	41.68433	35,000 ft	14	-
FIX	AWY-LO	2.75133	10,668 m		
KUREG	T84	40.89930	29,800 ft	47	-
FIX	AWY-LO	2.71883	9,083 m		
LORES	T84	40.50000	24,700 ft	23	-
FIX	AWY-LO	2.70260	7,529 m		
LISAS	-	40.20223	20,400 ft	20	-
FIX	-	2.49627	6,218 m		
LEIB	-	38.87287	0 ft	95	Ibiza
APT	-	1.37304	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.053 E

METAR

EHAM 041225Z 20010KT 160V240 9999 FEW024 SCT045 20/14 Q1011 NOSIG

TAF

TAF TAF EHAM 041103Z 0412/0518 21010KT 9999 BKN040 BECMG 0414/0417 24014KT PROB30 TEMPO 0416/0418 7000 -SHRA FEW024

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.72		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.76		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.19		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.16		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.16		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.80		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.13		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.363 E

METAR

LEIB 041230Z 09007KT 050V160 CAVOK 23/17 Q1016 NOSIG

TAF

TAF AMD LEIB 040959Z 0409/0509 11008KT CAVOK TX24/0412Z TN17/0505Z BECMG 0423/0501 VRB03KT

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH
GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.62		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.64		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m