

# LFMK

Salvaza


# LEPA

Palma De Mallorca

2024/06/05 0421Z

LFMK LANDA **T84** KUREG LEPA

222.15 nm / 411.42 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMK	-	43.21612	0 ft	-	Salvaza
APT	-	2.30550	0 m		
LANDA	-	41.68433	27,400 ft	94	-
FIX	-	2.75133	8,352 m		
KUREG	T84	40.89930	17,300 ft	47	-
FIX	AWY-LO	2.71883	5,273 m		
LEPA	-	39.55254	0 ft	80	Palma De Mallorca
APT	-	2.73496	0 m		

## LFMK

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 433 ft / 132 m  
Location: 43.216400 2.308000  
Magnetic Var: 1.594 E

## METAR

LFMK 050400Z AUTO 00000KT CAVOK 13/12 Q1015 NOSIG

## TAF

TAF LFMK 050200Z 0503/0603 VRB03KT CAVOK BECMG 0516/0518 09010KT

## Frequencies

APP - 123.85 MHz - CARCASSONNE APPROACH  
REC - 120.02 MHz - CARCASSONNE ATIS

TWR - 121.00 MHz - CARCASSONNE TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	98 ft	2,627 ft	96.33	GRASS	0 ft	0 ft
	30 m	801 m	94.74		0 m	0 m
28R	98 ft	2,627 ft	276.34	GRASS	0 ft	0 ft
	30 m	801 m	274.75		0 m	0 m
10	148 ft	6,732 ft	96.29	ASPHALT	344 ft	0 ft
	45 m	2,052 m	94.70		105 m	0 m
28	148 ft	6,732 ft	276.31	ASPHALT	492 ft	0 ft
	45 m	2,052 m	274.72		150 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	CS	111.10 MHz	27 nm	-	-	433 ft
				50 km	-		433 m
10	LOC-ILS	CS	111.10 MHz	18 nm	96.30	-	433 ft
				33 km	94.71		433 m
10	GS	CS	111.10 MHz	10 nm	96.30	3.00	433 ft
				19 km	94.71		433 m

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.685 E

## METAR

LEPA 050400Z 08003KT CAVOK 15/14 Q1017 NOSIG

## TAF

TAF LEPA 042300Z 0500/0524 VRB04KT 9999 FEW040 TX26/0512Z TN15/0505Z BECMG 0510/0512 22010KT BECMG 0518/0520 VRB0

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.80		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.78		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.81		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.78		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.78		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.81		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.78		24 m