

LEIB

Ibiza


LEPA

Palma de Mallorca

2024/05/04 0146Z

LEIB IZA LEPA

75.52 nm / 139.86 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 8000ft
- Cruise Speed: 120kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEIB	-	38.87280	0 ft	-	Ibiza
APT	-	1.37313	0 m		
IZA	-	38.91550	6,500 ft	5	IBIZA
NDB	-	1.47042	1,981 m		
LEPA	-	39.55170	0 ft	70	Palma de Mallorca
APT	-	2.73889	0 m		

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.354 E

METAR

LEIB 040130Z 23006KT CAVOK 16/14 Q1017 NOSIG

TAF

TAF LEIB 032000Z 0321/0421 22009KT 9999 FEW020 TX21/0412Z TN14/0405Z PROB40 TEMPO 0401/0407 3000 BR

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH
GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.65		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.65		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.65		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.65		24 m

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.676 E

METAR

LEPA 040130Z 05002KT CAVOK 11/11 Q1018 NOSIG

TAF

TAF LEPA 032300Z 0400/0424 VRB03KT 9999 FEW020 TX21/0413Z TN11/0406Z BECMG 0407/0409 20012KT BECMG 0416/0418 VRB0

Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.83		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.79		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.81		69 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m