


2024/06/07 0432Z

BIKF VM 6200N01800W 6100N01700W 5900N01500W 5800N01400W 5700N01300W 5500N01100W 5400N01000W EINN

806.92 nm / 1494.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF	-	63.98160	0 ft	-	Keflavik
APT	-	-22.61460	0 m		
VM	-	63.39960	25,300 ft	71	VESTMANNAEYJAR
NDB	-	-20.28830	7,711 m		
6200N01800W	-	62.00000	35,000 ft	105	-
LATLON	-	-18.00000	10,668 m		
6100N01700W	-	61.00000	35,000 ft	66	-
LATLON	-	-17.00000	10,668 m		
5900N01500W	-	59.00000	35,000 ft	134	-
LATLON	-	-15.00000	10,668 m		
5800N01400W	-	58.00000	35,000 ft	67	-
LATLON	-	-14.00000	10,668 m		
5700N01300W	-	57.00000	35,000 ft	68	-
LATLON	-	-13.00000	10,668 m		
5500N01100W	-	55.00000	33,500 ft	137	-
LATLON	-	-11.00000	10,211 m		
5400N01000W	-	54.00000	18,600 ft	69	-
LATLON	-	-10.00000	5,669 m		
EINN	-	52.70200	0 ft	86	Shannon
APT	-	-8.92483	0 m		

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.350 W

METAR

BIKF 070400Z 36027KT 9999 FEW020 BKN032 05/M01 Q1010

TAF

TAF BIKF 070103Z 0703/0803 34028G38KT 9999 FEW028 SCT038 TX10/0715Z TN04/0803Z TEMPO 0703/0705 -RA SCT014 BKN022

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.36		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.36		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.30		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.36		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.36		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.33		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.36		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.33		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.36		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.33		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.36		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.33		169 m

EINN

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 1

Elevation: 44 ft / 13 m
Location: 52.702000 -8.924830
Magnetic Var: 2.882 W

METAR

EINN 070400Z 26005KT 9999 FEW022 BKN048 10/07 Q1018 NOSIG

TAF

TAF EINN 062300Z 0700/0724 24005KT 9999 FEW025 SCT040 PROB30 TEMPO 0702/0706 -DZ BKN012 BECMG 0707/0709 26010KT

Frequencies

REC - 130.95 MHz - SHANNON INFORMATION
TWR - 118.70 MHz - SHANNON TOWER
APP - 120.20 MHz - SHANNON APPROACH
GND - 121.80 MHz - SHANNON GROUND
APP - 121.40 MHz - SHANNON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,494 ft	52.17	ASPHALT	0 ft	0 ft
	45 m	3,199 m	55.05		0 m	0 m
24	148 ft	10,494 ft	232.19	ASPHALT	459 ft	95 ft
	45 m	3,199 m	235.08		140 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ISE	109.50 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
06	LOC-ILS	ISE	109.50 MHz	18 nm	52.19	-	21 ft
				33 km	55.07		21 m
24	LOC-ILS	ISW	109.50 MHz	18 nm	232.16	-	51 ft
				33 km	235.04		51 m
06	GS	ISE	109.50 MHz	10 nm	52.34	3.00	57 ft
				19 km	55.22		57 m
24	GS	ISW	109.50 MHz	10 nm	232.34	3.00	70 ft
				19 km	235.22		70 m