

# LKPR

Vaclav Havel Prague


# EDDB

Berlin Brandenburg International Willy Brandt

2024/05/16 2226Z

LKPR RENDO EDDB

138.57 nm / 256.63 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LKPR	-	50.10410	0 ft	-	Vaclav Havel	Prague
APT	-	14.25670	0 m			
REND0	-	51.27810	14,200 ft	71	-	
FIX	-	13.88470	4,328 m			
EDDB	-	52.36230	0 ft	66	Berlin Brandenburg International	Willy Brandt
APT	-	13.50070	0 m			

## LKPR

Region: CZECH REPUBLIC  
Timezone: EUROPE/PRAGUE  
Runways: 2

Elevation: 1,247 ft / 380 m  
Location: 50.104100 14.256700  
Magnetic Var: 4.666 E

## METAR

LKPR 162200Z 10010KT CAVOK 14/08 Q1009 NOSIG

## TAF

TAF LKPR 162000Z 1621/1803 12012KT CAVOK BECMG 1703/1706 9999 -RA BKN017 TEMPO 1709/1714 5000 RA BKN009 BECMG 1714

## Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.32		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.35		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.26		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.30		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.27		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.33		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.28		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.42		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.21		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.33		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.21		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.33		1,234 m

## EDDB

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 157 ft / 48 m  
Location: 52.362300 13.500700  
Magnetic Var: 4.658 E

## METAR

EDDB 162220Z AUTO 09006KT CAVOK 16/08 Q1011 NOSIG

## TAF

TAF TAF EDDB 161700Z 1618/1718 11012KT CAVOK BECMG 1707/1709 10015G25KT TEMPO 1709/1716 10020G30KT

## Frequencies

REC - 123.77 MHz - ATIS	GND - 121.70 MHz - BERLIN GROUND E
GND - 129.50 MHz - BERLIN GROUND A	GND - 129.60 MHz - BERLIN APRON NORTH
GND - 121.85 MHz - BERLIN APRON SOUTH	TWR - 120.02 MHz - BERLIN TOWER NORTH
TWR - 118.80 MHz - BERLIN TOWER SOUTH	TWR - 118.85 MHz - BERLIN TOWER ALTERNATE
APP - 121.12 MHz - BERLIN DIRECTOR	APP - 136.10 MHz - BERLIN DIRECTOR
CLD - 121.60 MHz - BERLIN DELIVERY	APP - 119.62 MHz - BREMEN RADAR
APP - 120.62 MHz - BREMEN RADAR	APP - 126.42 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR	APP - 134.42 MHz - BREMEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	13,088 ft	68.74	CONCRETE	0 ft	0 ft
	60 m	3,989 m	64.08		0 m	0 m
25L	197 ft	13,088 ft	248.78	CONCRETE	0 ft	0 ft
	60 m	3,989 m	244.13		0 m	0 m
07L	148 ft	11,780 ft	68.75	ASPHALT	981 ft	0 ft
	45 m	3,591 m	64.09		299 m	0 m
25R	148 ft	11,780 ft	248.79	ASPHALT	981 ft	0 ft
	45 m	3,591 m	244.13		299 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	IBNE	110.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
07R	LOC-ILS	IBSE	109.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
25L	LOC-ILS	IBSW	109.50 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
25R	LOC-ILS	IBNW	109.90 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
07L	GS	IBNE	110.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
07R	GS	IBSE	109.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
25L	GS	IBSW	109.50 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m
25R	GS	IBNW	109.90 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m