

TAPA

Antigua - VC Bird Intl


TTPP

Piarco Intl

2024/05/17 0110Z

TAPA ANU **UL205** POS TTPP

409.77 nm / 758.89 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TAPA	-	17.13600	0 ft	-	Antigua - VC Bird Intl
APT	-	-61.79390	0 m		
ANU	-	17.12590	200 ft	0	V.C. BIRD (SAINT JOHNS)
VOR	-	-61.80020	61 m		
LIMBO	UL205	14.20560	35,000 ft	175	-
FIX	AWY-HI	-61.61830	10,668 m		
EMKIS	UL205	13.59690	35,000 ft	36	-
FIX	AWY-HI	-61.58110	10,668 m		
POS	UL205	10.46640	1,800 ft	188	PIARCO (PORT OF SPAIN)
VOR	AWY-HI	-61.39240	549 m		
TTPP	-	10.59540	0 ft	8	Piarco Intl
APT	-	-61.33730	0 m		

TTPP

Region: TRINIDAD AND TOBAGO
Timezone: AMERICA/PORT_OF_SPAIN
Runways: 1

Elevation: 57 ft / 17 m
Location: 10.595400 -61.337300
Magnetic Var: 15.352 W

METAR

TTPP 170100Z 08005KT 9999 FEW016 28/25 Q1012 NOSIG

TAF

TAF TTPP 162200Z 1700/1724 00000KT 9999 FEW016 TEMPO 1709/1721 5000 SHRA BKN015 BECMG 1712/1714 11012KT SCT018

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.10 MHz - PIARCO TOWER
APP - 119.55 MHz - PIARCO APPROACH
GND - 121.90 MHz - PIARCO GROUND
APP - 119.00 MHz - PIARCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	10,505 ft	89.80	ASPHALT	0 ft	62 ft
	46 m	3,202 m	105.15		0 m	19 m
28	151 ft	10,505 ft	269.81	ASPHALT	0 ft	180 ft
	46 m	3,202 m	285.16		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IPOS	109.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
10	LOC-ILS	IPOS	109.70 MHz	18 nm	89.49	-	57 ft
				33 km	104.84		57 m
10	GS	IPOS	109.70 MHz	10 nm	90.67	3.00	57 ft
				19 km	106.02		57 m