

EPP0

Poznan-Henryk Wieniawski


EPWA

Warsaw Frederic Chopin

2024/05/23 0959Z

EPP0 PEVUM EPWA

152.97 nm / 283.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EPP0	-	52.42160	0 ft	-	Poznan-Henryk Wieniawski
APT	-	16.82360	0 m		
PEVUM	-	52.30940	18,200 ft	67	-
FIX	-	18.65750	5,547 m		
EPWA	-	52.16510	0 ft	85	Warsaw Frederic Chopin
APT	-	20.96700	0 m		

EPP0

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 1

Elevation: 308 ft / 94 m
Location: 52.421600 16.823600
Magnetic Var: 5.582 E

METAR

EPP0 230930Z 27009KT 9999 BKN010 SCT035CB 16/15 Q1013

TAF

TAF EPP0 230530Z 2306/2406 25008KT 9999 BKN007 BKN025 TEMPO 2306/2308 4500 -SHRA BKN002 BKN015CB BECMG 2308/2311 B

Frequencies

TWR - 119.97 MHz - POZNAN TOWER
APP - 127.22 MHz - POZNAN APPROACH
REC - 126.30 MHz - ATIS

TWR - 121.80 MHz - POZNAN TOWER
TWR - 129.02 MHz - POZNAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	8,223 ft	107.59	ASPHALT	0 ft	0 ft
	50 m	2,506 m	102.01		0 m	0 m
28	164 ft	8,223 ft	287.62	ASPHALT	0 ft	0 ft
	50 m	2,506 m	282.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	POZ	110.30 MHz	18 nm	287.60	-	308 ft
				33 km	282.02		308 m
28	GS	POZ	110.30 MHz	10 nm	287.60	3.00	308 ft
				19 km	282.02		308 m

EPWA

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 2

Elevation: 362 ft / 110 m
Location: 52.165100 20.967000
Magnetic Var: 6.627 E

METAR

EPWA 230930Z 10010KT 070V130 9999 BKN016 21/17 Q1014 NOSIG

TAF

TAF EPWA 230830Z 2309/2409 12008KT 9999 BKN040 TEMPO 2309/2320 4000 SHRA BKN012 BKN025CB PROB40 TEMPO 2310/2315 VR

Frequencies

REC - 120.45 MHz - ATIS	TWR - 118.30 MHz - OKECIE TOWER
GND - 121.90 MHz - OKECIE GROUND	CLD - 121.60 MHz - CLEARANCE DELIVERY
APP - 128.80 MHz - WARSAW APPROACH	APP - 125.05 MHz - WARSAW APPROACH
REC - 118.77 MHz - OLSZTYN INFORMATION	REC - 119.45 MHz - WARSAW INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	164 ft	9,166 ft	114.57	ASPHALT	0 ft	492 ft
	50 m	2,794 m	107.95		0 m	150 m
29	164 ft	9,166 ft	294.60	ASPHALT	1,617 ft	102 ft
	50 m	2,794 m	287.98		493 m	31 m
15	197 ft	12,093 ft	151.80	ASPHALT	0 ft	144 ft
	60 m	3,686 m	145.17		0 m	44 m
33	197 ft	12,093 ft	331.82	ASPHALT	2,159 ft	148 ft
	60 m	3,686 m	325.19		658 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	WAS	109.90 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
33	DME	WA	110.30 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
11	LOC-ILS	WAS	109.90 MHz	18 nm	114.59	-	362 ft
				33 km	107.96		362 m
33	LOC-ILS	WA	110.30 MHz	18 nm	331.82	-	362 ft
				33 km	325.19		362 m
11	GS	WAS	109.90 MHz	10 nm	114.59	3.00	362 ft
				19 km	107.96		362 m
33	GS	WA	110.30 MHz	10 nm	331.82	3.00	362 ft
				19 km	325.19		362 m