LEPA
Palma De Mallorca


-

LPMA
Madeira

2024/03/19 0750Z

LEPA TURIA **A33** VLC **UM985** YES **R47** BLN **UN747** VULPE **R47** ONUBA **UN747** MINTA **R47** NARTA **B18** RAKUN LPMA

1059.00 nm / 1961.26 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEPA APT	–	39.55254 2.73496	0 ft 0 m	–	Palma De Mallorca
TURIA FIX	–	39.47178 1.13389	26,500 ft 8,077 m	74	–
RIKOS FIX	A33 AWY-LO	39.48144 0.33544	35,000 ft 10,668 m	37	–
FERAS FIX	A33 AWY-LO	39.48390 -0.00700	35,000 ft 10,668 m	15	–
VLC VOR	A33 AWY-LO	39.48565 -0.48304	35,000 ft 10,668 m	22	VALENCIA VOR-DME
ASTRO FIX	UM985 AWY-HI	39.02438 -1.26300	35,000 ft 10,668 m	45	–
YES VOR	UM985 AWY-HI	38.36078 -2.35275	35,000 ft 10,668 m	64	YESTE VOR-DME
BLN VOR	R47 AWY-LO	38.15252 -3.62501	35,000 ft 10,668 m	61	BAILEN VOR-DME
VULPE FIX	UN747 AWY-HI	37.76122 -4.79843	35,000 ft 10,668 m	60	–
SVL VOR	R47 AWY-LO	37.42758 -5.76222	35,000 ft 10,668 m	50	SEVILLA VOR-DME
ONUBA FIX	R47 AWY-LO	37.24672 -6.75999	35,000 ft 10,668 m	48	–
LEPES FIX	UN747 AWY-HI	37.16543 -7.19184	35,000 ft 10,668 m	21	–
MINTA FIX	UN747 AWY-HI	37.12882 -7.38333	35,000 ft 10,668 m	9	–
VFA VOR	R47 AWY-LO	37.01352 -7.97501	35,000 ft 10,668 m	29	FARO VOR-DME
NARTA FIX	R47 AWY-LO	36.05639 -12.55806	35,000 ft 10,668 m	228	–
RULET FIX	B18 AWY-LO	34.25167 -14.91556	28,200 ft 8,595 m	158	–
RAKUN FIX	B18 AWY-LO	33.55694 -15.78139	15,300 ft 4,663 m	60	–
LPMA APT	–	32.69770 -16.77445	0 ft 0 m	71	Madeira

LEPA

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 24 ft / 7 m
Location: 39.551700 2.738890
Magnetic Var: 1.662 E

METAR

LEPA 190730Z VRB02KT CAVOK 12/10 Q1017 NOSIG

TAF

TAF LEPA 190500Z 1906/2006 VRB04KT 9999 FEW020 TX22/1913Z TN09/1906Z PROB40 TEMPO 1906/1908 3000 BR BKN005 BECMG 1

Frequencies

APP - 118.95 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH
TWR - 118.30 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER
GND - 121.90 MHz - PALMA GROUND
CLD - 123.80 MHz - PALMA DELIVERY

APP - 119.15 MHz - PALMA APPROACH
APP - 369.42 MHz - PALMA MILITARY
TWR - 118.45 MHz - PALMA TOWER
GND - 121.70 MHz - PALMA GROUND
REC - 119.25 MHz - PALMA ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft 45 m	9,829 ft 2,996 m	58.48 56.82	ASPHALT	1,332 ft 406 m	0 ft 0 m
24L	148 ft 45 m	9,829 ft 2,996 m	238.50 236.84	ASPHALT	0 ft 0 m	0 ft 0 m
06L	148 ft 45 m	10,713 ft 3,265 m	58.46 56.80	ASPHALT	0 ft 0 m	256 ft 78 m
24R	148 ft 45 m	10,713 ft 3,265 m	238.48 236.82	ASPHALT	226 ft 69 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm 33 km	- -	-	23 ft 23 m
24L	DME	IPAL	109.30 MHz	18 nm 33 km	- -	-	56 ft 56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm 33 km	58.47 56.81	-	24 ft 24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm 33 km	238.50 236.84	-	24 ft 24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm 33 km	238.47 236.81	-	24 ft 24 m
06L	GS	PLM	110.90 MHz	10 nm 19 km	58.47 56.81	3.00	24 ft 24 m
24L	GS	IPAL	109.30 MHz	10 nm 19 km	238.50 236.84	3.00	24 ft 24 m
24R	GS	PAA	109.90 MHz	10 nm 19 km	238.47 236.81	3.00	24 ft 24 m