

RPLL

Ninoy Aquino Intl


PHNL

Daniel K. Inouye International Airport

2024/05/21 2016Z

RPLL PUPPI CRES 24N170W 26N180E 25N170E 21N160E 20N150E 19N140E 18N130E MUPOB KANDU POLIO PHNL

13323.33 nm / 24674.80 km



Notes

Requested: RPLL KEOLA3 PUPPI CRES 24N170W 26N180E 25N170E 21N160E 20N150E 19N140E 18N130E MUPOB KANDU POLIO POLI
Unmatched points: KEOLA3 POLI3P

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RPLL	-	14.51130	0 ft	-	Ninoy Aquino Intl
APT	-	121.01300	0 m	-	
PUPPI	-	21.92140	0 ft	4389	-
FIX	-	-161.68000	0 m	-	-
CRESP	-	22.20560	0 ft	125	-
FIX	-	-163.91400	0 m	-	-
24N170W	-	24.00000	0 ft	353	-
LATLON	-	-170.00000	0 m	-	-
26N180E	-	26.00000	0 ft	557	-
LATLON	-	-180.00000	0 m	-	-
25N170E	-	25.00000	0 ft	545	-
LATLON	-	170.00000	0 m	-	-
21N160E	-	21.00000	0 ft	602	-
LATLON	-	160.00000	0 m	-	-
20N150E	-	20.00000	0 ft	565	-
LATLON	-	150.00000	0 m	-	-
19N140E	-	19.00000	0 ft	569	-
LATLON	-	140.00000	0 m	-	-
18N130E	-	18.00000	0 ft	572	-
LATLON	-	130.00000	0 m	-	-
MUPOB	-	15.63660	0 ft	423	-
FIX	-	123.05500	0 m	-	-
KANDU	-	15.41430	0 ft	26	-
FIX	-	122.65000	0 m	-	-
POLIO	-	15.00840	0 ft	48	-
FIX	-	121.91700	0 m	-	-
PHNL	-	21.31940	0 ft	4543	Daniel K. Inouye International Airport
APT	-	-157.92100	0 m	-	

RPLL

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 2

Elevation: 75 ft / 23 m
Location: 14.511300 121.013000
Magnetic Var: 2.782 W

METAR

RPLL 212000Z VRB02KT 9999 SCT025 BKN100 30/24 Q1008 NOSIG RMK A2977

TAF

TAF RPLL 211700Z 2118/2224 11006KT 9999 FEW025 TX37/2206Z TN28/2121Z TEMPO 2118/2124 VRB03KT SCT023 BKN100 TEMPO

Frequencies

REC - 126.40 MHz - ATIS	APP - 119.70 MHz - MANILA APPROACH
APP - 121.10 MHz - MANILA APPROACH	APP - 127.70 MHz - MANILA APPROACH
TWR - 118.10 MHz - MANILA TOWER	GND - 121.80 MHz - MANILA GROUND
GND - 121.70 MHz - MANILA RAMP	GND - 128.80 MHz - MANILA RAMP
GND - 123.25 MHz - MANILA RAMP	GND - 121.35 MHz - MANILA RAMP
CLD - 125.10 MHz - MANILA CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	11,742 ft	60.15	ASPHALT	545 ft	0 ft
	60 m	3,579 m	62.93		166 m	0 m
24	197 ft	11,742 ft	240.15	ASPHALT	0 ft	0 ft
	60 m	3,579 m	242.94		0 m	0 m
13	144 ft	7,729 ft	134.96	ASPHALT	804 ft	0 ft
	44 m	2,356 m	137.74		245 m	0 m
31	144 ft	7,729 ft	314.96	ASPHALT	0 ft	0 ft
	44 m	2,356 m	317.74		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IML	109.10 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
24	DME	IMA	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
06	LOC-ILS	IML	109.10 MHz	18 nm	60.15	-	75 ft
				33 km	62.93		75 m
24	LOC-ILS	IMA	109.90 MHz	18 nm	240.15	-	75 ft
				33 km	242.93		75 m
06	GS	IML	109.10 MHz	10 nm	60.15	3.01	75 ft
				19 km	62.93		75 m
24	GS	IMA	109.90 MHz	10 nm	240.15	3.06	75 ft
				19 km	242.93		75 m

PHNL

Region: USA (HAWAII)
Timezone: PACIFIC/HONOLULU
Runways: 4

Elevation: 13 ft / 4 m
Location: 21.319400 -157.921000
Magnetic Var: 9.258 E

METAR

PHNL 211953Z 12006KT 10SM FEW025 SCT040 26/18 A3005

TAF

TAF PHNL 211720Z 2118/2224 07005KT P6SM FEW025 BKN050 FM212000 10010KT P6SM FEW030 SCT045 FM220800 05007KT P6SM F

Frequencies

REC - 127.90 MHz - ATIS	TWR - 118.10 MHz - HONOLULU TOWER
TWR - 123.90 MHz - HONOLULU TOWER	GND - 121.90 MHz - HONOLULU GROUND
CLD - 121.40 MHz - CLEARANCE DELIVERY	APP - 118.30 MHz - HCF APPROACH
DEP - 124.80 MHz - HCF DEPARTURE	DEP - 124.80 MHz - HCF DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	6,961 ft	52.84	ASPHALT	0 ft	0 ft
	46 m	2,122 m	43.58		0 m	0 m
22R	150 ft	6,961 ft	232.85	ASPHALT	0 ft	0 ft
	46 m	2,122 m	223.59		0 m	0 m
04R	150 ft	9,010 ft	52.85	ASPHALT	0 ft	194 ft
	46 m	2,746 m	43.59		0 m	59 m
22L	150 ft	9,010 ft	232.86	ASPHALT	0 ft	197 ft
	46 m	2,746 m	223.60		0 m	60 m
08R	200 ft	11,987 ft	90.01	ASPHALT	0 ft	558 ft
	61 m	3,654 m	80.75		0 m	170 m
26L	200 ft	11,987 ft	270.02	ASPHALT	0 ft	554 ft
	61 m	3,654 m	260.76		0 m	169 m
08L	150 ft	12,297 ft	90.00	ASPHALT	0 ft	469 ft
	46 m	3,748 m	80.74		0 m	143 m
26R	150 ft	12,297 ft	270.01	ASPHALT	0 ft	696 ft
	46 m	3,748 m	260.75		0 m	212 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IIUM	110.50 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
26L	DME	IEPC	109.10 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
26L	LOC-LOC	IEPC	109.10 MHz	18 nm	304.00	-	13 ft
				33 km	294.74		13 m
04R	GS	IIUM	110.50 MHz	10 nm	52.85	3.00	13 ft
				19 km	43.59		13 m
08L	GS	IHNL	111.70 MHz	10 nm	90.01	3.01	13 ft
				19 km	80.75		13 m