

# KJAX

Jacksonville International


# KDAB

Daytona Beach Intl

2024/05/23 2122Z

KJAX OMN KDAB

85.46 nm / 158.28 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 140kts
- Cruise Altitude: 3000ft
- Cruise Speed: 130kts
- Descent Rate: 1500ft/min
- Descent Speed: 80kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJAX APT	-	30.49300 -81.68830	0 ft 0 m	-	Jacksonville International
OMN VOR	-	29.30330 -81.11270	3,000 ft 914 m	77	ORMOND BEACH
KDAB APT	-	29.17990 -81.05600	0 ft 0 m	7	Daytona Beach Intl

## KJAX

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 29 ft / 9 m  
Location: 30.493000 -81.688300  
Magnetic Var: 7.015 W

## METAR

KJAX 232056Z 13009KT 10SM FEW045 FEW060 SCT210 BKN250 29/19 A2998 RMK A02 SLP153 T02890189 55003

## TAF

TAF KJAX 231720Z 2318/2418 11008KT P6SM SCT050 BKN250 FM240100 VRB02KT P6SM SCT250 FM241400 20006KT P6SM FEW040 S

## Frequencies

REC - 125.85 MHz - ATIS  
CLD - 119.50 MHz - CLNC DEL  
TWR - 118.30 MHz -  
COM - 122.95 MHz - UNICOM  
GND - 121.90 MHz -  
APP - 118.00 MHz - APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	7,708 ft	130.69	CONCRETE	0 ft	200 ft
	46 m	2,350 m	137.70		0 m	61 m
32	150 ft	7,708 ft	310.70	CONCRETE	0 ft	200 ft
	46 m	2,350 m	317.71		0 m	61 m
08	150 ft	10,009 ft	70.42	CONCRETE	0 ft	387 ft
	46 m	3,051 m	77.44		0 m	118 m
26	150 ft	10,009 ft	250.44	CONCRETE	0 ft	423 ft
	46 m	3,051 m	257.45		0 m	129 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IJAX	110.70 MHz	18 nm	70.47	-	26 ft
				33 km	77.48		26 m
14	LOC-ILS	ICZH	110.50 MHz	18 nm	130.70	-	23 ft
				33 km	137.71		23 m
26	LOC-ILS	IPEK	110.30 MHz	18 nm	250.45	-	30 ft
				33 km	257.46		30 m
08	GS	IJAX	110.70 MHz	10 nm	70.92	3.00	30 ft
				19 km	77.93		30 m
14	GS	ICZH	110.50 MHz	10 nm	131.40	3.00	26 ft
				19 km	138.41		26 m
26	GS	IPEK	110.30 MHz	10 nm	250.92	3.00	26 ft
				19 km	257.93		26 m

## KDAB

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 34 ft / 10 m  
Location: 29.179900 -81.056000  
Magnetic Var: 7.240 W

## METAR

KDAB 232053Z 07011KT 10SM FEW045 SCT130 SCT250 28/19 A3000 RMK A02 SLP157 T02830194 56004

## TAF

TAF KDAB 231724Z 2318/2418 08010KT P6SM SCT060 SCT250 FM240200 VRB02KT P6SM FEW070 FEW250 FM241600 08008KT P6SM S

## Frequencies

COM - 122.95 MHz - DAYTONA UNICOM  
TWR - 120.70 MHz - DAYTONA TOWER  
DEP - 123.90 MHz - DAYTONA DEPARTURE

GND - 121.90 MHz - DAYTONA GROUND  
APP - 125.80 MHz - DAYTONA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	151 ft	10,511 ft	65.11	ASPHALT	709 ft	381 ft
	46 m	3,204 m	72.35		216 m	116 m
25R	151 ft	10,511 ft	245.12	ASPHALT	0 ft	200 ft
	46 m	3,204 m	252.36		0 m	61 m
16	151 ft	6,006 ft	157.27	ASPHALT	0 ft	207 ft
	46 m	1,831 m	164.51		0 m	63 m
34	151 ft	6,006 ft	337.27	ASPHALT	0 ft	203 ft
	46 m	1,831 m	344.51		0 m	62 m
07R	98 ft	3,199 ft	65.04	ASPHALT	0 ft	0 ft
	30 m	975 m	72.28		0 m	0 m
25L	98 ft	3,199 ft	245.04	ASPHALT	0 ft	0 ft
	30 m	975 m	252.28		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IDBF	109.70 MHz	18 nm	-	-	34 ft
				33 km	-		34 m
07L	LOC-ILS	IDAB	109.70 MHz	18 nm	65.12	-	27 ft
				33 km	72.36		27 m
25R	LOC-ILS	IDBF	109.70 MHz	18 nm	245.11	-	34 ft
				33 km	252.35		34 m
07L	GS	IDAB	109.70 MHz	10 nm	65.22	3.00	26 ft
				19 km	72.46		26 m
25R	GS	IDBF	109.70 MHz	10 nm	245.22	3.00	34 ft
				19 km	252.46		34 m