


2024/05/07 1318Z

LPMA LIDRO **UN741** MOKOR **UN867** BAKUL **UN873** OBATO **UL976** RONAX **UN873** FERDI EHAM

1518.48 nm / 2812.23 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPMA	-	32.69770	0 ft	-	Madeira
APT	-	-16.77445	0 m		
LIDRO	-	33.66750	25,500 ft	71	-
FIX	-	-15.94972	7,772 m		
PECKY	UN741	34.53028	35,000 ft	60	-
FIX	AWY-HI	-15.33778	10,668 m		
TELMU	UN741	35.63778	35,000 ft	77	-
FIX	AWY-HI	-14.53056	10,668 m		
VERAM	UN741	36.77250	35,000 ft	79	-
FIX	AWY-HI	-13.67528	10,668 m		
ASMAR	UN741	39.37250	35,000 ft	184	-
FIX	AWY-HI	-11.59556	10,668 m		
DEMOS	UN741	41.92570	35,000 ft	184	-
FIX	AWY-HI	-9.36200	10,668 m		
STG	UN741	42.92687	35,000 ft	73	SANTIAGO VOR-DME
VOR	AWY-HI	-8.42539	10,668 m		
LOTEE	UN741	44.65876	35,000 ft	153	-
FIX	AWY-HI	-5.83665	10,668 m		
TUROP	UN741	46.03750	35,000 ft	122	-
FIX	AWY-HI	-3.71333	10,668 m		
DEGIS	UN741	46.26000	35,000 ft	20	-
FIX	AWY-HI	-3.35444	10,668 m		
ERIGA	UN741	46.86000	35,000 ft	54	-
FIX	AWY-HI	-2.36306	10,668 m		
MOKOR	UN741	47.00694	35,000 ft	16	-
FIX	AWY-HI	-2.01389	10,668 m		
OLEBA	UN867	47.15694	35,000 ft	11	-
FIX	AWY-HI	-1.84806	10,668 m		
BAKUL	UN867	47.34694	35,000 ft	14	-
FIX	AWY-HI	-1.63806	10,668 m		
ARDOD	UN873	47.73139	35,000 ft	37	-
FIX	AWY-HI	-0.90583	10,668 m		
OBATO	UN873	48.06694	35,000 ft	33	-
FIX	AWY-HI	-0.25000	10,668 m		
RONAX	UL976	48.39222	35,000 ft	31	-
FIX	AWY-HI	0.38194	10,668 m		
SORAP	UN873	48.52222	35,000 ft	12	-
FIX	AWY-HI	0.63528	10,668 m		
DITAL	UN873	48.74472	35,000 ft	16	-
FIX	AWY-HI	0.88917	10,668 m		
EVX	UN873	49.03169	35,000 ft	21	EVREUX FAUVILLE VORTAC
VOR	AWY-HI	1.22086	10,668 m		
PODEM	UN873	49.26139	35,000 ft	18	-
FIX	AWY-HI	1.55306	10,668 m		
SOMIL	UN873	49.77028	35,000 ft	42	-
FIX	AWY-HI	2.30500	10,668 m		
BELDI	UN873	49.95556	35,000 ft	15	-
FIX	AWY-HI	2.58444	10,668 m		
VEKIN	UN873	50.40417	27,300 ft	37	-
FIX	AWY-HI	3.27500	8,321 m		
ADUTO	UN873	50.51500	25,700 ft	7	-
FIX	AWY-HI	3.36167	7,833 m		
FERDI	UN873	50.91264	20,100 ft	26	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	3.63696	6,126 m		
EHAM	-	52.31485	0 ft	94	Schiphol
APT	-	4.75812	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.042 E

METAR

EHAM 071255Z 03007KT 350V080 9999 FEW033 17/10 Q1020 NOSIG

TAF

TAF EHAM 071032Z 0712/0818 35010KT 9999 FEW035 BECMG 0719/0721 34006KT BKN012 PROB30 0721/0805 BKN008 BECMG 0805/

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.18		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m