CYYJ
Victoria Intl


-

KSEA
Seattle Tacoma Intl

2024/03/19 1323Z

CYYJ DIGGN KSEA

84.68 nm / 156.82 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 20000ft
- Cruise Speed: 300kts
- Descent Rate: 2500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYJ APT	–	48.64733 −123.42655	0 ft 0 m	–	Victoria Intl
DIGGN FIX	–	47.94718 −122.76669	17,500 ft 5,334 m	49	–
KSEA APT	–	47.45019 −122.31232	0 ft 0 m	35	Seattle Tacoma Intl

CYYJ

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 3

Elevation: 62 ft / 19 m
Location: 48.647900 -123.428000
Magnetic Var: 15.218 E

METAR

CYYJ 191300Z 28004KT 20SM MIFG SKC 06/06 A3004 RMK SLP175

TAF

TAF CYYJ 191140Z 1912/2012 VRB03KT P6SM FEW250 TEMPO 1912/1915 5SM BR FM191800 VRB03KT P6SM SKC BECMG 1919/1921 08

Frequencies

REC - 118.80 MHz - ATIS
CLD - 126.40 MHz - CLEARANCE DELIVERY
TWR - 119.70 MHz - VICTORIA TOWER
APP - 125.95 MHz - VICTORIA APPROACH

COM - 119.70 MHz - CTAF
GND - 121.90 MHz - VICTORIA GROUND
DEP - 133.85 MHz - VICTORIA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	200 ft 61 m	6,962 ft 2,122 m	106.09 90.87	ASPHALT	0 ft 0 m	0 ft 0 m
27	200 ft 61 m	6,962 ft 2,122 m	286.11 270.89	ASPHALT	0 ft 0 m	52 ft 16 m
02	200 ft 61 m	5,019 ft 1,530 m	43.95 28.73	ASPHALT	1,404 ft 428 m	0 ft 0 m
20	200 ft 61 m	5,019 ft 1,530 m	223.96 208.74	ASPHALT	879 ft 268 m	0 ft 0 m
13	200 ft 61 m	4,991 ft 1,521 m	152.19 136.97	ASPHALT	427 ft 130 m	0 ft 0 m
31	200 ft 61 m	4,991 ft 1,521 m	332.20 316.98	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IKH	108.70 MHz	18 nm 33 km	- -	-	63 ft 63 m
27	DME	IYJ	108.70 MHz	18 nm 33 km	- -	-	63 ft 63 m
09	LOC-ILS	IKH	108.70 MHz	18 nm 33 km	106.06 90.84	-	62 ft 62 m
27	LOC-ILS	IYJ	109.95 MHz	18 nm 33 km	286.06 270.84	-	62 ft 62 m
09	GS	IKH	108.70 MHz	10 nm 19 km	106.06 90.84	3.00	62 ft 62 m
27	GS	IYJ	109.95 MHz	10 nm 19 km	286.06 270.84	3.00	62 ft 62 m

KSEA

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3
Elevation: 432 ft / 132 m
Location: 47.450200 -122.312000
Magnetic Var: 14.795 E

METAR

KSEA 191253Z 00000KT 9SM FEW250 08/05 A3003 RMK AO2 SLP175 T00780050

TAF

KSEA 191122Z 1912/2018 01006KT P6SM FEW250 FM191800 30005KT P6SM FEW250 FM192100 25007KT P6SM SCT250 FM200400 210

Frequencies

REC - 118.00 MHz - SEATTLE ATIS
GND - 121.70 MHz - SEATTLE GROUND
TWR - 120.95 MHz - SEATTLE TOWER
DEP - 120.10 MHz - SEATTLE DEPARTURE
CLD - 128.00 MHz - SEATTLE CLEARANCE
TWR - 119.90 MHz - SEATTLE TOWER
APP - 133.65 MHz - SEATTLE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft 46 m	11,904 ft 3,628 m	180.35 165.55	CONCRETE	0 ft 0 m	400 ft 122 m
34R	151 ft 46 m	11,904 ft 3,628 m	0.35 345.55	CONCRETE	0 ft 0 m	400 ft 122 m
16C	151 ft 46 m	9,428 ft 2,874 m	180.34 165.55	CONCRETE	0 ft 0 m	400 ft 122 m
34C	151 ft 46 m	9,428 ft 2,874 m	0.34 345.55	CONCRETE	0 ft 0 m	397 ft 121 m
16R	151 ft 46 m	8,502 ft 2,591 m	180.34 165.54	CONCRETE	0 ft 0 m	200 ft 61 m
34L	151 ft 46 m	8,502 ft 2,591 m	0.34 345.54	CONCRETE	0 ft 0 m	197 ft 60 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	ISZI	111.70 MHz	18 nm 33 km	- -	-	470 ft 470 m
16L	DME	ISNQ	110.30 MHz	18 nm 33 km	- -	-	369 ft 369 m
16R	DME	ICJL	110.75 MHz	18 nm 33 km	- -	-	410 ft 410 m
34C	DME	ITUC	111.70 MHz	18 nm 33 km	- -	-	470 ft 470 m
34L	DME	IBEJ	110.75 MHz	18 nm 33 km	- -	-	410 ft 410 m
34R	DME	ISEA	110.30 MHz	18 nm 33 km	- -	-	469 ft 469 m
16C	LOC-ILS	ISZI	111.70 MHz	18 nm 33 km	180.34 165.54	-	355 ft 355 m
16L	LOC-ILS	ISNQ	110.30 MHz	18 nm 33 km	180.34 165.55	-	338 ft 338 m
16R	LOC-ILS	ICJL	110.75 MHz	18 nm 33 km	180.34 165.54	-	410 ft 410 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34C	LOC-ILS	ITUC	111.70 MHz	18 nm 33 km	0.34 345.54	-	422 ft 422 m
34L	LOC-ILS	IBEJ	110.75 MHz	18 nm 33 km	0.34 345.54	-	433 ft 433 m
34R	LOC-ILS	ISEA	110.30 MHz	18 nm 33 km	0.34 345.55	-	428 ft 428 m
16C	GS	ISZI	111.70 MHz	10 nm 19 km	180.67 165.88	3.00	418 ft 418 m
16L	GS	ISNQ	110.30 MHz	10 nm 19 km	180.69 165.89	3.00	425 ft 425 m
16R	GS	ICJL	110.75 MHz	10 nm 19 km	180.67 165.88	3.00	410 ft 410 m
34C	GS	ITUC	111.70 MHz	10 nm 19 km	0.67 345.88	3.00	367 ft 367 m
34L	GS	IBEJ	110.75 MHz	10 nm 19 km	0.67 345.88	3.00	360 ft 360 m
34R	GS	ISEA	110.30 MHz	10 nm 19 km	0.69 345.89	2.75	355 ft 355 m